

## Release Notes for Public PTF (2011-04-06)

### 1. Origin Product/Version

OX v6.18.2 Rev 31

### 2. Packages shipped with this PTF Release

OX v6.18.2 Rev 32 (built 2011-04-04)

### 3. Bugs fixed with this PTF Release

- 18788 user db schema got dropped when MySQL returns old identifier for new schema  
MySQL seems to have a problem under certain circumstances to generate proper unique identifier. Unfortunately this can cause a drop of a long existing database schema filled with a lot of contexts. The fix takes care of this and does not drop the schema anymore. Additionally another method is used to create proper unique identifier.  
No potential side effects.
- 15487 Minicalendar year dropdown list too long  
Redesign of the dropdown list.  
No potential side effects.
- 18834 mail push should also check ox login name on external new mail trigger  
New options in push\_mailnotify.properties, no defaults changed. See also chapter 4, "Changes of configuration files".  
No potential side effects.

## 4. Changes relevant for Administrator

### Changes of configuration files

#### Change #682

Two new configuration options will be added to the configuration file `/opt/openexchange/etc/groupware/push_mailnotify.properties`:

```
# Whether to use the ox login name to check for a valid push event.
# The default is to only check the users aliases.
# If mailboxname@example.com is not contained in the list of aliases,
# set this to true.
# Warning: This won't work in multidomain setups where the same login
# might exist in different contexts!
com.openexchange.push.mail.notify.use_ox_login=false

# Whether to use the full email address from aliases or just use the
# localpart.
# When using a multidomain setup where the imap login is an email address,
# this should be set to true.
# If not, login might not be unique because foo@example.com and
# foo@example.net
# might be different users.
# Note: Do NOT set com.openexchange.push.mail.notify.imap_login_delimiter in
# this case!
com.openexchange.push.mail.notify.use_full_email_address=false
```

### Changes of database schemes

- none -

### Changes of command line tools schemes

- none -

## 5. Changes relevant for Developers

### Changes of the HTTP API

- none -

### Changes of the RMI API

- none -

### Changes of the WebDAV API

- none -

## 6. Tests

To avoid side effects the packages have gone through automated "Smoke" and "Always" test on both, the OX Build System and a distributed OX QA server setup.

The OX QA team has verified all bug fixes.

## 7. Side effects

No side effects.