Release Notes for Patch Release #3433

July 18, 2016

Copyright notice

1 Shipped Product and Version

Open-Xchange AppSuite backend 7.8.1-rev17
Open-Xchange AppSuite frontend 7.8.1-rev15
Open-Xchange EAS 7.8.1-rev9

Find more information about product versions and releases at `http://oxpedia.org/wiki/index.php?title=AppSuite:Versioning_and_Numbering`

2 Bugs fixed since previous Public Release

This section provides a summary of bugfixes and changes that have been applied subsequently to shipping Patch Release #3400.

46533   Open-Xchange Report Client floods logs with hazelcast warnings
Hazelcasts checked for remote executions log on level WARN while it is just an INFO.
Already fixed in hazelcast version 3.7. and will be fixed in an upcoming 3.6.x. But for now the log level of logging classes will be reduced dynamically for report generation.

46628   The facet "folder" is mandatory and has to be set
The error was a race condition in folder selection for search.
This has been fixed by only using visible/enabled options.

46679   A lot of additional SETMETADATA/LIST/LSUB IMAP commands while Login
Superfluous SETMETADATA/LIST/LSUB IMAP commands.
This has been solved by avoiding superfluous SETMETADATA/LIST/LSUB IMAP commands.

46785   OX Pagination issue in UI
All header fields were requested.
This has been fixed by using 'com.openexchange.mail.api.IMailMessageStorageExt' interface for efficient retrieval of header names.

45553   Movecontextfilestore produces error 'AVERAGE_USER_SIZE' not found in file /opt/open-xchange/etc
The path information for a registered file storage does not contain the scheme. In turn yielding a java.lang.IllegalArgumentException when trying to create an instance of java.io.File as such an URI is expected to have its scheme equal to "file".
Solution: Ensure a non-null scheme in specified java.net-URI instance when resolving to a file storage, fall-back to "file" if absent.

45819   Spam Experts integration not showing settings menu item after package installation
Extension point IDs used to integrate into the settings menu.
This has been solved by changing to new extension points.

46574   Error after sending vCard
Sending vCard uses a list request that gets lots of null values that are not expected in the contacts model. An error was displayed if the user try to edit the vcard after sending it.
This has been fixed by droppping certain null values after list request (birthday and distribution_list), also fixed "scrollIntoView " run-time error.

46743   Mail-Body did not get displayed
CSS content were not properly parsed/detected if surrounded by HTML comments and Mail-Body was not displayed.
Solution: Orderly parse/detect CSS content surrounded by HTML comments.

46779   Signature appears below quoted text instead above
Signatures were always displayed below quoted text.
With this fix, it is possible to display signatures above quoted text again.

46805   Special use folder ignored
Special use folders were not considered for the primary mail account.
This has been fixed by adding an initial special use check for primary mail account.

46864   No mail content shown: Multipart mail could not be parsed
Some Multipart mails coud not be parsed if a source attribute in a Image-Tag contains another tag.
Changed parsing for image-tags to display those mails.

46970   Linked appointment and task within an email cannot be displayed
If an user click on an invalid appoitment/task link, he got the spinner.
With this fix, the appointment is displayed or the link is displaying the folder from the link.

47071   E-Mail Reminder does not display the originating Mail
It was not possible to open the email from a reminder.
Now the original email is displayed if the user click the reminder from the notification bar.

47166   Redirect to logoutLocation does not work anymore
Redirect to loginLocation and logoutLocation does not work.
With this fix, the custom login and logout Locations are working again.

3   Changes relevant for Administrators

3.1   Changes of Configuration Files

Change #3413   Introduced a configuration to initialize the primary mail account with special-use folders
Introduced the following property within imap.properties:
```
# Specifies whether the primary mail account should be initialized with special-use folders
from the imap server or not # Default is 'false'
com.openexchange.imap.initWithSpecialUse=false
```

4   Tests

Not all defects that got resolved could be reproduced within the lab. Therefore, we advise guided and close monitoring of the reported defect when deploying to a staging or production environment. Defects which have not been fully verified, are marked as such.

   To avoid side effects, the shipped packages have gone through automated regression test on both, a Continuous Integration System and a dedicated server setup for system and integration testing.

   All changes have been checked for potential side-effects and effect on behavior. Unless explicitly stated within this document, we do not expect any side-effects.

5   Fixed Bugs

46533, 46628, 46679, 46785, 45553, 45819, 46574, 46743, 46779, 46805, 46864, 46970, 47071, 47166,