



Groupware
User Guide



Groupware: User Guide

Publication date Tuesday, 07. May 2019 Version 7.10.2

Copyright © 2016-2019 OX Software GmbH. This document is the intellectual property of OX Software GmbH

This document may be copied in whole or in part, provided that each copy contains this copyright notice. The information contained in this book was compiled with the utmost care. Nevertheless, erroneous statements cannot be excluded altogether. OX Software GmbH, the authors and the translators are not liable for possible errors and their consequences. The names of software and hardware used in this book may be registered trademarks; they are used without warranty of free usability. OX Software GmbH generally follows the spelling conventions of the manufacturers. The reproduction of brand names, trade names, logos, etc. in this book (even without special markings) does not justify the assumption that such names can be considered free (for the purposes of trademark and brand name regulations).

Table of Contents

1 About this Documentation	11
1.1 Target Groups, Contents	12
1.2 Terminology	13
2 First Steps	17
2.1 Groupware Definition	18
2.2 Signing in, Signing out	20
2.3 Changing the Password	21
2.4 The User Interface	22
2.4.1 The menu bar	23
2.4.2 App Launcher	24
2.4.3 The search bar	25
2.4.4 The tool bar	26
2.4.5 The folder view	27
2.4.6 The display area	28
2.4.7 The pop-up	29
2.4.8 The notification area	30
2.4.9 The editing window	31
2.5 Keyboard Input	32
2.5.1 Keys and key combinations	33
2.5.2 Interacting with the user interface via keyboard	34
2.5.3 Use cases	35
3 Basic Settings	37
3.1 Customising the Basic Settings	38
3.2 Changing Personal Contact Data	39
3.3 Receiving Notifications	40
3.4 Manually Installing Local Apps	42
3.5 Using a Wizard to Set Up Local Apps	43
4 Portal	45
4.1 The Portal Components	46
4.1.1 Signed in as	47
4.1.2 Customise this page button	47
4.1.3 Add widget button	47
4.1.4 <i>Appointments</i> widget	47
4.1.5 <i>Inbox</i> widget	47
4.1.6 <i>Tasks</i> widget	47
4.1.7 <i>Recently changed files</i> widget	47
4.1.8 <i>User data</i> widget	48
4.1.9 <i>Quota</i> widget	48
4.1.10 <i>News</i> widgets	48
4.1.11 Widgets with <i>news from your social networks</i>	48

4.1.12 Widgets with information about Drive apps	48
4.2 Customising the Portal	49
4.2.1 Changing the widgets' order	50
4.2.2 Removing Portal widgets	50
4.2.3 Adding Portal widgets	50
4.2.4 Adding a Portal widget for social networks	50
4.3 Portal Settings	52
5 E-Mail	53
5.1 The E-Mail Components	54
5.1.1 The E-Mail search bar	55
5.1.2 The E-Mail tool bar	56
5.1.3 The E-Mail folder view	57
5.1.4 The E-Mail categories bar	58
5.1.5 The E-Mail display area	58
5.1.6 The E-Mail list	59
5.1.7 The E-Mail detail view	60
5.1.8 The E-Mail pop-up	61
5.1.9 The E-Mail editing window	62
5.2 Displaying email messages	63
5.3 Viewing or Saving email Attachments	64
5.4 Sending email messages	65
5.4.1 Sending a new email	66
5.4.2 Selecting contacts from an address book	67
5.4.3 Selecting sender address	68
5.4.4 Adding attachments	69
5.4.5 Sending attachments as a link	70
5.4.6 Using signatures	70
5.4.7 Replying to email messages	72
5.4.8 Forwarding E-Mail messages	72
5.4.9 Automatically forwarding email messages	73
5.4.10 Sending an E-Mail to participants	73
5.4.11 Sending a vacation notice automatically	74
5.5 Adding E-Mail folders	75
5.6 Managing E-Mail messages	76
5.6.1 Working with tabs	77
5.6.2 Moving or copying E-Mail messages	78
5.6.3 Marking email messages as read or unread	79
5.6.4 Collecting addresses	80
5.6.5 Categorising E-Mail messages	80
5.6.6 Showing the email source	81
5.6.7 Working with email drafts	81
5.6.8 Creating E-Mail reminders	82
5.6.9 Adding an email to the portal	82
5.6.10 Saving email messages	82
5.6.11 Importing email messages	82
5.6.12 Printing email messages	83
5.6.13 Archiving E-Mail messages	84
5.6.14 Deleting E-Mail messages	84

5.6.15	Cleaning up E-Mail folders	86
5.6.16	Using Unified Mail	87
5.7	Using E-Mail Filters	88
5.7.1	Creating new rules	89
5.7.2	Adding a condition	90
5.7.3	Adding an action	91
5.7.4	Creating a new rule when moving	91
5.7.5	Changing a rule	91
5.8	Searching for E-Mail Messages	93
5.9	Adding E-Mail Accounts	95
5.10	Email Settings	96
5.10.1	Settings for receiving E-Mail messages.	97
5.10.2	Settings for composing E-Mail messages	99
6	Address Book	101
6.1	The Address Book Components	102
6.1.1	The Address Book search bar	103
6.1.2	The Address Book tool bar	104
6.1.3	The Address Book folder view	105
6.1.4	The Address Book navigation bar	105
6.1.5	The Address Book display area	105
6.1.6	The Address Book list	105
6.1.7	The Address Book detail view	106
6.1.8	The contact editing window	107
6.1.9	The distribution list editing window	108
6.2	Displaying contacts	109
6.3	Viewing or Saving Contact Attachments	110
6.4	Displaying Contacts in the Halo View	111
6.5	Adding Contacts	112
6.5.1	Creating a new contact	112
6.5.2	Adding attachments	113
6.5.3	Adding a contact from a vCard attachment	113
6.6	Adding Distribution Lists	114
6.6.1	Creating new distribution lists	115
6.6.2	Saving E-Mail recipients as distribution list	116
6.6.3	Creating a distribution list from the list of participants	116
6.7	Adding Address Books	117
6.7.1	Adding address books	118
6.7.2	Subscribing to external address books	118
6.8	Managing contacts	119
6.8.1	Sending Email Messages from within an address book	119
6.8.2	Inviting contacts to an appointment	119
6.8.3	Editing contacts	120
6.8.4	Moving or copying contacts	120
6.8.5	Sending contacts as vCard	121
6.8.6	Adding contacts as XING contacts	121
6.8.7	Inviting contacts to XING	122
6.8.8	Importing contacts	122

6.8.9 Exporting contacts	123
6.8.10 Printing Contacts	123
6.8.11 Deleting contacts	124
6.9 Searching for contacts	125
6.10 Address Book Settings	126

7 Calendar 127

7.1 The Calendar Components	128
7.1.1 The Calendar search bar	129
7.1.2 The Calendar tool bar	130
7.1.3 The mini calendar	131
7.1.4 The Calendar folder view	132
7.1.5 The Calendar display area	132
7.1.6 Day, Work week, Week, Month or Year calendar view.	133
7.1.7 The date picker	134
7.1.8 The Calendar pop-up	135
7.1.9 The Calendar list	135
7.1.10 The Calendar detail view	136
7.1.11 The scheduling view	137
7.1.12 The appointment editing window:	138
7.2 Viewing Appointments	139
7.2.1 Displaying appointments in the calendar view	140
7.2.2 Displaying multiple timezones	141
7.2.3 How are appointments displayed in a calendar view?	142
7.2.4 Displaying appointments in the list view	143
7.3 Viewing or Saving Appointment Attachments	144
7.4 Creating Appointments	145
7.4.1 Creating new appointments	146
7.4.2 Using the date picker	147
7.4.3 Setting recurring appointments	148
7.4.4 Setting an appointment's display	149
7.4.5 Using appointment reminders	149
7.4.6 Adding participants or resources	150
7.4.7 Adding attachments	150
7.4.8 Using the scheduling view	151
7.4.9 Creating a follow-up appointment	152
7.4.10 Inviting participants to a new appointment	152
7.4.11 Inviting E-Mail recipients to new appointments	153
7.4.12 Creating appointments from iCal attachments	153
7.4.13 Resolving appointment conflicts	154
7.5 Answering appointment invitations	155
7.6 Adding Calendars	156
7.6.1 Adding personal calendars	157
7.6.2 Subscribing to calendars	158
7.6.3 Importing calendars from files	159
7.6.4 Viewing and synchronising shared calendars	159
7.7 Managing Appointments	160
7.7.1 Editing appointments	161
7.7.2 Changing the appointment confirmation or status	162

7.7.3 Changing the organiser	163
7.7.4 Managing favourite timezones	163
7.7.5 Using calendar colours	164
7.7.6 Moving appointments to another calendar	164
7.7.7 Importing appointments	165
7.7.8 Exporting appointments	165
7.7.9 Printing appointments	166
7.7.10 Deleting appointments	167
7.8 Searching for appointments	168
7.9 Managing Groups	170
7.10 Managing Resources	171
7.11 Calendar Settings	172
8 Tasks	175
8.1 The Tasks Components	176
8.1.1 The Tasks search bar	177
8.1.2 The Tasks tool bar	177
8.1.3 The Tasks folder view	178
8.1.4 The Tasks display area	178
8.1.5 The Tasks list	179
8.1.6 The Tasks detail view	180
8.1.7 The task editing window	181
8.2 Viewing tasks	182
8.3 Viewing or Saving Task Attachments	183
8.4 Creating Tasks	184
8.4.1 Creating new tasks	184
8.4.2 Creating recurring tasks	185
8.4.3 Adding participants to a task	185
8.4.4 Adding attachments	185
8.5 Answering Task Invitations	186
8.6 Adding Task Folders	187
8.7 Managing tasks	188
8.7.1 Editing tasks	189
8.7.2 Marking tasks as done	189
8.7.3 Changing a task's due date	190
8.7.4 Moving tasks to another folder	190
8.7.5 Changing tasks confirmations	191
8.7.6 Importing tasks	191
8.7.7 Exporting tasks	191
8.7.8 Printing tasks	192
8.7.9 Deleting tasks	192
8.8 Searching for Tasks	193
8.9 Task Settings	195
9 Drive	197
9.1 The Drive Components	198

9.1.1 The Drive search bar	199
9.1.2 The Drive tool bar	200
9.1.3 The Drive folder view	201
9.1.4 The Drive navigation bar	202
9.1.5 The Drive display area	203
9.1.6 The file details	204
9.1.7 The viewer	205
9.2 Viewing files	206
9.2.1 Displaying files in the viewer	207
9.2.2 Displaying E-Mail attachments in Drive	208
9.2.3 Holding a presentation	208
9.3 Downloading Files or Folder Contents	210
9.4 Creating Files or Drive Folders	211
9.5 Creating or Editing Text Files	212
9.6 Organising Files and Drive Folders	213
9.6.1 Sending files as E-Mail attachments	214
9.6.2 Editing file names	214
9.6.3 Creating or editing descriptions	215
9.6.4 Moving files or Drive folders	215
9.6.5 Copying files	216
9.6.6 Saving files as PDF	216
9.6.7 Adding files to the portal	217
9.6.8 Adding files or Drive folders to favorites	217
9.6.9 Deleting files or Drive folders	218
9.6.10 Locking or unlocking files	219
9.6.11 Working with versions	220
9.7 Searching for Files	221
9.8 Accessing Files with WebDAV	223
9.8.1 Setting up WebDAV under Linux	223
9.8.2 Setting up WebDAV under Windows 7	223
9.9 Adding storage accounts	225
9.10 DriveSettings	226
10 Data Organisation and Shares	227
10.1 Managing Data with Folders	228
10.1.1 What are folder types?	229
10.1.2 What is the purpose of permissions?	230
10.1.3 Navigating within the folder structure	231
10.1.4 Hiding folders	232
10.1.5 Adding folders to favourites	233
10.1.6 Renaming folders	233
10.1.7 Moving folders	234
10.1.8 Deleting folders	234
10.2 Sharing Data	235
10.2.1 Sharing with public links	236
10.2.2 Inviting to a shared item	238
10.2.3 Editing shares	240
10.2.4 Resending an invitation	241

10.2.5 Removing shares	242
10.2.6 Viewing or editing shares in the Drive app	243
10.2.7 Subscribing to E-Mail folders	244
10.2.8 Accessing other users' shares	244
10.2.9 Which permissions can be used?	245
10.2.10 Use cases for permissions	247
10.3 Managing Accounts	249
10.3.1 Editing the primary E-Mail account	250
10.3.2 Viewing, editing, deleting accounts	251
10.4 Managing Subscriptions	252
10.4.1 refresh subscribed data	253
10.4.2 Managing subscribed address books	253
11 Data Security	255
11.1 Automatic sign out	256
11.2 Externally linked images in E-Mail messages	257
11.3 Using a whitelist	258
11.4 Displaying or terminating sessions	259
11.5 Multi-Factor Authentication	260
11.5.1 Setting up verification methods	261
11.5.2 Verifying a login by using an authenticator app	263
11.5.3 Verifying the login with a security key	263
11.5.4 Verifying the login with an SMS code	264
11.5.5 Recovering the verification	265
11.5.6 Managing verification methods	266
12 Encrypting Data with Guard	267
12.1 Setting up Guard	268
12.2 Encrypting E-Mail Conversations	269
12.2.1 Reading encrypted E-Mail messages	269
12.2.2 Sending encrypted E-Mail messages	270
12.2.3 How can external recipients read an encrypted E-Mail?	271
12.3 Encrypting files	272
12.3.1 Encrypting files	272
12.3.2 Creating new encrypted files	273
12.3.3 Opening encrypted files	273
12.3.4 Downloading encrypted files	274
12.3.5 Decrypting files	274
12.4 Encrypting Office Documents	275
12.4.1 Creating new encrypted documents	276
12.4.2 Saving selected documents in an encrypted format	276
12.4.3 Opening an encrypted document	277
12.5 Signing Out from Guard	278
12.6 GuardSettings	279
12.6.1 Password management	281
12.6.2 Managing your own keys	283
12.6.3 Managing public keys	285

Index 287

1 About this Documentation

The following information will help you make better use of the documentation.

- [Target Groups, Contents \(p. 12\)](#)
- [Terminology \(p. 13\)](#)

1.1 Target Groups, Contents

This documentation is addressed to the end user.

This documentation describes working with a typical groupware installation and configuration. The installed version and the configuration of your groupware might differ from what is described here.

If this documentation contains descriptions of functions that are not available in your installation, please contact your administrator or host. As the groupware's software has a modularised structure consisting of individual applications, it is possible to purchase additional applications or functions through upgrades.

The contents of this documentation are also available in the on-line help.

1.2 Terminology

Account	<p>An account or an user account is an access permission to a computer system. Account examples:</p> <ul style="list-style-type: none">▪ groupware account▪ GMail account▪ DropBox account▪ Facebook account <p>To get access, a user has to log in with the user name and the password. Based on the account, the computer system identifies the single users. This allows assigning specific properties to a user, like access permissions or settings.</p> <p>Related topics: Managing Accounts (p. 249)</p>
App	<p>An application is a groupware component that provides certain functions. Example: With the E-Mail application you can send, receive and organise E-Mail messages.</p>
Distribution list	<p>A distribution list consists of a distribution list name and a number of E-Mail addresses of internal users or external partners. You can create and edit your own distribution lists. Other users cannot see your distribution lists. Distribution lists can be used as follows:</p> <ul style="list-style-type: none">▪ send an E-Mail to multiple contacts▪ add internal or external participants to an appointment or a task▪ grant permissions to multiple users or guests by inviting them to a share <p>Depending on the configuration, specific distribution lists are predefined for all users.</p> <p>Related topics: Adding Distribution Lists (p. 114)</p>
Domain	<p>A domain is the address used to open a page on the Internet. Example: <i>www.example.com</i>. A domain is often also referred to as web address or Internet address.</p> <p>Related topics: Using a whitelist (p. 258)</p>
E-Mail thread	<p>An E-Mail thread is an E-Mail conversation The E-Mail thread includes the original E-Mail and all replies. All E-Mail messages in an E-Mail thread have the same subject. The current E-Mail corresponds to the last reply.</p> <p>Related topics: The E-Mail list (p. 59)</p>
Elements	<p>Elements of the user interface. Example: windows, labels, buttons.</p> <p>Related topics: The User Interface (p. 22)</p>
External participant	<p>A person that is not an internal groupware user but that participates in an appointment or task.</p>
Folders	<p>Folders contain app specific objects. In some apps, folders can also include sub-folders. Some folders are preset, other folders can be set up by the user. Folder examples: E-Mail folder, address book, calendar, task folders, Drive folders</p>

	Related topics: Managing Data with Folders (p. 228)
Global address book	Contains the contact data for all internal users. The users can edit their own personal data in the global address book.
Group	<p>A group consists of a group name and a number of internal users. Groups can be used as follows:</p> <ul style="list-style-type: none">▪ add to an appointment or task▪ grant permissions by inviting to a share <p>Depending on the configuration, specific groups are predefined. Depending on the groupware configuration, users can get the permission to create additional groups.</p> <p>Related topics: Managing Groups (p. 170)</p>
Groupware	The software described in this documentation.
Guest	A person who received an invitation to a share by another user or has been added to an appointment or task as an external participant. Each guest user belongs to the <i>Guests</i> group. This group cannot be changed or deleted.
Internal E-Mail account	Your Groupware E-Mail account You will automatically get this account. You cannot delete this account.
Objects	Objects are created and organised by the user. Examples: E-Mail messages, contacts, appointments, tasks, documents, files, folders, address books, calendars
Participant	A user invited to an appointment or task.
Resource	<p>A resource consists of a resource name, an E-Mail address and an optional description. Resources can be used as follows:</p> <ul style="list-style-type: none">▪ Add to an appointment. You can only add resources that are not used for other appointments.▪ Resource examples: conference room, beamer, car <p>Depending on the configuration, specific resources are predefined. Depending on the groupware configuration, users can get the permission to create additional resources.</p> <p>Related topics: Managing Resources (p. 171)</p>
Session	<p>A session is a connection between a client, e.g. a browser, an E-Mail client or a smartphone app and a server, e.g. the groupware server. A session starts with the login and ends with the logout.</p> <p>Related topics: Displaying or terminating sessions (p. 259)</p>
Tabs	<p>Tabs provide an easy and simple way of keeping the <i>Inbox</i> folder neat. With tabs, incoming E-Mail messages are saved separated by sender in the <i>Inbox</i> folder. Depending on the configuration, specific tabs are predefined. You can set additional tabs according to your needs.</p> <p>Tabs can only be used in the <i>Inbox</i> folder. If you need additional storage options, use the folder view to create E-Mail folders.</p> <p>Related topics: Working with tabs (p. 77)</p>

User	A person working with the groupware. Each user has a username and a password. Each groupware user belongs to the <i>default group</i> . Those users are also called internal users.
User interface	This refers to the groupware user interface. The user interface consists of individual elements. Related topics: The User Interface (p. 22)
Whitelist	A whitelist is a list of domain names or E-Mail addresses that you trust. Related topics: Using a whitelist (p. 258)

2 First Steps

You should have a look at these topics before starting to work with the groupware:

- [Groupware Definition \(p. 18\)](#)
- [Signing in, Signing out \(p. 20\)](#)
- [Changing the Password \(p. 21\)](#)
- [The User Interface \(p. 22\)](#)

You can also have a look at these topics:

- [Keyboard Input \(p. 32\)](#)

2.1 Groupware Definition

Learn which applications are part of the groupware. Get an initial insight into the tasks that can be accomplished using the applications.

Portal

Your information centre for scheduled appointments, new E-Mail messages or messages from messaging platforms.

- Get an overview of current appointments and new E-Mail messages.
- Read current messages from your favorite messaging source.
- Follow news from your social networks.

Learn more: [Portal \(p. 45\)](#)

E-Mail

Send, receive and organise your E-Mail messages.

- Besides your internal E-Mail account use external E-Mail accounts that you have set up with other providers.
- Find E-Mail messages with the help of several search criteria. Follow E-Mail threads.
- Use E-Mail folders to organize your E-Mail messages. Co-operate with your team by sharing selected E-Mail folders.
- Use the other applications by creating a new contact from an E-Mail address or creating a new appointment from an iCal attachment.

Learn more: [E-Mail \(p. 53\)](#)

Address Book

Organise and maintain your private and business contacts.

- Use the global address book to communicate with internal participants. Create personal address books to keep an overview of your contacts.
- Use address books to organise your contacts. Co-operate with your team by sharing selected address books.
- Use the contacts from your social networks. This enables you to use the groupware as a central collection point for your contacts.
- Work with external partners by sending contact data in vCard format or sharing address books.

Learn more: [Address Book \(p. 101\)](#)

Calendar

Keep an overview of your private and business appointments.

- Use individual or recurring appointments to schedule meetings and activities.
- Use calendars to organise appointments. Specify the team members who can access selected calendars.
- Use the team view functions to find windows of free time and to check whether resources like rooms or devices are available.
- When scheduling appointments with external participants the iCal functions ensure automated invitation management.

Learn more: [Calendar \(p. 127\)](#)

Tasks

Schedule and organise your activities.

- Use the due date to organise your tasks. Use the reminder for tasks that are due.
- Manage your team by delegating selected tasks to others.
- Use the tasks folders to organise your tasks. Specify team members who can access selected tasks.
- Use the recurring tasks functions to keep track of recurring activities.

Learn more: [Tasks \(p. 175\)](#)

Drive

Use the file store to centrally manage information or to share information with others.

- Save any files, notes or Internet links. Give your team read or write access to selected document folders.
- Create and edit simple text files.
- Send individual files as E-Mail attachments or links.
- Provide information to external partners by sharing document folders.

Learn more: [Drive \(p. 197\)](#)

Folders and permissions

Folders and their permissions play an important role in exchanging information with other users. Each groupware object is saved in a specific folder. The folder view helps to manage folders and permissions.

- Use personal folders for sorting your E-Mail messages, contacts, appointments, tasks, and Infostore items.
- Support your team by sharing certain folders with read or write access.
- Benefit from the information of others by using objects in public or shared folders for your work.

Learn more: [Data Organisation and Shares \(p. 227\)](#)

2.2 Signing in, Signing out

In order to sign in you need to know the server address, your username and your password. This information is provided by your administrator or host.

How to sign in to the server:

1. Open a web browser.
2. Enter the server address in the address bar. The login window will be displayed.
3. Enter your username and your password. Note that they are case-sensitive.
4. To save your credentials locally, enable **Stay signed in**.


Warning: Only use this option if this machine is used solely by you. When signing in to a public machine do not use this option.

5. Click on **Sign in**.

Note: If you enter the wrong username or password an error message is displayed. Enter the correct information.

If you set up two-factor authentication, an additional page is displayed. Enter the authentication data on this page.

How to sign out:

1. Click the **Settings** icon on the right side of the menu bar. Click on **Sign out**. The login window will be displayed.
Depending on the configuration, there is a **Sign out** icon  on the upper right side of the menu bar.
2. If anyone else has access to the machine, close the browser.

Warning: If you close the web browser tab without signing out, you stay signed in to the server. If another person enters the server address, this person is automatically signed in with your username and has full access to your data.

Always sign out from the server when you are finished working.

Warning: Your credentials might stay in the system memory as long as your browser is open. This can be a security risk. Close the browser to remove your credentials from the system memory.


Related topics:

[Multi-Factor Authentication \(p. 260\)](#)

2.3 Changing the Password

Note: Depending on the configuration, the steps for changing the password might differ from this instruction. In this case, contact your administrator or host.

How to change your password:

1. Click the **App Launcher** icon  in the menu bar. Click on **Portal** in the App Launcher.
2. If the *User data* widget is not displayed, click on **Add widget** on the upper right side. Click on **User data**.
Click on **My password** in the *User data* widget.
3. Change your password.

2.4 The User Interface





The user interface includes the following items:

- The menu bar (p. 23)
- App Launcher (p. 24)
- The search bar (p. 25)
- The folder view (p. 27)
- The tool bar (p. 26)
- The display area (p. 28)
- The pop-up (p. 29)
- The notification area (p. 30)
- The editing window (p. 31)

2.4.1 The menu bar



Content

- Depending on the configuration: Quick launch icons for launching frequently used apps.
- **App Launcher** icon . Opens a menu with icons for launching an app.
- **Notifications** icon . The icon is displayed when receiving a new notification. The icon notifies you of the number of new notifications e.g., new appointment invitations. If clicking the icon, the notification area opens.
- **Refresh** icon . Reloads objects from the server. Irrespective of this function, objects are refreshed in regular intervals.
- **Help** icon . Opens a context related help page. Depending on the current app, the respective help page from the online help is displayed. You can also open the online help in the **Settings** menu.
Tip: Some windows also include the help icon. If clicking on it, the respective help for the window context is displayed.
- **Settings** icon Your profile picture is used for the icon. If clicking on it, a menu with several functions opens:
 - **Settings**. Opens a page that allows customising settings.
 - **My contact data**. Opens a window where you can adjust your personal contact data in the global address book.
 - **Help**. Opens the online help.
 - **Sign out**. Signs you out from the groupware.


Depending on the configuration, additional menu entries might be available.

Related topics:

[App Launcher \(p. 24\)](#)

[The notification area \(p. 30\)](#)

2.4.2 App Launcher




Contains squares for launching the apps. Depending on the configuration, the number of squares can vary.

Related topics:

[The menu bar \(p. 23\)](#)

2.4.3 The search bar



In order to display the search bar, click on **View** in the tool bar. Enable **Folder view**.

Content


- Input field for the search term
As soon as clicking in the input field, additional icons are displayed.
- **Options** icon ▼ . Opens a menu with app specific parameters for controlling the search. Depending on the app, additional drop-downs for controlling the search are available.
- **Close** icon ✕. Finishes the search.
- **Online help** icon ⓘ. Displays a context-sensitive help.

The search result is displayed in the display area.


Related topics:

- [The E-Mail search bar \(p. 55\)](#)
- [The Address Book search bar \(p. 103\)](#)
- [The Calendar search bar \(p. 129\)](#)
- [The Tasks search bar \(p. 177\)](#)
- [The Drive search bar \(p. 199\)](#)

2.4.4 The tool bar




Content

- Buttons for creating new objects, e.g. a new E-Mail or a new contact.
- Buttons or icons for editing objects.
- Depending on the app, additional app specific buttons or icons might be available.
- **Actions** icon . Contains app specific functions for organising objects.
- **View** button. Contains functions for controlling the layout in the display area and for opening or closing the folder view.

Related topics:

- [The E-Mail tool bar \(p. 56\)](#)
- [The Address Book tool bar \(p. 104\)](#)
- [The Calendar tool bar \(p. 130\)](#)
- [The Tasks tool bar \(p. 177\)](#)
- [The Drive tool bar \(p. 200\)](#)


2.4.5 The folder view



To open or close the folder view, use one of the following methods:

- Click on **View** in the tool bar. Enable or disable **Folder view**.
- On the bottom left side, click the **Open folder view** icon » or the **Close folder view** icon « on the bottom left side.


Content

- The app specific folders
Folders are called differently in the following apps:
 - A folder is called an address book in the Address Book app.
 - A folder is called a calendar in the Calendar app.
- Depending on the application, sections for personal, public and shared folders
Note: Depending on the configuration, those sections might not be displayed if there are no public or shared folders.
- The **Folder-specific actions** icon  next to the selected folder. It contains functions for organising folders. Depending on the folder, additional functions might be available.
Tip: You can also access the folder-specific actions by right-clicking on a folder.
- Depending on the app, additional functions might be available.

Related topics:

- [The E-Mail folder view \(p. 57\)](#)
- [The Address Book folder view \(p. 105\)](#)
- [The Calendar folder view \(p. 132\)](#)
- [The Tasks folder view \(p. 178\)](#)
- [The Drive folder view \(p. 201\)](#)

2.4.6 The display area



Content

- A list of objects. On top of the list, control elements for selecting or sorting objects are displayed. The details of the object selected in the list, are displayed in a detail view.
- Depending on the app, objects might be displayed as icons. Clicking on an object opens a pop-up window. The object's details are displayed in the pop-up.

You can change the view in the display area by clicking on **View** in the tool bar.

Related topics:

- [The E-Mail display area \(p. 58\)](#)
- [The Address Book display area \(p. 105\)](#)
- [The Calendar display area \(p. 132\)](#)
- [The Tasks display area \(p. 178\)](#)
- [The Drive display area \(p. 203\)](#)

2.4.7 The pop-up



Shows an object's details. In order to open the pop-up, click on a groupware object in the display area. If you read an E-Mail in the display area and click on the name of the sender, the following elements are displayed in the pop-up:

- buttons for certain actions, e.g. copying the sender's contact data to a folder
- the sender's contact data
- relevant information, e.g. your shared appointments or your E-Mail conversation with the sender
- Information about this person from social networks. You can use the available buttons to open this person's profile.

Those person related data are called *halo view*. If clicking on certain objects in the pop-up, a further pop-up opens. In order to close a pop-up, click the **Close** icon **X** on the upper right side.

Related topics:

[The E-Mail pop-up \(p. 61\)](#)

[Displaying Contacts in the Halo View \(p. 111\)](#)

[The Calendar pop-up \(p. 135\)](#)

2.4.8 The notification area



Displays notifications about the following events:

- new appointment invitations
- reminder for a scheduled appointment or task

The following actions open the notification area:

- Clicking the **Notification** icon **1** in the menu bar. The icon is displayed when receiving a new notification.
- Depending on the settings, the notification area automatically opens if there is a new notification.

Content

- **Close** icon **X**. The notifications are displayed again if the notification area reopens.
- **Notify me again later**. The notifications are displayed again later.
- An appointment or task invitation includes the following elements:
 - **Delete** icon **X**. Deletes the invitation.
 - Appointment invitations: **Open in calendar** button. Displays the appointment suggestion in the calendar.
 - **Accept/Decline** button. Opens the *Change confirmation status* window for accepting or declining the appointment or task.
 - **Accept** button. Accepts the appointment or task.
- An appointment or task reminder includes the following elements:
 - **Delete** icon **X**, **OK** button. Deletes the reminder.
 - Clicking on the reminder shows details in the pop-up.
 - **Remind me again**. Opens a menu for setting a new reminder for this appointment or task.
 - For reminders of overdue tasks: **Done** button. Clicking on it marks the task as done.
- If there is more than one reminder: **Remove all reminders** button. Clicking on it deletes all reminders and closes the notification area.

Actions:

- [Receiving Notifications \(p. 40\)](#)
- [Answering appointment invitations \(p. 155\)](#)
- [Answering Task Invitations \(p. 186\)](#)

Related topics:

- [The menu bar \(p. 23\)](#)
- [Customising the Basic Settings \(p. 38\)](#)




2.4.9 The editing window



The following actions open the editing window:

- creating or editing objects
- editing the personal contact data
- creating or editing simple text files

Content

- The title bar includes the following elements:
 - window title
 - icons for setting the window position:
 - **Minimise** icon . Displays the editing window as icon at the bottom.
 - **Maximize** icon . Displays the editing window in its maximum size. If clicking the icon again, the original size is restored. You can also double-click on the title bar again to toggle the window sizes.
 - **Cancel** icon . Cancels the current action. Closes the Format window.
- Depending on the app or function, various buttons, icons or input fields are available.
- The button bar contains buttons for closing or canceling. Depending on the groupware's configuration, those buttons are located at the top or bottom.

Properties

- You can move an editing window by clicking on its title bar and dragging it to the wanted location.
- You can activate additional functions while an editing window is open.
- You can open multiple editing windows.
- Minimised editing windows are displayed as icons at the bottom. In order to restore an editing window, click the icon.

Related topics:

- [The E-Mail editing window \(p. 62\)](#)
- [The contact editing window \(p. 107\)](#)
- [The appointment editing window: \(p. 138\)](#)
- [The task editing window \(p. 181\)](#)

Further functions that include this item:

- [Changing Personal Contact Data \(p. 39\)](#)
- [Creating or Editing Text Files \(p. 212\)](#)

2.5 Keyboard Input

Learn how to use key shortcuts for interacting with the groupware.

- list of defined [keys and key combinations](#)
- [use the keyboard to interact](#) with the groupware
- [examples](#) for keyboard input

2.5.1 Keys and key combinations

The following key combinations are defined. Depending on the system, additional key combinations might be preset. Those key combinations are not officially supported.

Arrow down	Opens a menu.
Arrow left or right	Moves the cursor within input fields. Moves the cursor within the calendar views or the date picker. Opens or closes a folder in the folder view. Selects a function in the tool bar.
Arrow up or down	Selects an app in the app launcher. Selects elements in the folder view, the side bar or the display area. Moves the cursor within the calendar views or the date picker. Opens or closes a folder in the folder view. Selects a menu entry.
[a]	Moves the selected E-Mail to the Archive folder.
[Ctrl]+[a]	Selects all objects in the list.
[Ctrl]+[F6] on Windows and Linux systems, [F6] on MacOS systems	Switches between menu bar, folder view, side bar and display area.
[Del], [Backspace]	Deletes the selected object.
[End]	Moves the cursor to the end of the line in input fields.
[Enter]	Executes the selected function.
[Esc]	Closes a pop-up. Cancels a window.
[Home]	Moves the cursor to the beginning of the line in input fields.
[Page up], [page down]	Browses the folder view or the side bar. Browses the calendar view or the date picker, depending on the time range displayed.
[Space]	Enables or disables the selected check box.
[Tab], [Shift]+[Tab]	Selects a function, an input field or a check box.

2.5.2 Interacting with the user interface via keyboard

As an alternative to the mouse you can use the following keys:


- To switch between the menu bar, the folder view, the sidebar, and the display area, use [Ctrl]+[F6] on Windows and Linux systems, [F6] on MacOS systems.
- To select an app in the app launcher, use [Down arrow] or [Up arrow].
- To select a function, an input field or a check box, use the [Tab] key. The selected element will be highlighted.
With [Shift]+[Tab] you can select elements in reverse order.
- To execute the function selected, press [Enter].
- To enable or disable a selected checkbox, press the [Space bar].
- To toggle the checkboxes, use the cursor keys.
- To move the cursor within input fields, use the following keys: cursor keys, [Home], [End].
- To browse the folder view or the sidebar, use the following keys: [Page up], [page down]
- To open or close a folder in the folder view, use the left or right arrow key.
- To select elements in the folder view, the tool bar, the side bar or the display area, use the cursor keys.
- To close a pop-up or cancel a window, press [Esc].
- To delete the selected E-Mail messages, folders or files press [Del] or [Backspace].
- To move selected E-Mail messages to the **Archive** folder, press [a].
- To select all objects in a list, press [ctrl]+[a]

2.5.3 Use cases

Instructions that show how to use the keyboard controls:

- How to use the keyboard to send a new E-Mail
- How to use the keyboard to reply to an E-Mail


How to use the keyboard to send a new email:



1. If the E-Mail app is not launched, do the following:
 - Repeatedly press [Ctrl]+[F6] or [F6] on Mac OS systems until the **Settings** icon is highlighted on the right side of the menu bar.
 - Use [Left arrow] to navigate to the **App Launcher** icon . Press [Enter] to open the App Launcher.
 - Use [Down arrow] to navigate to the **E-Mail** icon Press [Enter]. The E-Mail app will be launched.
2. Repeatedly press [Tab] until the **Compose** button is highlighted in the tool bar. Press [Enter]. The *Compose* window opens. The input field **To:** is enabled.
3. Enter the recipient's E-Mail address. Press [Enter].
4. Repeatedly press [Tab] until the **Subject** input field is highlighted. Enter the subject. Press [Enter]. The input field for the E-Mail text is enabled.
5. Enter the E-Mail text.
6. In order to send the E-Mail, press [Tab]. The **Send** button is highlighted. Press [Enter]. The E-Mail is sent.
7. To add attachments, repeatedly press [Tab] or [Shift]+[Tab] until the **Attachment** button is highlighted. Press [Enter]. Select **Add local file**.

A dialogue field for selecting files opens. Depending on the system, use the [Tab] key, the [Enter] key and the cursor keys to select a file and to close the system dialogue.

Repeatedly press [Tab] until the **Send** button is highlighted. Press [Enter]. The E-Mail is sent.

How to use the keyboard to reply to an email:

1. If the E-Mail app is not launched, do the following:
 - Repeatedly press [Ctrl]+[F6] or [F6] on Mac OS systems until the **Settings** icon is highlighted on the right side of the menu bar.
 - Use [Left arrow] to navigate to the **App Launcher** icon . Press [Enter] to open the App Launcher.
 - Use [Down arrow] to navigate to the **E-Mail** icon Press [Enter]. The E-Mail app will be launched.
2. Repeatedly press [Tab] or [Ctrl]+[F6] or [F6] on Mac OS systems until a folder is highlighted in the folder view. Use the cursor keys to select the desired folder. To view or hide sub-folders, use [Right arrow] or [Left arrow].
3. If the wanted folder is highlighted, press [Enter]. The first E-Mail in the folder is highlighted in the list.
4. Use the cursor keys to select the desired email.
5. To reply to the E-Mail, repeatedly press [Tab] or [Shift]+[Tab], until the **Reply** function or the **Reply all** function is highlighted. Press [Enter] to activate the function.

Repeatedly press [Shift]+[Tab] until the **Compose** button is highlighted in the tool bar. Use the cursor keys to browse to the **Reply to sender** icon  or to the **Reply to all recipients** icon . Press [Enter].

3 Basic Settings

The following options are available:

- [Customising the Basic Settings \(p. 38\)](#)
- [Changing Personal Contact Data \(p. 39\)](#)
- [Receiving Notifications \(p. 40\)](#)
- [Manually Installing Local Apps \(p. 42\)](#)
- [Using a Wizard to Set Up Local Apps \(p. 43\)](#)

3.1 Customising the Basic Settings

How to customise the basic settings:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **Basic settings** in the side bar.

The following settings are available. Depending on the configuration, some settings might not be available.

- **Language**
Defines the user interface language.
- **Time zone**
Defines the time zone to which all time-bound entries refer.
- **Design**
Defines the colour scheme for the user interface.
- **Refresh interval**
Defines the interval for retrieving new objects from the server.
- **Default app after sign in**
Defines the application that is displayed after login.
- **Automatic sign out**
Specifies whether you are automatically signed out if you have not worked with the groupware for a specific time.
- **Quick launch**
Specifies the apps that are represented with a quick start icon in the menu bar.
- **Automatic opening of notification area**
Specifies whether the notification area automatically opens when receiving a new notification or E-Mail.
- **Show desktop notifications**
Defines whether you will receive a desktop notification for new E-Mail messages. Depending on the browser settings, the **Manage browser permissions now** button is displayed. If clicking on the button, a browser specific dialogue for allowing notifications opens.
- **My contact data**
In order to change your personal contact data in the global address book, click on this button.
- **Change password**
In order to change your password, click on this button.

Similar actions:

- [Changing Personal Contact Data \(p. 39\)](#)
- [Receiving Notifications \(p. 40\)](#)
- [Manually Installing Local Apps \(p. 42\)](#)
- [Using a Wizard to Set Up Local Apps \(p. 43\)](#)

Related topics:

- [The notification area \(p. 30\)](#)

3.2 Changing Personal Contact Data

The following options are available:

- change personal contact data
- create a contact picture by uploading an existing picture or by taking a new photo with the device camera

How to change your personal contact data:

1. Click the **Settings** icon on the right side of the menu bar. Click on **My contact data** in the menu. You can also click on **My contact data** in the basic settings or in the address book settings.
2. Change the data. Click on **Save**.

Tip: You can also change your personal contact data by using the *User data* widget in the Portal app.

How to create a contact picture:

1. Click the **Settings** icon on the right side of the menu bar. Click on **My contact data** in the menu. You can also click on **My contact data** in the basic settings or in the address book settings.
2. Click on the empty contact picture. The *Edit image* window opens.
 - You can upload an existing image or take a new picture with the device camera.
 - You can adjust the image section with the zoom and by moving or rotating the photo.Click on **OK**.
3. Click on **Save**. The photo will be inserted. In order to edit the photo, click on it.

User interface:

[The editing window \(p. 31\)](#)

Similar actions:

[Customising the Basic Settings \(p. 38\)](#)

[Receiving Notifications \(p. 40\)](#)

[Manually Installing Local Apps \(p. 42\)](#)

[Using a Wizard to Set Up Local Apps \(p. 43\)](#)

Related topics:

[User data widget \(p. 48\)](#)

[The Address Book folder view \(p. 105\)](#)

3.3 Receiving Notifications

You can configure the groupware to receive notifications about the following events:

- new E-Mail messages
- new appointment invitations
- appointment reminders
- due tasks
- tasks with a due date in the past

Depending on the notification, different actions are triggered:

- When receiving a new E-Mail, you will get a desktop notification.
- For all other events, you will be notified in the notification area.





How to enable desktop notifications about the receipt of new E-Mail messages:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **Basic settings** in the side bar.
3. Enable **Show desktop notifications** in the notification area.

Depending on the browser settings, the **Manage browser permissions now** button is displayed. Click the button. You are asked by the browser whether the receipt of notifications should be allowed. Grant this permission.

Note: Depending on the browser, you might have to allow the receipt of notifications in the browser settings for the setting above to take effect. Information can be found in the browser help pages.

How to use the notification area when being notified about new events:

1. As soon as a notification is being received, the **Notifications** icon  shows the number of new notifications. To open the notification area, click the icon.
If the notification area is to be opened automatically upon receipt of new notifications, proceed as follows:
 - a. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
 - b. Click on **Basic settings** in the side bar.
Enable **Automatic opening of notification area** in the display area.
2. You can do the following:
 - To close the notification area, click the **Close** icon . The notifications will be hidden. In order to show the notifications again, click the **Notifications** icon  in the menu bar.
 - To receive the notification again later, click on **Notify me again later**. The notification area will be closed.
 - To show a notification's details, click on the notification title.
 - To display appointment invitation suggestions in the calendar, click on **Open in calendar**.
 - To accept or decline an invitation, click on the respective button.
 - To receive a specific reminder again, select a value in **Remind me again**. Click on **OK**. The notification area will be closed.
 - To mark overdue tasks as done, click on the respective button.
 - To delete a reminder, click on **OK** next to the reminder.
You can also click the **Delete** icon  next to the reminder.
 - If there is more than one reminder: To delete all reminders, click on **Remove all reminders** at the bottom.

User interface:

[The notification area \(p. 30\)](#)

Similar actions:

[Customising the Basic Settings \(p. 38\)](#)

[Changing Personal Contact Data \(p. 39\)](#)

[Manually Installing Local Apps \(p. 42\)](#)

[Using a Wizard to Set Up Local Apps \(p. 43\)](#)

Related topics:

[Settings for receiving E-Mail messages. \(p. 97\)](#)

3.4 Manually Installing Local Apps

You can manually install local Drive apps for MS Windows, macOS, iOS or Android. The local Drive clients synchronise your Drive app data with your local workstation or mobile device.

Note: Depending on the configuration, those functions might not be available. In this case you can use a wizard to set up the apps.

How to install local Drive apps for workstations or mobile devices:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Downloads**.
Click the respective icon in the display area. Follow the instructions on installing the apps.

Similar actions:

[Using a Wizard to Set Up Local Apps \(p. 43\)](#)

[Customising the Basic Settings \(p. 38\)](#)

[Changing Personal Contact Data \(p. 39\)](#)

[Receiving Notifications \(p. 40\)](#)

3.5 Using a Wizard to Set Up Local Apps

You can also access your E-Mail messages or groupware data by using suitable apps and clients on mobile devices and workstations. You can use a wizard in the groupware to install and configure those apps and clients. The wizard includes the following functions:

- Installing and configuring apps and clients on devices such as PCs, tablets and smartphones. The supported devices are: Windows, Apple and Android.
- Installing an E-Mail client on Windows systems. The client makes your E-Mail messages, appointments, tasks and contacts locally available.
- Installing the local Drive app for desktop and mobile devices. This app is downloaded and installed from the respective app store for the device. The local Drive clients synchronise your Drive app data with your local workstation or mobile device.
- Depending on the device, the configuration might also be possible by E-Mail or SMS. Advanced users can display the configuration data for a manual configuration.

Note: Depending on the configuration, the wizard might not be available. In this case you can manually install clients and apps.

How to use the wizard:

1. Click the **Settings** icon on the right side of the menu bar. Click on **Connect your device** in the menu. The wizard will be launched.
2. Select your system and the required devices. Follow the instructions.

Similar actions:

[Manually Installing Local Apps \(p. 42\)](#)

[Customising the Basic Settings \(p. 38\)](#)

[Changing Personal Contact Data \(p. 39\)](#)


[Receiving Notifications \(p. 40\)](#)

4 Portal

Learn how to work with the Portal application.

- [The Portal Components \(p. 46\)](#)
- [Customising the Portal \(p. 49\)](#)
- [Portal Settings \(p. 52\)](#)

How to start the Portal app

Click the **App Launcher** icon  in the menu bar. Click on **Portal** in the App Launcher.

4.1 The Portal Components

The portal includes the following components.

- [Signed in as](#) (p. 47)
- **Customise this page** button (p. 47)
- **Add widget** button (p. 47)
- *Appointments* widget (p. 47)
- *Inbox* widget (p. 47)
- *Tasks* widget (p. 47)
- *Recently changed files* widget (p. 47)
- *User data* widget (p. 48)
- *Quota* widget (p. 48)
- *News* widgets (p. 48)
- Widgets with *news from your social networks* (p. 48)
- Widgets with information about Drive apps (p. 48)

Depending on the configuration, the portal components can differ from the display described. If a widget is not displayed, you can [add](#) the widget.

4.1.1 Signed in as

Displays the username that you used for signing in.

4.1.2 Customise this page button

Clicking on this displays a page that allows customising the Portal.

Related topics:

[Customising the Portal \(p. 49\)](#)

4.1.3 Add widget button

Clicking on this button opens a menu that allows adding new widgets.

Related topics:

[Adding Portal widgets \(p. 50\)](#)

4.1.4 *Appointments* widget

Displays your current appointments. You can do the following:

- If clicking on an appointment, a pop-up opens. The pop-up shows the appointment data.
- If clicking on a participant an additional pop-up opens.
- In order to close a pop-up, click the **Close** icon on the upper right side.

4.1.5 *Inbox* widget

Shows new E-Mail messages. You can do the following:

- If clicking on an E-Mail, a pop-up opens. The pop-up displays the E-Mail's contents.
- To delete, reply to or forward the email, click on the respective button in the pop-up.
- To close a pop-up, click on **Close** in the top right corner.

4.1.6 *Tasks* widget

Shows unfinished tasks. You can do the following:

- If clicking on a task, a pop-up opens. The pop-up shows the appointment data.
- In order to close a pop-up, click the **Close** icon on the upper right side.

4.1.7 *Recently changed files* widget

Displays new or changed files.

4.1.8 *User data widget*

Includes links for the following functions:

- Changing your personal contact data
- Changing your password

Related topics:

- [Changing Personal Contact Data \(p. 39\)](#)
- [Changing the Password \(p. 21\)](#)

4.1.9 *Quota widget*

Displays the current quota used on your account on the server.

4.1.10 *News widgets*

Display current messages from different message sources:

- Messages from RSS feeds
- Photos from web pages like Flickr or Tumblr

To subscribe to a message source or an RSS feed, add a new widget to the Portal. The settings or a message source of an RSS feed can be changed later.

4.1.11 *Widgets with news from your social networks*

Show current information from your social networks.

- The most recent messages from a social network are displayed in a widget.
- If clicking on content, a pop-up opens with details and links to the contact's profile.
- Depending on the network, certain functions are displayed, e.g. for posting or creating a message.

To display news from your social networks, add a new widget to the Portal. You can change your settings at a later point of time.

4.1.12 *Widgets with information about Drive apps*

Depending on the configuration, there are widgets being displayed that contain information on the installation of local Drive apps. Additional information can be found in the Drive apps user guide.

4.2 Customising the Portal

The following options are available:

- [Changing the widgets' order \(p. 50\)](#)
- [Removing Portal widgets \(p. 50\)](#)
- [Adding Portal widgets \(p. 50\)](#)
- [Adding a Portal widget for social networks \(p. 50\)](#)

Note: Depending on the configuration, some widgets might not be able to be changed.

4.2.1 Changing the widgets' order

You can define the order of the widgets.

How to change the order of the widgets:

1. Drag a widget to another position.
2. Drop the widget in the new position.

Similar actions:

- [Removing Portal widgets \(p. 50\)](#)
- [Adding Portal widgets \(p. 50\)](#)
- [Adding a Portal widget for social networks \(p. 50\)](#)
- [Portal Settings \(p. 52\)](#)

4.2.2 Removing Portal widgets

You can remove a widget from the portal by closing it.

How to remove a widget:

Click the **Close** icon  in the widget.

Similar actions:

- [Adding Portal widgets \(p. 50\)](#)
- [Changing the widgets' order \(p. 50\)](#)
- [Adding a Portal widget for social networks \(p. 50\)](#)
- [Portal Settings \(p. 52\)](#)

4.2.3 Adding Portal widgets

You can extend the existing widgets by adding new ones.

How to add new widgets:

1. Use one of the following methods:
 - Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item. Click on **Portal** in the side bar. Click on **Add widget**. Select an entry.
 - Click on **Add widget** on the upper right side of the Portal app. Select an entry.
2. Some widgets require additional data. Enter the required values. Click on **Save**.

Similar actions:

- [Removing Portal widgets \(p. 50\)](#)
- [Changing the widgets' order \(p. 50\)](#)
- [Adding a Portal widget for social networks \(p. 50\)](#)
- [Portal Settings \(p. 52\)](#)
- [Adding an email to the portal \(p. 82\)](#)
- [Adding files to the portal \(p. 217\)](#)

4.2.4 Adding a Portal widget for social networks

The following options are available:

- In order to access information and functions of your social networks, you can add widgets for social networks.

- If you do not have an Xing account yet, you can use a widget to create a new Xing account.

How to add a widget for accessing social networks:

1. Click on **Add widget** on the upper right side of the Portal app. Select one of the entries. The widget will be added.
2. To enable the access, add your social network account by clicking on the respective button in the widget.
You can change or delete the account in the account settings.

How to create an XING account by using your groupware data:

1. Click on **Add widget** on the upper right side of the Portal app. Select **Xing**. The widget will be added.
2. Click on **Create a Xing account using the data stored here** in the widget.
3. Check the suggested data for creating the XING account. In order to create the account, click on **Confirm**.

Similar actions:

- [Changing the widgets' order \(p. 50\)](#)
- [Removing Portal widgets \(p. 50\)](#)
- [Adding Portal widgets \(p. 50\)](#)
- [Portal Settings \(p. 52\)](#)

Related topics:

- [Viewing, editing, deleting accounts \(p. 251\)](#)



4.3 Portal Settings

How to use the Portal settings:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **Portal** in the side bar.
3. Change the settings.

Tip: You can also display the portal settings page by clicking on **Customise this page** in the Portal app.

The following settings are available:

- **add widget**
Opens a menu for adding widgets.
- **Move icon** 
Changes the widget order.
- **Edit**
Allows editing a widget's settings, e.g. the URL or description.
Note: This button is only available for certain widgets.
- **Colour**
Defines the colour used for displaying a widget's name.
- **Disable**
Removes a widget from the Portal. To display the widget again, click on the **Enable** button.
- **Delete icon** 
Warning: If you delete a widget, all settings for this widget will be lost.
This icon deletes a widget from the portal and from the list of widgets on the settings page.
- **Reduce to widget summary**
Defines whether the complete content of a widget is displayed on mobile devices or just an overview.
This is e.g. valid for the widgets *Recently changed files*, *Appointments*, *Inbox*. In order to view the complete content of the widget, tap the overview text.
Note: You have to re-login in order for the new setting to get activated.

Related topics:


- [Changing the widgets' order \(p. 50\)](#)
- [Removing Portal widgets \(p. 50\)](#)
- [Adding Portal widgets \(p. 50\)](#)
- [Adding a Portal widget for social networks \(p. 50\)](#)

5 E-Mail

Learn how to work with the E-Mail application.

- [The E-Mail Components \(p. 54\)](#)
- [Displaying email messages \(p. 63\)](#)
- [Viewing or Saving email Attachments \(p. 64\)](#)
- [Sending email messages \(p. 65\)](#)
- [Adding E-Mail folders \(p. 75\)](#)
- [Managing E-Mail messages \(p. 76\)](#)
- [Using E-Mail Filters \(p. 88\)](#)
- [Searching for E-Mail Messages \(p. 93\)](#)
- [Adding E-Mail Accounts \(p. 95\)](#)
- [Email Settings \(p. 96\)](#)

How to start the E-Mail app

Click the **App Launcher** icon  in the menu bar. Click on **E-Mail** in the App Launcher.

Depending on the configuration, you can also click the quick start icon for launching the **E-Mail** app in the menu bar.

5.1 The E-Mail Components

The E-Mail app includes the following components.

- [The E-Mail search bar \(p. 55\)](#)
- [The E-Mail tool bar \(p. 56\)](#)
- [The E-Mail folder view \(p. 57\)](#)
- [The E-Mail categories bar \(p. 58\)](#)
- [The E-Mail display area \(p. 58\)](#)
 - [The E-Mail list \(p. 59\)](#)
 - [The E-Mail detail view \(p. 60\)](#)
 - [The E-Mail pop-up \(p. 61\)](#)
- [The E-Mail editing window \(p. 62\)](#)

5.1.1 The E-Mail search bar

Enables you to search for E-Mail messages

The search bar is displayed if the folder view is visible. In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Actions:

[Searching for E-Mail Messages \(p. 93\)](#)

[Displaying email messages \(p. 63\)](#)








Related topics:

[The search bar \(p. 25\)](#)

5.1.2 The E-Mail tool bar

Contains functions for sending, editing and organizing E-Mail messages.

Content

- **Compose.** Creates a new E-Mail.
- Icons for **replying to** and **forwarding** the selected E-Mail: 
- **Delete** icon . Deletes the E-Mail messages selected by you.
- **Set category** icon . Opens a menu allowing you to move an E-Mail to a category. This icon is only available if the [categories bar](#) is displayed.
- Icons for flagging E-Mail messages.
 - **Set color** icon . Opens a menu allowing you to assign a coloured label to the E-Mail.
 - **Flag** icon . Flags the E-Mail.
Note: Depending on the configuration, not all options for flagging might be available.
- **Archive** icon . Archives the E-Mail messages selected by you.
- **More actions** icon . Opens a menu with additional functions.
- **View.** Opens a menu with check boxes for controlling the view.
 - Defining the layout of the list and detail view: **Vertically, Compact, Horizontally**
 - **List.** Shows the list of E-Mail messages. To display the detail view click on an E-Mail. Above the detail view a navigation bar is displayed.
 - **Use categories.** Opens or closes the categories bar.
 - **Configure.** Opens the window for configuring the categories bar.
 - **Folder view.** Opens or closes the folder view.
 - **Checkboxes.** Displays checkboxes in the list, for marking objects.
 - **Text preview.** Shows a preview of the E-Mail content for each E-Mail in the list.
 - **Contact pictures.** Next to each E-Mail in the list, a contact picture of the sender is displayed, provided the sender saved one in the address book.
 - **Date and time.** Shows the exact date and time when the E-Mail was received.
 - **Message size.** Shows the E-Mail size.
 - **Vacation notice.** Opens the Vacation notice window.
 - **All attachments.** Shows all E-Mail attachments that you have sent or received, in the Drive app.

Actions:

- [Sending email messages \(p. 65\)](#)
- [Managing E-Mail messages \(p. 76\)](#)

Related topics:

- [The tool bar \(p. 26\)](#)

5.1.3 The E-Mail folder view

Displays the E-Mail folders.


In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Content

- Inbox. By default, all incoming E-Mail messages are received in this folder.
- Unread messages. This folder shows all unread messages.
- Drafts. Contains the E-Mail messages saved as draft.
- Sent objects. Contains the E-Mail sent by you.
- Trash. Contains the E-Mail deleted by you.
- Archive. Contains the E-Mail messages archived by you.
- My folders. Contains the E-Mail folders created by you.

Depending on the configuration, the content can differ from this information.

Functions

- To display the number of E-Mail messages in a folder, hover over the folder name. A tool tip shows the number of E-Mail messages.
- If clicking on a folder, its E-Mail messages are displayed.
- The **Actions** icon  next to the selected folder offers functions for organising data and app specific folder functions.
- In the Drive app, the **View all Attachments** button below the folders shows all E-Mail attachments that you have received or sent.
- Below the folders there's the button **Add e-mail account** for adding E-Mail accounts.

Actions:

- [Adding E-Mail folders \(p. 75\)](#)
- [Viewing or Saving email Attachments \(p. 64\)](#)
- [Adding E-Mail Accounts \(p. 95\)](#)
- [Managing Data with Folders \(p. 228\)](#)
- [Displaying E-Mail attachments in Drive \(p. 208\)](#)

Related topics:

- [The folder view \(p. 27\)](#)

5.1.4 The E-Mail categories bar

Shows predefined categories for the E-Mail messages in the Inbox folder. This allows assigning incoming E-Mail messages to certain categories sorted by senders.

Notes:

- Depending on the configuration, categories might not be available. If categories are available, you can show or hide the categories bar in the **View** menu in the [tool bar](#).
- The categories' number, names and order are preset. Depending on the server configuration, some categories can be renamed or disabled.

Functions

- If clicking on a category, only the E-Mail messages assigned to this category are shown in the display area.
- If double-clicking or right-clicking on a category, a window opens that allows renaming or disabling categories.

Actions:

[Working with tabs \(p. 77\)](#)

[Displaying email messages \(p. 63\)](#)

Related topics:

[The tool bar \(p. 26\)](#)

5.1.5 The E-Mail display area

Contains the E-Mail [list](#) and an E-Mail's [detail view](#).

In order to select a layout, click on **View** in the tool bar.


Related topics:

[The display area \(p. 28\)](#)

5.1.6 The E-Mail list

Displays a list of the E-Mail messages in the current folder.

Content

- If a vacation notice is active, a notification is displayed above the list. If you close the notification, the vacation notice remains active.
- The following details are displayed for each E-Mail: Sender, subject, date or time of the receipt or the E-Mail's size. Unread E-Mail messages are marked with the **Unread** icon ● . If **Text preview** is enabled in the **View** tool bar menu, a preview of the E-Mail content will be displayed below the subject.
- If available, additional information is shown: attachment icons, coloured label, flag, number of E-Mail messages in [conversation](#), priority.
- Encrypted E-Mail messages are marked with the Encrypted icon . Information on encrypting E-Mail messages can be found in [Encrypting Data with Guard \(p. 267\)](#)

Functions

- To select multiple E-Mail messages, enable the **Checkboxes** option in the **View** drop-down in the tool bar. You can also use your system's multi-selection functions.
- If clicking on the **All** button above the list, a drop-down opens. It allows executing the following functions for all E-Mail messages in the current E-Mail folder: mark as read, move, archive, delete.
- If clicking on the **Sort by** button above the list, a menu opens that helps you sort your E-Mail messages. To combine all E-Mail messages of a conversation in a single list entry, enable the **Conversations** checkbox in **Sort**. The sorting setting will be applied to the selected E-Mail folder. You can use different settings for the individual folders.
- To display a sender's E-Mail address instead of the sender name, hover over the sender name. The original E-Mail address is displayed in a tooltip.
- If clicking on an E-Mail, its content is displayed in the display area. If double-clicking on the E-Mail in the list, the content is displayed in a window.
- To enable frequently used functions, you can use the context menu for an E-Mail or for multiple E-Mail messages.
- To adjust the list width, hover over the line between the list and the detail view. Drag the border to the left or to the right.

Actions:

[Displaying email messages \(p. 63\)](#)
[Sending a vacation notice automatically \(p. 74\)](#)
[Replying to email messages \(p. 72\)](#)
[Forwarding E-Mail messages \(p. 72\)](#)
[Managing E-Mail messages \(p. 76\)](#)

Related topics:









[The E-Mail detail view \(p. 60\)](#)

5.1.7 The E-Mail detail view

Displays the content of the E-Mail that you selected in the list. If double-clicking on the E-Mail in the list, the data are displayed in a window.

In order to display the detail view, click on **View** in the tool bar. Enable one of the following settings: **Vertically, Compact, Horizontally**

Content

- **Subject**
 - If E-Mail messages are sorted by conversations, the **Open/close all messages** icon  is displayed next to the conversation subject. If clicking on a free area between the sender and the date of receipt, the E-Mail opens or closes.
- **Read** icon . Changes the status from Read to Unread and vice versa.
- The sender's name or E-Mail address. If clicking on it, a pop-up opens. It displays information about the contact.
 - Depending on the configuration, the E-Mail authenticity is indicated with a colour and an icon. If clicking the icon, a respective notification is displayed.
- The recipient's name. The names of additional E-Mail recipients, if existing. If clicking on a name, a pop-up opens. It displays information about the contact.
- Date and time of the receipt.
- Icons for flagging E-Mail messages:
 - **Flag** icon . Flags the E-Mail.
 - **Set colour** icon . Opens a menu allowing you to assign a coloured label to the E-Mail.
Note: Depending on the configuration, not all options for flagging might be available.
- A picture of the sender, if available.
- Frequently used functions: **Reply, Reply all, Forward, Delete**
- **More actions** icon . Opens a menu with editing functions.
- If the E-Mail contains attachments, additional elements are displayed:
 - **Attachment** icon . If clicking on it, the attachments are displayed as icons or a list.
 - Buttons that allow applying a function to all E-Mail attachments at once.
 - **Squares** , **List** icons . Shows the attachments as squares or as a list. To apply a function to a specific attachment, click on the attachment's name in the List view.
- If selecting an E-Mail with an attachment as a link in the Sent items folder, information about the attachment is displayed at the top of the E-Mail text.
- E-Mail text. Quotes from previous E-Mail messages are marked at the beginning of the line.

Actions:

- [Viewing or Saving email Attachments \(p. 64\)](#)
- [Replying to email messages \(p. 72\)](#)
- [Forwarding E-Mail messages \(p. 72\)](#)
- [Managing E-Mail messages \(p. 76\)](#)



Related topics:

- [The E-Mail list \(p. 59\)](#)
- [The E-Mail pop-up \(p. 61\)](#)
- [Displaying email messages \(p. 63\)](#)

5.1.8 The E-Mail pop-up

Displays the contact data of the sender or recipient that you select in the detail view.

Content

- Buttons for frequently used functions
 - If this contact is not yet in an address book, **Add to address book** is displayed. If clicking on the button, the window for creating a new contact opens.
 - **Send mail**. Opens the window for sending a new E-Mail to the person.
 - **Invite to appointment**. Opens the window for creating an appointment with this person.
 - If the contact is saved in a personal address book, **Edit** is displayed. If clicking on the button, the window for editing the contact opens.
 - **Delete** icon . Deletes the contact from the address book shown in Saved as.
- **More actions** icon . If clicking the icon, a menu with frequently used functions for organising contacts is opened.
- The person's contact data.
- If the contact data of this person are saved, the path to the address book with the contact data is displayed.
- Information about this person from social networks. You can use the available buttons to open this person's profile.
- If you share appointments with this person, they are displayed below Shared appointments.
- If you exchanged E-Mail messages with this person, they are displayed below Recent conversations.

Related topics:

[The pop-up \(p. 29\)](#)



5.1.9 The E-Mail editing window

This window is used when creating or editing an E-Mail.

In order to open the window, do one of the following:

- Click on **Compose** in the tool bar.
- Select an E-Mail. Click an icon for replying or forwarding, in the tool bar.
- Select an E-Mail draft in the folder. Click on **Edit** or **Edit copy** in the tool bar.

Content

- Addresses
 - **From**. Shows your sender address. If clicking on it, a menu with several functions opens:
 - select another sender address
 - **Show names**. Defines whether the real name is displayed.
 - **Edit names**. Opens the window for editing the real name.
 - **To** input field. While entering the recipients, matching suggestions are displayed. To accept a suggestion, click on it.
 - **Select contacts** icon . Opens a window for selecting contacts from an address book.
 - To send a copy to other recipients, click on **CC** or **BCC** on the right side of the input field.
 - If clicking on **To**, **CC** or **BCC**, a window opens that allows selecting contacts from a list.
- E-Mail content
 - **Subject** input field. Enter your E-Mail's subject in this field.
 - **Attachments**. Adds local files or files that are saved in the Drive app.
 - **Signatures**. Let's you define whether to add a signature to the E-Mail text.
 - **Options**. Shows the following options: Defining an E-Mail's text format, setting the priority, attaching a vCard, requesting a read receipt.
 - Depending on the configuration, there are functions for sending E-Mail messages in an encrypted format.
 - **Enable encryption** icon 
 - **Security** button.
 - Input field for the E-Mail text. If having selected the HTML format from the **Options**, you can format the text or add images.

Actions:

[Sending a new email \(p. 66\)](#)

[Working with email drafts \(p. 81\)](#)

[Sending encrypted E-Mail messages \(p. 270\)](#)



Related topics:

[The editing window \(p. 31\)](#)

5.2 Displaying email messages

By default, the content of the inbox is displayed. Other E-Mail folders can be opened by using the folder view. In the E-Mail settings, you can define whether a notification sound is to be played for incoming E-Mail messages.

How to display an email:

1. Open an E-Mail folder in the folder view.
When having selected the **Inbox** folder and if you are using E-Mail categories, you can select a category.
2. Click an E-Mail in the list. The content of the E-Mail will be displayed in the detail view.
 - If the E-Mail is part of a conversation, all E-Mail messages in the conversation are displayed one below the other. To open or close an E-Mail that is part of a conversation, click on a free area between the sender and the date of receipt.
To open or close all E-Mail messages in the conversation, click the **Open/close all messages** icon  on the upper right side of the detail view.
 - If the E-Mail includes a quote from a previous E-Mail, you can display the quote by clicking the **Show quoted text** icon .

Options:

- To sort the E-Mail list, click on **Sort by** above the list.
Note: To reduce latency when loading the E-Mail list, only a certain percentage of the E-Mail messages in a folder will be loaded by the server if their number exceeds a defined limit. If browsing to the bottom of the list, the next part will be loaded.
- In order to select a layout, click on **View** in the tool bar.
- When having selected the **List** view, the display area contains a list of all E-Mail messages in the folder. If clicking on an E-Mail, the E-Mail's detail view is displayed.
To open the list view again or to browse the E-Mail messages, use the icons above the detail view.
- You can open the E-Mail in a window by double-clicking on the E-Mail in the list.

Note: Depending on the configuration, the content of very large E-Mail messages might be displayed incompletely. In this case, you will receive an E-Mail with a link. In order to completely display the E-Mail, click on the link.

User interface:

- [The E-Mail detail view \(p. 60\)](#)
- [The E-Mail list \(p. 59\)](#)
- [The E-Mail pop-up \(p. 61\)](#)

Similar actions:

- [Navigating within the folder structure \(p. 231\)](#)
- [Working with tabs \(p. 77\)](#)
- [Searching for E-Mail Messages \(p. 93\)](#)
- [Viewing or Saving email Attachments \(p. 64\)](#)
- [Showing the email source \(p. 81\)](#)
- [Marking email messages as read or unread \(p. 79\)](#)
- [Categorising E-Mail messages \(p. 80\)](#)

Related topics:

- [Using Unified Mail \(p. 87\)](#)
- [Using a whitelist \(p. 258\)](#)

5.3 Viewing or Saving email Attachments

The file names of E-Mail attachments are displayed in the detail view. The following functions are available:

- View or download attachments or save attachments in Drive.
- Depending on the configuration, you can view all attachments from sent or received E-Mail messages in the Drive app.

How to use the email attachment functions:

1. Select an E-Mail with one or multiple attachments.
To show a preview, click the **Expand** icon ▶ in the detail view. A preview of the attachments is displayed as square or list.
To toggle the view, click the **Squares** icon ■■ or the **List** icon ≡ on the right side.
2. To apply a function to all attachments, click on one of the buttons **View**, **Download**, **Save in Drive** next to the Attachment icon 📎 .
3. In order to apply a function to a specific attachment, click on the attachment in the list view.
To display an attachment in the Viewer, select the attachment in the squares view.

Note: Depending on the configuration, attachments are checked for viruses before being downloaded.

- If no virus is found, the attachments are downloaded without any further notification.
- If a virus scan was not possible or a virus was found, a window with a respective warning opens. In this case you can cancel the download.

How to view all your E-Mails' attachments in the Drive app:

Note: Depending on the configuration, this function might not be available.

1. Use one of the following methods:
 - Click on **View** in the tool bar. Click on **All attachments**.
 - Click on **View all attachments** in the folder view.The Drive app opens. The My attachments folder shows all attachments of all E-Mail messages that have been sent or received by you.
2. You can use the Drive functions.

Similar actions:

[Displaying email messages \(p. 63\)](#)

Related topics:

[The E-Mail detail view \(p. 60\)](#)

[The E-Mail list \(p. 59\)](#)

[The E-Mail pop-up \(p. 61\)](#)

[The E-Mail folder view \(p. 57\)](#)

5.4 Sending email messages

The following options are available:

- [Sending a new email \(p. 66\)](#)
- [Selecting contacts from an address book \(p. 67\)](#)
- [Selecting sender address \(p. 68\)](#)
- [Adding attachments \(p. 69\)](#)
- [Sending attachments as a link \(p. 70\)](#)
- [Using signatures \(p. 70\)](#)
- [Replying to email messages \(p. 72\)](#)
- [Forwarding E-Mail messages \(p. 72\)](#)
- [Automatically forwarding email messages \(p. 73\)](#)
- [Sending an E-Mail to participants \(p. 73\)](#)
- [Sending a vacation notice automatically \(p. 74\)](#)

User interface:


[The E-Mail tool bar \(p. 56\)](#)

Related topics:

[Working with email drafts \(p. 81\)](#)


5.4.1 Sending a new email

How to send a new email:

1. Click on **Compose** in the tool bar.
2. Enter the recipients' E-Mail addresses in the **To** field.
 - While entering the E-Mail address, several matching suggestions are displayed.
 - To select contacts from an address book, click the **Select contact** icon  on the right side of the input field.
3. To send a copy to other recipients, click on **CC** or **BCC** on the right side of the **To** input field.
 - If the recipients are to see who gets a copy of the E-Mail, enter the recipients in the **CC** field.
 - If the recipients are not to see who gets a copy of the E-Mail, enter the recipients in the **BCC** field.
4. Enter a subject. Enter the E-Mail text.

Tip: If you enter a space, followed by the @ character, followed by a name, matching suggestions from the address books are displayed.
5. Click on **Send**.

Options:

- With drag and drop you can move the recipients between the fields **To**, **CC** and **BCC**.
In the [E-Mail settings](#), you can determine that each outgoing E-Mail will also be sent as blind copy to a specific E-Mail address.
- To format the E-Mail text or to enter images, use HTML format. To do so, click on **Options**. Select **HTML**. A formatting bar appears.
 - To format the E-Mail text, use the formatting bar.
You can define default values for the font style, size and color in the E-Mail settings.
 - To enter images at the current cursor position, drag one or several images from a file browser or from the desktop to the E-Mail text input field.
To remove an image, use the context menu.
- The **Options** drop-down offers additional options: set the priority, attach your vCard, request a delivery receipt
- Depending on the configuration, there are functions for sending E-Mail messages in an encrypted format.
 - **Enable encryption** icon 
 - **Security** button.

User interface:

[The E-Mail editing window \(p. 62\)](#)


Subordinated actions:

[Selecting contacts from an address book \(p. 67\)](#)
[Selecting sender address \(p. 68\)](#)
[Adding attachments \(p. 69\)](#)
[Sending attachments as a link \(p. 70\)](#)
[Using signatures \(p. 70\)](#)

Similar actions:

[Replying to email messages \(p. 72\)](#)
[Forwarding E-Mail messages \(p. 72\)](#)
[Automatically forwarding email messages \(p. 73\)](#)
[Sending a vacation notice automatically \(p. 74\)](#)
[Sending encrypted E-Mail messages \(p. 270\)](#)
[Sending Email Messages from within an address book \(p. 119\)](#)

5.4.2 Selecting contacts from an address book

You can select contacts from an address book in the *Select contacts* window. The window opens if you click the **Address book** icon  while:

- selecting the recipient when sending an E-Mail
- adding participants to an appointment or task
- inviting persons to a share

How to select contacts from an address book in the *Select contacts* window:

1. You have the following options for finding a specific contact:
 - Enter a name in **Search**.
 - To view the contacts of a specific address book, click on **All folders**. Select an address book from the list. Depending on the configuration, you can select a department from the list.
2. Select one or several contacts. The selected contacts are displayed below the list. To undo the selection, click on **Clear selection**.
You can also use your system's multi-selection functions.
3. To confirm your selection of selected contacts, click on **Select**.

Superordinated action:

[Sending a new email \(p. 66\)](#)

Additional actions that include this function:

[Creating new distribution lists \(p. 115\)](#)
[Adding participants or resources \(p. 150\)](#)
[Using the scheduling view \(p. 151\)](#)
[Adding participants to a task \(p. 185\)](#)
[Sharing with public links \(p. 236\)](#)
[Inviting to a shared item \(p. 238\)](#)

5.4.3 Selecting sender address

If sending an E-Mail, you can set the sender address to be shown to the recipient, in the E-Mail editing window.

How to select your sender address:

1. Click on the sender address next to **From:** in the E-Mail editing window. A menu opens.
2. If you have set up external E-Mail accounts, you can use those addresses as sender addresses. Select an E-Mail address from the list.

Note: Depending on the folder selected, a defined sender address will be preset.

3. You can define the name to be displayed with your E-Mail addresses. To do so, proceed as follows:
 - a. Click on **Edit name**. The *Edit real names* window opens. The names that are preset in the account settings are displayed.
 - b. Enable the checkbox of the name that you want to edit. Edit the name. Click on **Save**.
In order to display the sender addresses without names, disable **Show names**.

Superordinated action:



[Sending a new email \(p. 66\)](#)

Related topics:

[Adding E-Mail Accounts \(p. 95\)](#)

5.4.4 Adding attachments

How to add attachments to an E-Mail in the E-Mail editing window:

1. Select the files to be sent as attachments.
 - To send a local file as attachment, click on **Attachments**. Click on **Add local file**. Select one or several files.
You can also add an attachment by dragging one or several files from a file browser or from the desktop to the E-Mail window and dropping them below the **Attachments** button.
 - In order to use the current version of a file from the Drive app as an attachment, click on **Attachments**. Click on **Add from Drive**.
Open a folder in the *Add attachments* window. Select one or several files. Click on **Add**.
2. You can use the following functions:
 - In order to remove an attachment, click the **Delete attachment** icon .
 - To hide or show the attachments, click the **Expand** icon  on the left side.

Note: An E-Mail attachment can consume more than 25% of storage space than a locally saved file.

Options:

- Depending on the configuration, attached images can be minimised if they exceed a specified number of pixels or a specified file size. To do so, select an entry next to **Image size** on the bottom right side of the attachments
Note: Images can only be minimised directly after having been uploaded. If you open an E-Mail draft or re-load the E-Mail editing window, attached images can no longer be minimised.
- Depending on the configuration, attachments will not be sent when having reached a certain size limit. In this case, the attachment will be saved in the E-Mail attachments folder in the Drive app. The E-Mail includes a link to the attachment.

Superordinated action:

[Sending a new email \(p. 66\)](#)

Similar actions:



[Sending attachments as a link \(p. 70\)](#)

5.4.5 Sending attachments as a link


This function allows sending large attachments by E-Mail. This is how it works:

- The attachments are uploaded to a new folder below **Drive Mail** in the Drive app. The name of this folder corresponds to the E-Mail subject. The folder is shared with a public link.
- The E-Mail recipients receive a link for downloading the attachments.

How to send attachments as a link in the E-Mail editing window:

1. Select the files to be sent as attachments.
 - To send a local file as link, click on **Attachments**. Click on **Add local file**. Select one or several files.
You can also add an attachment by dragging one or several files from a file browser or from the desktop to the E-Mail window and dropping them below the **Attachments** button.
 - In order to use the current version of a file from the Drive app as an attachment, click on **Attachments**. Click on **Add from Drive**.
Open a folder in the *Add attachments* window. Select one or several files. Click on **Add**.
2. You can use the following functions:
 - In order to remove an attachment, click the **Delete attachment** icon .
 - To hide or show the attachments, click the **Expand** icon .
3. Click on **Use Drive Mail**. The **Options** button will be displayed.
Click on **Options**. The *Drive Mail options* window opens.
 - To set the expiration date for the public link, click on an entry below **Expiration**.
If you select an expiration date, you can let the attachment be deleted after the expiration date. To do so, enable **delete if expired**.
Note: Depending on the configuration, those functions are optional or mandatory.
 - To protect the public link with the attachments with a password, enable **Use password**. Enter a password. To view the password while entering it, click the icon on the right side in the input field.
 - To receive notifications about certain actions, enable one or several entries below **E-mail notifications**.
Note: Depending on the configuration, this function might not be available.

Notes:

- Depending on the configuration, there might be a maximum file size for attachments that can be sent as a link.
- In the Sent objects folder, the E-Mail is marked with the icon . When viewing the E-Mail, the following information is displayed at the top of the E-Mail text:
 - A link to the folder containing the attachment.
 - Information about the expiration date and a possibly used password.
 - A list of the attachments' file names.

Superordinated action:

[Sending a new email \(p. 66\)](#)

Similar actions:


[Adding attachments \(p. 69\)](#)

5.4.6 Using signatures

An E-Mail signature is text that is automatically entered in the E-Mail when being composed. It is typically used for inserting the name, company, and contact address at the bottom of the E-Mail text. You can create signatures in the plain text or HTML format. The following functions are available:

- create new signature, edit existing signatures, set default signatures
- add a signature to the E-Mail text

How to create or edit a signature:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select the entry **E-Mail** in the side bar. Click on **Signatures**.
The existing signatures are shown in the display area.
3. To add a new signature, proceed as follows:
 - a. In the display area, click on **Add new signature**. The *Add signature* window opens.
 - b. Enter a name for the signature. Enter the text for the signature.
Define whether the signature is to be entered below or above the E-Mail text.
Click on **Save**.
4. To edit an existing signature, the following options are available:
 - In order to edit a signature's text, click on **Edit** next to the signature.
 - In order to delete a signature, click the **Delete** icon  next to the signature.In **Default signature for new messages** and in **Default signature for replies or forwards**, you can define the signatures to be used as default.

How to add a signature to the E-Mail text in the E-Mail editing window:

1. Click on **Signatures**.
2. Select a signature from the list.

Superordinated action:



[Sending a new email \(p. 66\)](#)

5.4.7 Replying to email messages

When replying to an E-Mail, some of the E-Mail's input fields are pre-filled:

- The sender of the email and additional recipients of the email are automatically entered as recipients of the reply email.
- The E-Mail subject is entered in the subject field of the reply E-Mail. The subject is preceded with the text "Re: ".
- The E-Mail text is entered in the forwarded E-Mail. Each cited line is marked at the beginning.

How to reply to an email:

1. Select an E-Mail.
2. Click the **Reply to sender** icon  in the tool bar. To also reply to all other recipients click the **Reply to all recipients** icon .
You can also use one of the following methods:
 - Click on the **Reply all** button in the detail view.
 - Use the context menu in the E-Mail list.
3. Fill in the details for sending the E-Mail.

Similar actions:

- [Sending a new email \(p. 66\)](#)
- [Forwarding E-Mail messages \(p. 72\)](#)


5.4.8 Forwarding E-Mail messages

If you forward an E-Mail, some of the E-Mail's input fields are pre-filled:

- The subject of the E-Mail is entered as the subject of the forwarded E-Mail. The subject is preceded with the text "Fwd: ".
- The E-Mail text is entered in the forwarded E-Mail. The text is preceded with the following details:
 - The header "Original message"
 - Sender, recipient, date, and subject of the original message

If you forward multiple E-Mails, the selected E-Mails are sent as attachments in EML format.

How to forward an email:

1. Select one or several E-Mail messages.
2. Click the **Forward** icon  in the tool bar.
You can also use one of the following methods:
 - Click on the **Forward** button in the detail view.
 - Use the context menu in the E-Mail list.
3. Select one or more recipients. Information can be found in [Sending a new email \(page 66\)](#).
4. Fill in the details for sending the E-Mail.

Similar actions:

- [Sending a new email \(p. 66\)](#)
- [Automatically forwarding email messages \(p. 73\)](#)

5.4.9 Automatically forwarding email messages

You can let email messages be automatically forwarded to another address.

How to automatically forward email messages:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select the entry **E-Mail** in the side bar.
Click on **Auto forward ...** in the display area. The *Auto forward* window opens.
3. To activate the auto forwarding, click the icon on the upper left side.
Enter the email address to which you want to forward the messages.
In order to keep a copy of the E-Mail, enable **Keep a copy of the message**.
The auto forwarding is entered as an E-Mail filter. If additional filter rules are to be applied after the auto forwarding, enable **Process subsequent rules**. You can also edit the auto forwarding in the E-Mail filter settings.
4. Click on **Apply changes**.

Similar actions:

- [Sending a new email \(p. 66\)](#)
- [Replying to email messages \(p. 72\)](#)
- [Forwarding E-Mail messages \(p. 72\)](#)
- [Sending a vacation notice automatically \(p. 74\)](#)



Related topics:

- [Using E-Mail Filters \(p. 88\)](#)
- [Settings for receiving E-Mail messages. \(p. 97\)](#)

5.4.10 Sending an E-Mail to participants

You can send an E-Mail to all appointment participants.

How to send an E-Mail to all appointment participants:

1. Depending on the selected view, the following options are available in the Calendar:
 - In a calendar view, click on an appointment with multiple participants. In the pop-up, click the **More actions** icon . Click on **Send e-mail to all participants** in the menu.
 - In the list view, double-click on an appointment with multiple participants. The appointment will be displayed in a window. Click the **More actions** icon . Click on **Send e-mail to all participants** in the menu.
2. Fill in the details for [sending the E-Mail](#).

Similar actions:

- [Sending a new email \(p. 66\)](#)

5.4.11 Sending a vacation notice automatically

A vacation notice informs the sender of an E-Mail that you will not retrieve your E-Mails for a specific period of time. You can set the following:

- the subject and text of the vacation notice
- the time frame when the vacation notice is active
- the E-Mail addresses for which the vacation notice is active

How to create and activate a vacation notice:

1. Click on **View** in the tool bar. Click on **Vacation notice** at the bottom.
You can also use the **Vacation notice** button in the E-Mail settings.
The *Vacation notice* window opens.
2. Enable the checkbox on the upper left side.
3. To define the time range for sending the vacation notice, enable **Send vacation notice during this time only**. Set the start and end date.
Note: Depending on the configuration, this setting might not be available.
4. Enter a subject and a text for the vacation notice.
5. In order to display all options, click on **Show advanced options**.
 - You can specify an interval for sending a vacation notice if there are several E-Mail messages from the same sender.
 - You can specify the sender address to be used for sending the vacation notice.
 - The vacation notice will be sent if messages are reaching your primary E-Mail address. You can also activate a vacation notice if messages are reaching your other E-Mail addresses.
6. Click on **Apply changes**.

If a vacation notice is active, the following is displayed:

- On the E-Mail settings page, the **Vacation notice** button is marked with an additional icon.
- In the E-Mail app, a notification is displayed above the E-Mail list. If clicking on the notification, the *Vacation notice* window opens.

Tip: The vacation notice is entered as an E-Mail filter. You can also edit the vacation notice in the E-Mail filter settings.

Similar actions:

- [Sending a new email \(p. 66\)](#)
- [Replying to email messages \(p. 72\)](#)
- [Forwarding E-Mail messages \(p. 72\)](#)
- [Automatically forwarding email messages \(p. 73\)](#)


Related topics:

- [Using E-Mail Filters \(p. 88\)](#)
- [Settings for receiving E-Mail messages. \(p. 97\)](#)

5.5 Adding E-Mail folders

You can create additional E-Mail folders below your primary E-Mail account.

How to create a new E-Mail folder:

1. Select the folder in which you want to create the new sub-folder in the folder view.
2. Click the **Actions** icon  next to the folder name. Click on **Add new folder**.
A window opens.
3. Enter a name. Click on **Add**.

User interface:

[The E-Mail folder view \(p. 57\)](#)

Related topics:

[Managing E-Mail messages \(p. 76\)](#)

[Managing Data with Folders \(p. 228\)](#)

5.6 Managing E-Mail messages

The following options are available:

- [Working with tabs \(p. 77\)](#)
- [Moving or copying E-Mail messages \(p. 78\)](#)
- [Marking email messages as read or unread \(p. 79\)](#)
- [Collecting addresses \(p. 80\)](#)
- [Categorising E-Mail messages \(p. 80\)](#)
- [Showing the email source \(p. 81\)](#)
- [Working with email drafts \(p. 81\)](#)
- [Creating E-Mail reminders \(p. 82\)](#)
- [Adding an email to the portal \(p. 82\)](#)
- [Saving email messages \(p. 82\)](#)
- [Importing email messages \(p. 82\)](#)
- [Printing email messages \(p. 83\)](#)
- [Archiving E-Mail messages \(p. 84\)](#)
- [Deleting E-Mail messages \(p. 84\)](#)
- [Cleaning up E-Mail folders \(p. 86\)](#)
- [Using Unified Mail \(p. 87\)](#)

User interface:

[The E-Mail tool bar \(p. 56\)](#)

Related topics:

[Adding E-Mail folders \(p. 75\)](#)

5.6.1 Working with tabs


Tabs allow you to save incoming E-Mail messages in the Inbox folder separated by senders. The following options are available:

- enable or disable tabs
- assign incoming E-Mail messages to a tab
- edit the tabs view

How to enable or disable the usage of tabs:

1. Click on **View** in the tool bar.
2. Enable or disable the **Use categories** checkbox below Inbox.

How to assign incoming E-Mail messages in the inbox to categories:

1. Select the **Inbox** folder in the folder view.
Select a category from the categories bar. E-Mail messages that have not been assigned to a category yet, are displayed in the **General** category.
2. Drag an E-Mail from the list to a category in the categories bar and drop it there.
You can also select an E-Mail. Click the **Set category** icon  in the tool bar. Select a category from the menu.
A pop-up window notifies you that the E-Mail has been moved to the category.
3. In order to finish the process, do one of the following:
 - In order to only move the selected E-Mail to the category, close the pop-up window.
 - In order to move all existing and future incoming E-Mail messages from this sender to the category, click on **Move all messages**.

How to edit the tab view:

1. Click on **View** in the tool bar. Click on **Configure** below Inbox.
You can also double-click or right-click on a category in the categories bar.
The *Configure categories* window opens.
2. To enable or disable a tab, enable or disable the respective checkbox.
To rename a tab, edit the respective text.
Note: Some tabs cannot be edited.
In order to hide the categories bar, click on **Disable categories**.
3. Click on **Save**.

Related topics:

[Displaying email messages \(p. 63\)](#)

[Navigating within the folder structure \(p. 231\)](#)



5.6.2 Moving or copying E-Mail messages

You can move or copy E-Mail messages to another E-Mail folder. The following options are available:

- move or copy individual E-Mail messages or a complete E-Mail conversation to another folder
- move all E-Mail messages in an E-Mail folder

Prerequisite: You need to have the appropriate permissions to create objects in the target folder.

How to move or copy an E-Mail:

1. Select one or several E-Mail messages.
2. Click the **More actions** icon  in the tool bar. Click on **Move** or **Copy** in the menu.
You can also use one of the following methods:
 - Use the **More actions** icon  in the detail view.
 - Use the context menu in the E-Mail list.

A window opens.

3. Select a folder. You can create a new folder by clicking on **Create folder**.
Click on **Move** or **Copy**.

Tips:

- To move E-Mail messages from a specific sender to a folder, you can [create a new rule when moving E-Mail messages](#).
- You can also move the selected objects by dragging the objects from the folder view to a folder.
- In order to move all E-Mail messages from a folder, click on **All** above the list. Select **Move all messages**.

Related topics:

[Adding E-Mail folders \(p. 75\)](#)

5.6.3 Marking email messages as read or unread

Unread E-Mail messages are marked with the Unread icon ●. The following options are available:

- mark single E-Mail messages as read or unread
- mark all E-Mail messages in an E-Mail folder as read

How to mark an E-Mail as unread or read:

1. Select one or several E-Mail messages.
2. Click the **More actions** icon ≡ in the tool bar. Click on **Mark as unread** in the menu. If the E-Mail is part of a conversation, all messages received for this conversation are marked as unread.

You can also use one of the following methods:

- Use the **More actions** icon ≡ in the detail view.
 - Click the **Read** icon ○. The icon changes to the **Unread** icon ●.
 - Use the context menu in the E-Mail list.
3. In order to mark this E-Mail as read, analogously do the same.

Tip: To mark all E-Mail messages in a folder as read, click on **All** above the list. Select **Mark all E-Mail messages as read**.

Related topics:

[Displaying email messages \(p. 63\)](#)

5.6.4 Collecting addresses

You can collect E-Mail addresses by adding the addresses to an address book. The following options are available:

- Automatically collect new E-Mail addresses when sending or reading E-Mail messages by activating this function in the [E-Mail settings](#).
- Manually adding email addresses to an address book

How to manually add an email address to an address book:

1. Select an E-Mail.
2. Click on the sender's or a recipient's name in the detail view.
3. Click on **Add to address book** in the pop-up.

Note: This function is only available if the contact has not been added yet.

Related topics:





[Creating a new contact \(p. 112\)](#)

5.6.5 Categorising E-Mail messages

Depending on the configuration, you have several options for categorizing E-Mail messages. The following options are available:

- a coloured label
- a flag

How to categorise an E-Mail:

1. Select one or several E-Mail messages.
2. To add a coloured label, click the **Set colour** icon  in the tool bar. Select a colour from the menu. You can also use the **Set colour** icon  in the detail view. In order to remove the label, again click the icon in the tool bar or in the detail view. Click the **None** menu item.
3. To add a flag, click the **Flag** icon  in the tool bar. You can also use one of the following methods:
 - Click the **Flag** icon  in the detail view.
 - Open the context menu in the E-Mail list. Click on **Flag**.To remove the flag, use one of the following methods:
 - Again click the icon in the tool bar or in the detail view.
 - Open the context menu in the E-Mail list. Click on **Unflag**.

Tip: To sort E-Mail messages by flags, click on **Sort by** above the list.



Related topics:

[Displaying email messages \(p. 63\)](#)

5.6.6 Showing the email source

The email source contains the complete content of an email i.e.: the complete email header data.

How to display the email source:

1. Select an E-Mail.
2. Click the **More actions** icon  in the tool bar. Select **View source** from the menu. The source is displayed in the *View source* window.
You can also use one of the following methods:
 - Use the **More actions** icon  in the detail view.
 - Use the context menu in the E-Mail list.

Tip: The context menu allows you to select the source and copy it to the clipboard.

Related topics:

[Displaying email messages \(p. 63\)](#)

[Creating new rules \(p. 89\)](#)

5.6.7 Working with email drafts

The following options are available:

- Saving an E-Mail as a draft while you are composing the E-Mail.
- Sending a saved E-Mail draft. The draft will be deleted after it has been sent.
- Sending a copy of an E-Mail draft. The draft will be kept.

How to save an email as a draft:

Click on Save in the E-Mail editing window.

Result: The E-Mail is saved in the Drafts folder.

Tip: In the [E-Mail settings](#), you have the option to let an E-Mail that you are composing be saved in regular intervals.

How to send a saved email draft:

1. Open the Drafts folder. Select an E-Mail.
2. Click on **Edit draft** in the tool bar.
3. Complete the entries. Click on **Send**.

How to send a copy of an E-Mail draft:

1. Open the Drafts folder. Select an E-Mail.
2. Click on **Edit copy** in the tool bar.
3. Complete the entries. Click on **Send**.



Similar actions:

[Sending email messages \(p. 65\)](#)

5.6.8 Creating E-Mail reminders

You can activate a reminder for an E-Mail. This function creates a task and reminds you of the due date.

How to create an E-Mail reminder:

1. Select an E-Mail.
2. Click the **More actions** icon  in the tool bar. Select **Reminder** from the menu.
You can also use the **More actions** icon  in the detail view.
Note: When having selected an E-Mail conversation, this function is only available in the detail view, not in the tool bar.
3. Complete the details in the *Remind me* window. Select a time from the **Remind me** drop-down field. Click on **Create reminder**.

Result: A task will be created. A button is shown below the task text. If clicking on this button, the original E-Mail will be displayed.



Related topics:

[Creating Tasks \(p. 184\)](#)

5.6.9 Adding an email to the portal

You can add an E-Mail as widget to the Portal.

How to add an email to the portal:

1. Select an E-Mail.
2. Click the **More actions** icon  in the tool bar. Click on **Add to portal** in the menu.
You can also use the **More actions** icon  in the detail view.
Note: When having selected an E-Mail conversation, this function is only available in the detail view, not in the tool bar.



Related topics:

[Adding Portal widgets \(p. 50\)](#)

5.6.10 Saving email messages

You can save an E-Mail as a text file. The text file has the file extension EML. If you select multiple E-Mail messages, an EML file will be created for each E-Mail. The EML files will be saved as a zip archive then.

How to save an email:

1. Select one or several E-Mail messages.
2. Click the **More actions** icon  in the tool bar. Select **Save as file** from the menu.
You can also use the **More actions** icon  in the detail view.
3. Fill in the details for saving the file.

Similar actions:

[Importing email messages \(p. 82\)](#)

5.6.11 Importing email messages

You can import an email that is available in the EML format.

How to import an email:



1. Open the E-Mail folder to which you want to import the E-Mail.
2. Drag the EML file from a file browser or from the desktop to the E-Mail app window. Drop the EML file in the list in the display area.

Similar actions:

[Saving email messages \(p. 82\)](#)

5.6.12 Printing email messages

How to print an E-Mail's content:

1. Select one or several E-Mail messages.
2. Click the **More actions** icon  in the tool bar. Click on **Print** in the menu.
You can also use one of the following methods:
 - Use the **More actions** icon  in the detail view.
 - Use the context menu in the E-Mail list.A window with a print preview opens.
3. If required, change the printer settings. Click on the **Print** button.
4. Close the print preview window.

Similar actions:


[Archiving E-Mail messages \(p. 84\)](#)

5.6.13 Archiving E-Mail messages


When archiving E-Mail messages, those E-Mail messages are moved to the Archive folder. The Archive folder contains a separate sub-folder for each calendar year. The archived E-Mail messages are saved to those sub-folders sorted by the year of receipt. The Archive folder is created as soon as you initially use this function. The following options are available:

- archive a folder's E-Mail messages that are older than 90 days
- archive single E-Mail messages

How to archive an E-Mail folder's content:

1. Select an E-Mail folder in the folder view.
 2. The following options are available:
 - Click on **All** above the list. Select **Archive all messages**.
 - Click the **Actions** icon  next to the folder name. Click on **Archive all messages**.
 3. In the *Archive messages* window click on **Archive**.
- Result: All E-Mail messages that are older than 90 days are moved to the archive folder.

How to archive individual E-Mail messages:

1. Select one or several E-Mail messages.
2. Click the **Archive** icon  in the tool bar.
You can also use one of the following methods:
 - Press the [a] key on the keyboard.
 - Use the context menu in the E-Mail list.

Result: The E-Mail messages are moved to the Archive folder.

Similar actions:

[Printing email messages \(p. 83\)](#)


5.6.14 Deleting E-Mail messages

The following options are available:

- **Delete** individual E-Mail messages or entire E-Mail conversations. By default, the E-Mail messages are moved to the Trash folder.
- **Delete all E-Mail messages in an E-Mail folder**. By default, the E-Mail messages are moved to the Trash folder.
- **Recover** deleted E-Mail messages from the Trash.
- **Permanently delete** E-Mail messages from the trash. You can also permanently delete all E-Mail messages from the trash by [emptying the trash](#).


Warning: If you enable the E-Mail settings option **Permanently remove deleted e-mail messages** you will not be able to recover deleted E-Mail messages. It is recommended that you not use this setting.

How to delete an E-Mail:

1. Select one or several E-Mail messages.
2. Click the **Delete** icon  in the tool bar.
You can also use one of the following methods:
 - Press the [Del] or [Backspace] key on the keyboard.
 - Use the **Delete** button in the detail view.
 - Use the context menu in the E-Mail list.


Result: The E-Mail is moved to the Trash folder.

How to delete all email messages in a folder:

1. In the folder view, select the folder which E-Mail messages you want to delete.
2. The following options are available:
 - Click on **All** above the list. Select **Delete all messages**.
 - Click the **Actions** icon  next to the folder name. Click on the **Delete all messages** button.


Result: The E-Mail is moved to the Trash folder.

How to recover deleted email messages:

1. Select the Trash folder in the folder view.
2. Select one or several E-Mail messages.
3. Click the **More actions** icon  in the tool bar. Select **Move** from the menu.
4. Select a folder in the *Move* window. Click on the **Move** button.

How to permanently delete an E-Mail:


Warning: Permanently deleted email messages **cannot** be recovered. Before permanently deleting an email, make sure you no longer need the email.

1. Select the Trash folder in the folder view.
2. Select one or several E-Mail messages.
3. Click the **Delete** icon  in the tool bar.

Result: The E-Mail is permanently deleted.

How to permanently delete the content of the Trash folder:

Warning: Permanently deleted email messages **cannot** be recovered. Before permanently deleting an email, make sure you no longer need the email.

1. Select the Trash folder in the folder view.
2. Click the **Actions** icon  next to the folder name. Click on **Empty folder**.
3. Confirm that you want to empty the folder.

Result: The objects in the trash are permanently deleted.

Similar actions:

[Archiving E-Mail messages \(p. 84\)](#)


[Cleaning up E-Mail folders \(p. 86\)](#)

5.6.15 Cleaning up E-Mail folders

Depending on the E-Mail client's settings, E-Mail messages that you deleted from within an E-Mail client like Apple Mail, MS Outlook or Mozilla Thunderbird, might be deleted only after having signed out from the client. In the meantime, those E-Mail messages will be shown as crossed out in the groupware. To delete those E-Mail messages clean up the E-Mail folder.

Note: Depending on the configuration, this function is not available as such E-Mail messages are not displayed.

How to clean up an E-Mail folder:

1. In the folder view, select the folder that you want to clean up.
2. Click the **Actions** icon  next to the folder name. Click on **Clean up**.

Similar actions:

[Deleting E-Mail messages \(p. 84\)](#)

5.6.16 Using Unified Mail

With Unified Mail you can display E-Mail messages from multiple E-Mail accounts in one central folder. This gives you a quick overview of the multiple E-Mail accounts' inboxes. Unified Mail can be described as follows:

- In addition to an E-Mail account's Inbox, the Unified Mail folder shows a further view for the account's E-Mail messages. The E-Mail messages actually exist only once.
- E-Mail messages in the Inbox's sub-folders are not displayed in the Unified Mail folder.
- The E-Mail messages in the Unified Mail folder are marked with the account's name in the side bar. The internal E-Mail account is labeled Primary account.

The following functions are available:

- To use Unified Mail, enable the function for one or several E-Mail accounts.
- You can display E-Mail messages in the Unified Mail folder.

How to activate Unified Mail for an email account:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Accounts**.
3. Click on **Edit** next to an external E-Mail account in the display area. The settings are displayed in a pop-up.
4. Enable **Use Unified Mail for this account**.
Click on **Save** at the bottom of the pop-up.

How to display E-Mails in the Unified Mail folder:

1. Open the Unified Mail folder in the folder view.
2. You can also click on a sub-folder of the Unified Mail folder.

Tip: The account is indicated with a label next to an E-Mail's subject in the side bar.

Related topics:

[Displaying email messages \(p. 63\)](#)

[Adding E-Mail Accounts \(p. 95\)](#)

[Viewing, editing, deleting accounts \(p. 251\)](#)

5.7 Using E-Mail Filters

E-Mail filters help you organise incoming E-Mail messages. An E-Mail filter consists of one or several rules. By setting rules you can e.g. trigger the following actions:

- The E-Mail is moved to a specific E-Mail folder.
- The E-Mail is forwarded to another E-Mail address.
- The E-Mail is marked as read.

In order to use E-Mail filters, proceed as follows:

- Create E-Mail folders.
- Create one or several rules.
- Specify an order for the rules.
- Set if subsequent rules are to be processed when a rule matches.

The following options are available:

- [Creating new rules \(p. 89\)](#)
- [Adding a condition \(p. 90\)](#)
- [Adding an action \(p. 91\)](#)
- [Creating a new rule when moving \(p. 91\)](#)
- [Changing a rule \(p. 91\)](#)

Note: For the following instructions and examples, it is assumed that the complete range of E-Mail filter functions is available. Depending on the configuration, some functions might not be available.

Related topics:

- [Automatically forwarding email messages \(p. 73\)](#)
- [Sending a vacation notice automatically \(p. 74\)](#)

5.7.1 Creating new rules

A rule contains:

- a name,
- one or several conditions,
- one or several actions. You can specify whether one or all conditions are to be met in order to process the actions.

How to create a new rule:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select the entry **E-Mail** in the side bar. Click on **Filter rules**.
3. In the display area, click on **Add new rule**. The *Create new rule* window opens.
 - Enter a rule name.
 - Click on **Add condition**. Make a selection from the drop-down menu. Complete the condition details.
 - Click on **Add action**. Select an action from the menu. Complete the action details.
4. You can set whether subsequent rules are to be processed if the rule is met. To do so, enable or disable **Process subsequent rules**.

Subordinated actions:

[Adding a condition \(p. 90\)](#)

[Adding an action \(p. 91\)](#)

Similar actions:

[Creating a new rule when moving \(p. 91\)](#)

[Changing a rule \(p. 91\)](#)

5.7.2 Adding a condition

A condition helps to define the E-Mail messages to which the action should be applied. You can set one or multiple conditions.

How to add a condition in the *Create new rule* window:

1. Click on **Add condition**. Make a selection from the drop-down menu. Note the following:
 - In order to use an E-Mail part that is not contained in the list, select **Header**. Enter a header entry in the Name input field. You can read an E-Mail's header by displaying the source data.
 - In order to consider the **BCC** part, select **Envelope - To**. Envelope includes the E-Mail recipients entered in the **To**, **CC** or **BCC** field.
 - In order to use a part of the E-Mail content in the condition, select **Content**.
 - In order to use the date of receipt in the condition, select **Current Date**.
2. Select a criterion from the drop-down next to the E-Mail part. Enter an argument in the input field.
3. You can add additional conditions. You can then specify whether one or all conditions are to be met in order to process the actions. To do so, click on **Apply rule if all conditions are met**.

As soon as there is a condition, you can create nested conditions. To do so, click on **Add condition**. Select **Nested condition**.

To delete a condition, click the **Delete** icon  next to the condition.

Example: The following details are used for the condition:

- E-Mail part "Subject"
- Criterion "Is exactly"
- Argument "minutes"

In this case it would verify whether the subject of an E-Mail exactly matches the argument "minutes". Additional examples how to filter E-Mail messages using the subject:

- Criterion: "contains"
The condition is met if the subject contains the characters in the argument.
Example: The argument is "minutes".
 - The condition is met for the subject "minutes".
 - The condition is also met for the subject "meeting minutes".
- Criterion: "Matches"
The condition is met if the subject exactly matches the characters in the argument. The character string can contain wildcards.
Example: The argument is "minutes*". The "*" character is a wildcard for any characters.
 - The condition is met for the subject "minutes".
 - The condition is not met for the subject "meeting minutes".
- Criterion: "Regex"
The condition is met if the subject contains the characters provided by the regular expression in the argument. Regular expressions allow complex requests. More information can be found on respective sites on the Web. The following, very simple regular expression should give an insight to the topic.
Example: The argument is "organi(z|s)ation". The expression "(z|s)" stands for either the "z" or the "s" character.
 - The condition is met for the subject "minutes".
 - The condition is also met for the subject "organisation".
 - The condition is not met for the subject "Organic".

Superordinated action:

[Creating new rules \(p. 89\)](#)


Similar actions:

[Adding an action \(p. 91\)](#)

5.7.3 Adding an action

Use an action to define what happens with an E-Mail that matches the conditions. You can set one or multiple actions.

How to add an action in the *Create new rule* window:

1. Click on **Add action**. Select an action from the menu.
2. Depending on the action, additional buttons and inputs fields are displayed. Use such functions to complete the action.
3. You can add additional actions.
To delete an action, click the **Delete** icon  next to the action.

Superordinated action:

[Creating new rules \(p. 89\)](#)



Similar actions:

[Adding a condition \(p. 90\)](#)

5.7.4 Creating a new rule when moving

You can create a new rule when moving an E-Mail to another folder. Incoming E-Mail messages for which this rule applies will be moved to this folder automatically.

How to create a new rule when moving an E-Mail

1. Select an E-Mail.
2. Click the **More actions** icon  in the tool bar. Select **Move** from the menu.
You can also use the **More actions** icon  in the detail view.
Select a folder in the *Move* window. Click on the **Move** button.
3. Enable **Create filter rule**. A note with details about the filter is displayed.
Click on the **Move** button. The *Create new rule* window opens.
4. Enter a rule name. You can adjust the conditions or actions. Click on **Save**.
The E-Mail will be moved. The new rule will be created.

Similar actions:

[Creating new rules \(p. 89\)](#)



[Changing a rule \(p. 91\)](#)

5.7.5 Changing a rule

The following options are available:

- edit a rule's settings: name, condition, actions
- disable, enable, delete a rule
- change the activation order of the rules

How to change existing rules:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select the entry **E-Mail** in the side bar. Click on **Filter rules**.
3. To edit a rule's settings, click on **Edit** next to the rule. Change the settings in the *Edit rule* window.
4. To disable a rule, click on **Disable** next to the rule.
To enable a rule, click on **Enable** next to the rule.
5. To change the order, hover the mouse pointer over the **Move** icon  next to a rule. Drag the rule up or down and drop it appropriately.
Note: This function is only available if there are at least two rules.
6. To delete a rule, click the **Delete** icon  next to the rule.

Similar actions:

[Creating new rules \(p. 89\)](#)

[Creating a new rule when moving \(p. 91\)](#)

5.8 Searching for E-Mail Messages

In order to search for specific E-Mail messages, you can use the following search criteria:

- search terms for subject, E-Mail text, sender, recipients, attachment name
- Search terms for a time range. Searches for E-Mail messages that you received within the time range. You define a valid time range with the following details.
 - The key words today, yesterday, last week, last month, last year
 - The key words for those time intervals: last 7 days, last 30 days, last 365 days
 - A day of the week, e.g. Monday
 - A specific month, e.g. July
 - A four digit date, e.g. 2015
 - A date, e.g. 1/31/2015
 - A date interval, e.g. 12/1/2014 - 1/31/2015
- folders that are to be searched

How to search for E-Mail messages:

1. Click on the **Search** input field. Additional icons are displayed.
2. Enter a search term in the input field. The search menu opens.
Define the data sources to be searched by clicking on an entry in the search menu.
 - If clicking on the search term or pressing enter, the following data sources are searched: sender, recipient, subject, E-Mail text
 - In order to only search in the subject, click on **in subject**.
 - In order to only search in the E-Mail text, click on **in mail text**.
 - To search within the attachments' file names, click on **in attachment file names**.
 - In order to search for senders or recipients matching the search term, click on a name. You can define whether to search the sender, recipients or both. To do so, click the **Options** icon ▼ next to the name.
 - In order to search for E-Mail messages within a specific time range, use a valid time range as a search term. As soon as a valid time range is recognized in your input, the time range is displayed in the search menu. Click on the time frame.

The search results are displayed in the list that is shown in the display area. For each search result, the folder with the found object is displayed.
3. To select a folder for the search, click the **Options** icon ▼ in the input field. The current folder will be displayed in a drop-down. To select another folder, open the drop-down.
 - If you select **All folders**, all folders and subfolders of the internal E-Mail account are searched. Note: Depending on the E-Mail server, this function might not be available. In this case, only the current folder will be searched, not sub-folders.
 - If you select a specific folder or the folder of an external E-Mail account, only this folder is searched, but no subfolders.
4. To refine the search result, enter further search terms: To remove a search term, click the **Remove** icon ✕ next to the search term.
5. In order to finish the search, click the **Close** icon ✕ in the input field.

User interface:

[The E-Mail search bar \(p. 55\)](#)

Related topics:

[Displaying email messages \(p. 63\)](#)

5.9 Adding E-Mail Accounts

By default, you use your primary E-Mail account in the groupware. If you use additional E-Mail accounts like Google Mail, you can access those accounts' E-Mail messages from within the groupware, by adding those accounts as E-Mail accounts.

How to add an E-Mail account:

1. Click on **Add E-Mail Account** in the folder view. The *Add E-Mail Account* window opens.
2. Click an icon. The next procedure depends on the E-Mail account provider.
 - For some providers, a new browser window opens. Log in with your credentials to grant access to the E-Mail account.
 - If the provider asks you for the permission to access the data, grant this permission.
 - For some providers, enter your credentials in the *Add E-Mail Account* window. Then, click on **Add**. You can also manually enter the required data by clicking on **Manually**.
3. If the E-Mail messages in this account are also to be shown in the Unified Mail folder, enable **Use unified mail for this account**.

Note: Depending on the configuration, this function might not be available.

An entry for the E-Mail account appears in the folder view. The entry contains this account's E-Mail folders. Open one of those folders to do the following:

- read this account's E-Mail messages
- send E-Mail messages from this account

Related topics:

[Using Unified Mail \(p. 87\)](#)

[Selecting sender address \(p. 68\)](#)

[Editing the primary E-Mail account \(p. 250\)](#)

[Viewing, editing, deleting accounts \(p. 251\)](#)

5.10 Email Settings

The following options are available:

- [Settings for receiving E-Mail messages. \(p. 97\)](#)
- [Settings for composing E-Mail messages \(p. 99\)](#)

5.10.1 Settings for receiving E-Mail messages.

How to use the settings for receiving E-Mail messages:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **Email** in the side bar.

Depending on the configuration, the following settings are available:

Buttons

- **Vacation notice**
See [Sending a vacation notice automatically \(p. 74\)](#)
- **Auto-forward**
See [Automatically forwarding email messages \(p. 73\)](#)
- **Change IMAP subscriptions**
See [Subscribing to E-Mail folders \(p. 244\)](#)

View

- **Allow HTML formatted Email messages?**
Specifies whether or not displaying HTML messages is allowed.
- **Colour quoted lines**
Specifies whether original messages are highlighted and introduced with a vertical line. This option assumes that the original mail text is not attached but appended to the E-Mail.
- **Use fixed-width font for text email messages**
Specifies whether a fixed-width font is used when displaying a plain text E-Mail.
- **Show requests for read receipts**
Defines whether a return receipt is displayed if a received E-Mail includes a receipt confirmation request.
- **Show folder with all unseen messages**
Defines whether the Unread messages folder is displayed in the folder view.

Notification sounds

- **Play sound on incoming mail**
Defines whether a sound is played for incoming E-Mail messages.
Note: Desktop notifications have to be allowed in the browser settings. Information can be found in [Receiving Notifications \(p. 40\)](#).
- **Sound**
You can select between different sounds.

Behaviour

- **Permanently remove deleted e-mail messages**
Defines whether E-Mail messages will be removed permanently immediately after you click the Delete button or whether they will go to the trash folder.
Warning: Permanently removed E-Mail messages cannot be restored.
- **Automatically collect contacts in the "Collected addresses" folder while sending E-Mail messages**
Defines whether new E-Mail addresses are automatically collected in the **Collected contacts** folder when sending a new E-Mail.
- **Automatically collect contacts in the "Collected addresses" folder while reading E-Mail messages**
Defines whether new E-Mail addresses are automatically collected in the **Collected addresses** folder when reading a new E-Mail.
- **Ask for mailto link registration**
Defines whether the groupware can ask for a mailto link registration.

Similar actions:

[Settings for composing E-Mail messages \(p. 99\)](#)

Related topics:

[Using a whitelist \(p. 258\)](#)

5.10.2 Settings for composing E-Mail messages

How to use the settings for composing E-Mail messages:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select the entry **E-Mail** in the side bar. Click on **Compose**.

Depending on the configuration, the following settings are available:

Format email messages as

Defines the format in which email messages are sent:

- **HTML**
The E-Mail is sent with HTML markup. You can format the E-Mail text.
- **Plain text**
The E-Mail text is sent as plain text without formatting.
- **HTML and plain text**
The E-Mail is sent with HTML markup and additionally as plain text.

Default font style

Defines the preset font style for E-Mail text in HTML format.

Forward E-mail messages as

Specifies how an E-Mail text is sent when forwarding the E-Mail.

- **Inline**
The text is sent within the new E-Mail text.
- **Attachment**
The text is sent as attachment to the new E-Mail.

Advanced settings

- **Append vCard**
Specifies whether your contact data will be attached to a new email in the vCard format.
- **Insert the original Email text into a reply?**
Specifies whether the original email text is appended to an email reply.
- **Confirm recipients when replying to a mailing list**
Defines whether you have to confirm the recipient when replying to a mailing list.
- **Auto-save email drafts**
Specifies the interval for saving an E-Mail while being composed to the *Drafts* folder.
- **Default sender address**
Specifies the pre-set sender address for new E-Mail messages.
Note: The sender's name is displayed in front of the sender address. If you enter a name in the **Your name** input field in the Account settings, this name overwrites the preset sender name.
- **Always add the following recipient to blind carbon copy (BCC)**
To send each outgoing E-Mail as blind copy (BCC) to an E-Mail address, enter the wanted E-Mail address in this field.

Similar actions:

[Settings for receiving E-Mail messages. \(p. 97\)](#)

Related topics:


[Editing the primary E-Mail account \(p. 250\)](#)

6 Address Book

Learn how to work with the Address Book application.

- [The Address Book Components \(p. 102\)](#)
- [Displaying contacts \(p. 109\)](#)
- [Viewing or Saving Contact Attachments \(p. 110\)](#)
- [Displaying Contacts in the Halo View \(p. 111\)](#)
- [Adding Contacts \(p. 112\)](#)
- [Adding Distribution Lists \(p. 114\)](#)
- [Adding Address Books \(p. 117\)](#)
- [Managing contacts \(p. 119\)](#)
- [Searching for contacts \(p. 125\)](#)
- [Subscribing to external address books \(p. 118\)](#)
- [Address Book Settings \(p. 126\)](#)

How to launch the Address Book app:

Click the **App Launcher** icon  in the menu bar. Click on **Address Book** in the App Launcher.

6.1 The Address Book Components

The Address Book app includes the following components.

- [The Address Book search bar \(p. 103\)](#)
- [The Address Book tool bar \(p. 104\)](#)
- [The Address Book folder view \(p. 105\)](#)
- [The Address Book navigation bar \(p. 105\)](#)
- [The Address Book display area \(p. 105\)](#)
 - [The Address Book list \(p. 105\)](#)
 - [The Address Book detail view \(p. 106\)](#)
- [The contact editing window \(p. 107\)](#)
- [The distribution list editing window \(p. 108\)](#)

6.1.1 The Address Book search bar

Enables you to search for contacts.

The search bar is displayed if the folder view is visible. In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Actions:

[Searching for contacts \(p. 125\)](#)

[Displaying contacts \(p. 109\)](#)

Related topics:


[The search bar \(p. 25\)](#)

6.1.2 The Address Book tool bar

Contains functions for adding, editing and organising contacts. Notes:

- Some functions are only available if you opened an address book for which you have the appropriate permissions to create or edit objects.
- Some buttons are only displayed if the selected contacts have an E-Mail address.

Content

- **New.** Creates a new contact or a new distribution list.
- **Send e-mail.** Sends an E-Mail to the contact.
- **Invite.** Invites the contact to an appointment.
- **Edit.** Edits the contact's data.
- **Delete.** Deletes the contacts selected by you.
- **More actions** icon . Opens a menu with additional functions.
Notes:
 - Some buttons might not be displayed if you do not have the appropriate permissions.
 - Depending on the address book or the contact's data, some buttons might be sorted differently or might not be available.
- **View.** Opens a menu with check boxes for controlling the view.
 - **Folder view.** Opens or closes the folder view.
 - **Check boxes.** Displays a check box next to each contact in the list. This allows selecting multiple contacts to edit them at once.

Actions:

- [Adding Contacts \(p. 112\)](#)
- [Managing contacts \(p. 119\)](#)

Related topics:

- [The tool bar \(p. 26\)](#)

6.1.3 The Address Book folder view

Displays the address books.


In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Content

- *My address books*. Contains your personal address books.
- *Public address books*. Contains address books shared with all users.
- *Shared address books*. Contains address books shared with you by other users.

Depending on the configuration, the content can differ from this information.

Functions

- If clicking on an address book, its contacts are displayed.
- The **Actions** icon  next to the selected address book offers functions for organising data and for exchanging data.
- The **Add new address book** button allows creating a new private or public address book.
- The **My contact data** button opens a dialogue for changing your contact data in the global address book.
- The **Subscribe address book** button below the address books allows to add contacts from other accounts.

Actions:

- [Adding Address Books \(p. 117\)](#)
- [Changing Personal Contact Data \(p. 39\)](#)
- [Subscribing to external address books \(p. 118\)](#)
- [Managing Data with Folders \(p. 228\)](#)

Related topics:

- [The folder view \(p. 27\)](#)

6.1.4 The Address Book navigation bar

Contains letters in alphabetical order. If clicking on a letter, the list jumps to the contacts with this initial letter.

Related topics:

- [Displaying contacts \(p. 109\)](#)

6.1.5 The Address Book display area

Contains the contacts [list](#) and a contact's [detail view](#).

Related topics:

- [The display area \(p. 28\)](#)

6.1.6 The Address Book list

Displays a list of contacts in the opened address book.

Content

- The following details are displayed for each contact: name, company, primary E-Mail address.

- The text above the list contains the name of the selected address book. The number corresponds to the number of contacts in the selected address book.
- Names that start with a figure or a special character are displayed below **#** at the top of the list. Names that start with a special sign are displayed below **Ω** at the bottom of the list.

Functions

- To select multiple contacts, enable the **Checkboxes** option in the **View** drop-down in the tool bar. You can also use your system's multi-selection functions. In order to select all contacts in the address book, enable the **Select all** checkbox above the list.
- If clicking on a contact, its data is displayed in the detail view.
- To adjust the list width, hover over the line between the list and the detail view. Drag the border to the left or to the right.

Actions:

[Displaying contacts \(p. 109\)](#)

Related topics:

[The Address Book detail view \(p. 106\)](#)

6.1.7 The Address Book detail view

Shows the data of the contact that you selected in the list. If double-clicking on the contact in the list, the data are displayed in a window.

Content

- Picture, name, job position, profession
- E-Mail addresses. If clicking on an E-Mail address, the page for sending a new E-Mail is displayed.
- Business and private phone numbers
- Business and private addresses. In the address book settings, you can [define](#) whether a map service should be used when clicking on an address.

The extent of information displayed can vary.

Actions:

[Displaying contacts \(p. 109\)](#)

[Viewing or Saving Contact Attachments \(p. 110\)](#)

[Sending Email Messages from within an address book \(p. 119\)](#)

[Managing contacts \(p. 119\)](#)

Related topics:

[The Address Book list \(p. 105\)](#)

6.1.8 The contact editing window

This window is used when creating a new contact or editing an existing one.

In order to open the window, do one of the following:

- Click on **New** in the tool bar. Click on **Add contact**.
- Select a contact. Click on **Edit** in the tool bar.

Content

- Note: To display all elements, enable **Show all fields** in the button bar.
- contact picture, name, company
Click on the contact picture to edit it or to upload a new contact picture.
- Contact data
 - **Personal Data**. Enter the title, name, birthday, and additional personal data.
This contact is private. If the contact is not to be displayed when its address book is being shared, enable this checkbox.
 - **Job description**. Enter the contact's business data in those fields.
 - **Messaging**. Enter E-Mail addresses or other messaging addresses.
 - **Phone & fax numbers**. Enter private and business phone and fax numbers.
 - **Private address, Business address, Address Other**. Enter the postal address.
 - **Comment**. You can enter any information here.
 - **User fields**. You can enter additional information here.
- **Add attachments**. Adds files.

Actions:

- [Creating a new contact \(p. 112\)](#)
- [Editing contacts \(p. 120\)](#)

Related topics:

- [The editing window \(p. 31\)](#)


6.1.9 The distribution list editing window

This window is used when creating a new distribution list or editing an existing one.

In order to open the window, do one of the following:

- Click on **New** in the tool bar. Click on **Add distribution list**.
- Select a distribution list. Click on **Edit** in the tool bar.

Content

- **Name** input field
Enter a meaningful name for the new distribution list in this field.
- Input field below *Participants*.
Enter the E-Mail addresses of the distribution list's contacts in this field. While entering the recipients, matching suggestions are displayed. To accept a suggestion, click on it.
Select contacts icon . Opens a window for selecting contacts from an address book.

Actions:

- [Adding Distribution Lists \(p. 114\)](#)
- [Editing contacts \(p. 120\)](#)

Related topics:

- [The editing window \(p. 31\)](#)

6.2 Displaying contacts

Your personal address book can be found in the folder view below *Contacts*. In the address book settings, you can [define](#) the address book that is to be opened as default.

How to display a contact:

1. Select an address book in the folder view.
2. In order to display contacts with a certain initial letter, click a letter in the **navigation bar**.
3. Click on a contact in the list. The contact's data is displayed in the detail view.

Options:

- Use the cursor keys to browse the list.
- You can open a contact in a window by double-clicking on the contact in the list.

User interface:

- [The Address Book navigation bar \(p. 105\)](#)
- [The Address Book detail view \(p. 106\)](#)
- [The Address Book list \(p. 105\)](#)

Similar actions:

- [Navigating within the folder structure \(p. 231\)](#)
- [Searching for contacts \(p. 125\)](#)
- [Viewing or Saving Contact Attachments \(p. 110\)](#)
- [Displaying Contacts in the Halo View \(p. 111\)](#)

6.3 Viewing or Saving Contact Attachments

The file names of contact attachments are displayed in the display area below the contact name. The following functions are available:

- display the attachment in the *Viewer*
- download the attachment
- save the attachment to Drive

Note: Depending on the attachment's file format, the available function might differ.

How to use the contact attachment functions:

1. Select a contact with an attachment.
2. Click on an attachment's name in the detail view. Click on the function wanted.

Note: Depending on the configuration, attachments are checked for viruses before being downloaded.

- If no virus is found, the attachments are downloaded without any further notification.
- If a virus scan was not possible or a virus was found, a window with a respective warning opens. In this case you can cancel the download.

Tip: If a contact contains several attachments, an action can be executed for all attachments at once. To do so, click on **All attachments**.

Similar actions:

[Displaying contacts \(p. 109\)](#)

Related topics:

[The Address Book detail view \(p. 106\)](#)


[The Address Book list \(p. 105\)](#)

6.4 Displaying Contacts in the Halo View

The halo view opens a pop-up with all relevant information on a contact:

- addresses, E-Mail addresses, phone numbers
- your current correspondence with this contact
- shared appointments with this contact
- Information about this person from social networks. You can use the available buttons to open this person's profile.

How to display a contact in the halo view:

1. Depending on the app, use one of the following methods:
 - Select an E-Mail in the E-Mail app. Click on a recipient or the sender in the detail view.
 - Select an appointment or a task in the Calendar or Tasks app. Click on a participant in the detail view or in the pop-up.
2. To close the halo view, click the **Close** icon  in the pop-up.

Similar actions:

[Displaying contacts \(p. 109\)](#)

Related topics:

[The pop-up \(p. 29\)](#)

6.5 Adding Contacts

The following options are available:

- [Creating a new contact \(p. 112\)](#)
- [Adding attachments \(p. 113\)](#)
- [Adding a contact from a vCard attachment \(p. 113\)](#)
- [Adding Distribution Lists \(p. 114\)](#)

User interface:

[The Address Book tool bar \(p. 104\)](#)

Related topics:

[Importing contacts \(p. 122\)](#)

6.5.1 Creating a new contact

How to create a new contact:

1. Open an address book in the folder view.
Note: Open an address book for which you have the appropriate permissions to create objects.
2. Click on **New** in the tool bar. Click on **Add contact**.
3. Enter the data.
To display all input fields, enable **Show all fields**.
4. Click on **Save**.

Options:

- To add a contact picture, click on the empty contact picture. The *Edit image* window opens.
 - To upload an existing picture, click the **Upload image** icon.
 - To make a new picture with the device camera, click the **Take photo** icon.
You can adjust the image section with the zoom and by moving or rotating the photo.
Click on **OK**. Click on **Save**. The photo will be inserted.
In order to edit the photo, click on it.

User interface:

[The contact editing window \(p. 107\)](#)

Subordinated actions:

[Adding attachments \(p. 113\)](#)

Similar actions:


[Adding Distribution Lists \(p. 114\)](#)

[Adding a contact from a vCard attachment \(p. 113\)](#)

[Collecting addresses \(p. 80\)](#)

6.5.2 Adding attachments

How to add attachments in the contact editing window:

1. Click on **Add attachments** below *Attachments*.
2. Select one or several files.
In order to remove an attachment, click the **Delete** icon .

Tip: You can also add an attachment by dragging and dropping a document from a file browser or from the desktop to the contacts window.

Superordinated action:

[Creating a new contact \(p. 112\)](#)

6.5.3 Adding a contact from a vCard attachment

You can add a contact from a vCard attachment to an email. A vCard attachment by default has the name extension vcf.

How to add a contact from an E-Mail's vCard attachment:

1. Select an E-Mail with a vCard attachment in the E-Mail application.
2. Click on an attachment's name in the detail view. Click on **Add to address book** in the menu.

Similar actions:

[Creating a new contact \(p. 112\)](#)
[Adding Distribution Lists \(p. 114\)](#)

6.6 Adding Distribution Lists


A distribution list allows you to simultaneously send an E-Mail to multiple recipients by entering the distribution list in the E-Mail's recipients field. The following options are available:


- [Creating new distribution lists \(p. 115\)](#)
- [Saving E-Mail recipients as distribution list \(p. 116\)](#)
- [Creating a distribution list from the list of participants \(p. 116\)](#)

6.6.1 Creating new distribution lists

In order to create a new distribution list, enter a name and add contacts.

How to create a new distribution list:

1. Open an address book in the folder view.
Note: Open an address book for which you have the appropriate permissions to create objects.
2. Click on **New** in the tool bar. Click on **Add distribution list**.
3. Enter a name for the distribution list in the **Name** field.
4. Enter a participant's E-Mail address in the *Participants* field.
 - While entering the E-Mail address, several matching suggestions are displayed. To accept a suggestion, click on it.
 - To select contacts from an address book, click the **Address book** icon  on the right side of the input field.

In order to add further contacts, repeat this step. In order to remove a contact, click  next to the contact.

5. Click on **Create list**.

User interface:

[The distribution list editing window \(p. 108\)](#)

Subordinated actions:

[Selecting contacts from an address book \(p. 67\)](#)

Similar actions:


[Saving E-Mail recipients as distribution list \(p. 116\)](#)

[Creating a distribution list from the list of participants \(p. 116\)](#)

6.6.2 Saving E-Mail recipients as distribution list

If an E-Mail contains multiple recipients, you can save all the recipients as a new distribution list.

How to save the recipients of an E-Mail as a distribution list:

1. Select an E-Mail in the E-Mail app.
2. Click the **More actions** icon  in the detail view.
Select **Save as distribution list** from the menu.
3. Complete the details for creating the distribution list.

User interface:

[The distribution list editing window \(p. 108\)](#)

Similar actions:



[Creating new distribution lists \(p. 115\)](#)

[Creating a distribution list from the list of participants \(p. 116\)](#)

6.6.3 Creating a distribution list from the list of participants

You can create a distribution list from an appointment's list of participants.

You can create a distribution list from an appointment's list of participants.

1. Depending on the selected view, the following options are available in the Calendar:
 - In a calendar view, click on an appointment with multiple participants. In the pop-up, click the **More actions** icon . Select **Save as distribution list** from the menu.
 - In the list view, double-click on an appointment with multiple participants. The appointment will be displayed in a window. Click the **More actions** icon . Select **Save as distribution list** from the menu.
2. Complete the details for [creating the distribution list](#).

User interface:

[The distribution list editing window \(p. 108\)](#)

Similar actions:

[Creating new distribution lists \(p. 115\)](#)

[Saving E-Mail recipients as distribution list \(p. 116\)](#)

6.7 Adding Address Books

The following options are available:

- [Adding address books \(p. 118\)](#)
- [Subscribing to external address books \(p. 118\)](#)

6.7.1 Adding address books

You can create additional personal address books below *My calendars*.

How to create a new personal address book:

1. In the folder view, click on **Add new address book**. A window opens.
2. Enter a name. In case the new address book should be a public address book, enable **Add as public folder**. Click on **Add**.

User interface:

[The Address Book folder view \(p. 105\)](#)

Similar actions:

[Subscribing to external address books \(p. 118\)](#)

Related topics:

[Managing contacts \(p. 119\)](#)

[Managing Data with Folders \(p. 228\)](#)


6.7.2 Subscribing to external address books

To use your Google contacts or contacts from social networks within the groupware, you can subscribe to your external address books. The following applies:

- Changes that you apply to the subscribed address book in the groupware are not transferred to the external address book.
- Changes that you apply to the external address book can be transferred to the groupware by refreshing subscribed data.

How to subscribe to external address books:

1. In the folder view, click on **Subscribe to address book**. The *Subscribe to address book* window opens.
2. Click one of the icons. Depending on the data source, the procedure varies.
 - For some data sources, a new browser window opens. Log in with your credentials to grant access to the address data.
 - If the provider asks you for the permission to access the data, grant this permission.
 - For some data sources, you have to enter your credentials for the data source in the *Subscribe to address book* window.

Tip: An address book with subscribed contacts is marked with the **Subscribed** icon . If clicking the icon, the subscriptions settings are opened.

User interface:

[The Address Book folder view \(p. 105\)](#)

Similar actions:

[Adding address books \(p. 118\)](#)

Related topics:

[refresh subscribed data \(p. 253\)](#)

[Managing subscribed address books \(p. 253\)](#)

6.8 Managing contacts

The following options are available:

- [Sending Email Messages from within an address book \(p. 119\)](#)
- [Inviting contacts to an appointment \(p. 119\)](#)
- [Editing contacts \(p. 120\)](#)
- [Moving or copying contacts \(p. 120\)](#)
- [Sending contacts as vCard \(p. 121\)](#)
- [Adding contacts as XING contacts \(p. 121\)](#)
- [Inviting contacts to XING \(p. 122\)](#)
- [Importing contacts \(p. 122\)](#)
- [Exporting contacts \(p. 123\)](#)
- [Printing Contacts \(p. 123\)](#)
- [Deleting contacts \(p. 124\)](#)

User interface:

[The Address Book tool bar \(p. 104\)](#)

Related topics:

[Adding Address Books \(p. 117\)](#)

6.8.1 Sending Email Messages from within an address book

You can send an E-Mail from within your address book to contacts or to a distribution list.

How to send an Email from within an address book:

1. Select a single contact, multiple contacts or distribution lists from the list.
2. Click on **Send e-mail** in the tool bar.
3. Fill in the details for sending the E-Mail.

Related topics:

[Sending a new email \(p. 66\)](#)

6.8.2 Inviting contacts to an appointment

You can use the address book to invite contacts or a distribution list's contacts to an appointment.

How to invite contacts to an appointment:

1. Select a single contact or distribution list, or multiple contacts or distribution lists from the list.
2. Click on **Invite** in the tool bar.
3. Complete the details for creating the appointment.

Related topics:

[Creating new appointments \(p. 146\)](#)

6.8.3 Editing contacts

A contact's or distribution list's contact data can be edited at a later point of time.

Prerequisite: You have the appropriate permissions to edit objects in the address book containing the contact or distribution list.

How to edit a contact or distribution list:

1. Select a contact or a distribution list from the list.
2. Click on **Edit** in the tool bar. The data are displayed.
Note: The contact editing window shows the data that is most frequently used. To display all elements, enable **Show all fields** in the button bar.
3. Edit the data.
4. Click on **Save**.

User interface:

- [The contact editing window \(p. 107\)](#)
- [The distribution list editing window \(p. 108\)](#)

6.8.4 Moving or copying contacts


You can move or copy contacts or distribution lists to another address book.

Prerequisite: You need to have the appropriate permissions to create objects in the target address book folder.

Notes:

- You cannot move or copy contacts or distribution lists to the global address book.
- You cannot move contacts from the global address book.

How to move or copy contacts to another address book:

1. Select a single contact or distribution list, or multiple contacts or distribution lists from the list.
2. Click the **More actions** icon  in the tool bar. Click on **Move** or **Copy** in the menu.
A window opens.
3. Select an address book. You can create a new address book by clicking on **Create folder**.
Click on **Move** or **Copy**.

Tip: You can also move the selected objects by dragging the objects from the folder view to an address book.


Related topics:

- [Adding address books \(p. 118\)](#)

6.8.5 Sending contacts as vCard

You can send contacts or distribution lists as vCard attachment to an E-Mail.

How to send a contact as a vCard attachment:

1. Select a single contact or distribution list, or multiple contacts or distribution lists from the list.
2. Click the **More actions** icon  in the tool bar. Click on **Send as vCard** in the menu.
3. Fill in the details for sending the E-Mail.

Similar actions:

[Exporting contacts \(p. 123\)](#)


Related topics:

[Sending a new email \(p. 66\)](#)

6.8.6 Adding contacts as XING contacts

You can add a contact as an XING contact if you are not connected with this contact in XING. The contact and you need to have XING accounts.

How to add a contact as an XING contact:

1. Select a contact from the list.
2. Click the **More actions** icon  in the tool bar. Click on **Add to XING** in the menu.


Similar actions:

[Inviting contacts to XING \(p. 122\)](#)

6.8.7 Inviting contacts to XING

You can invite a contact to XING if this contact does not have an XING account yet.

How to invite a contact to XING:

1. Select a contact from the list.
2. Click the **More actions** icon  in the tool bar. Click the menu entry **Invite to XING**.

Similar actions:

[Adding contacts as XING contacts \(p. 121\)](#)


6.8.8 Importing contacts

You can import contacts from files that have the following formats:

- vCard. Note the following:
 - Make sure the file to be imported contains correct vCard data.
 - For each contact only one private and one business address are imported. If the imported vCard file contains additional private and business addresses, those addresses are ignored when importing.
- CSV The following CSV files are supported:
 - Standard CSV files with comma separated values
 - CSV files from the following Microsoft Outlook versions:
 - Microsoft Outlook 2003, 2007
 - German, English, and French language versions

The correct format of the CSV file is automatically recognised. The data assignment to specific data fields depends on your configuration. Additional information are provided by your administrator or host.

How to import contacts from a file:

1. Select the address book for importing the contacts to in the folder view.
2. Click the **Actions** icon  next to the address book. Click on **Import**.
3. Select the wanted format in the *Import from file* window. Click on **Upload file**. Select a suitable file.
4. Click on **Import**.

Result: The contacts are added to the address book.

Similar actions:

[Exporting contacts \(p. 123\)](#)

Related topics:

[Adding Contacts \(p. 112\)](#)


6.8.9 Exporting contacts

You can export contacts or distribution lists to those formats:


- vCard. You can e.g. use this format to exchange contacts with other E-Mail applications.
- CSV. You can use this format to export contacts to spreadsheet formats.

You can export individual contacts or distribution lists or all objects from an address book.

How to export single contacts or distribution lists:

1. Select a single contact or distribution list, or multiple contacts or distribution lists from the list.
2. Click the **More actions** icon  in the tool bar. Click the **Export** menu item. The *Export selected* window opens.
3. Select a format.
To export contacts and distribution lists, enable **With distribution lists**.
4. Click on **Export**. Complete the entries.

How to export all contacts from an address book:

1. Select a personal or public address book in the folder view.
2. Click the **Actions** icon  next to the folder name. Click on **Export**. The *Export folder* window opens.
3. Select a format.
To export contacts and distribution lists, enable **With distribution lists**.
4. Click on **Export**. Complete the entries.

Similar actions:

[Sending contacts as vCard \(p. 121\)](#)

[Importing contacts \(p. 122\)](#)

6.8.10 Printing Contacts

You can print the data of a single contact or of multiple contacts. You can select between different print layouts.

How to print a contact's data:

1. Open an address book in the folder view. Select an individual contact or multiple contacts from the list.
2. Click on **More actions** in the tool bar. Click on **Print** in the menu. The *Select print layout* window opens.
3. Select a print layout. Click on **Print**.
Complete the steps for starting the printing process.
4. Close the print preview window.

6.8.11 Deleting contacts

You can delete contacts or distribution lists. If you delete a distribution list, the distribution list's contacts are kept.

Warning: If you delete contacts or distribution lists, those items are irrevocably lost.

How to delete contacts:

1. Select a single contact or distribution list, or multiple contacts or distribution lists from the list.
2. Click on **Delete** in the tool bar.
3. Confirm that you want to delete the items.

Result: The items will be deleted.

6.9 Searching for contacts

In order to search for specific contacts, you can use the following search criteria:

- search terms for name, E-Mail address, phone number, department, address
Depending on the configuration, you can use department as search term.
- address books that are to be searched
- type: all, contact, distribution list

How to search for contacts:

1. Click on the **Search** input field. Additional icons are displayed.
2. Enter a search term in the input field. The search menu opens.
Define the data sources to be searched by clicking on an entry in the search menu.
 - If clicking on the search term or pressing enter, the following data sources are searched: name, address, phone number
 - In order to only search in names, click on **in names** in the search menu.
Accordingly, you can limit the search to E-Mail addresses, phone numbers, departments or addresses.
 - In order to search for a contact matching the search term, click on a name in the search menu.
The search results are displayed in the list that is shown in the display area.
3. To select an address book for the search, click the **Options** icon ▼ in the input field. The address book that is searched, is displayed in the **Folder** drop-down. To select another address book, open the drop-down.
If you select **All folders**, all private, public, and shared address books are searched.
4. To limit the search to contacts or distribution lists, click the **Options** icon ▼ in the input field. Open the **Type** drop-down. Select a type.
5. To refine the search results, enter additional search terms: To remove a search term, click the **Remove** icon ✕ next to the search term.
6. In order to finish the search, click the **Close** icon ⊗ in the input field.

User interface:

[The Address Book search bar \(p. 103\)](#)

Related topics:

[Displaying contacts \(p. 109\)](#)

6.10 Address Book Settings

How to use the address book settings:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **Address Book** in the side bar.

Depending on the configuration, the following settings are available:

My contact data

In order to change your personal contact data in the global address book, click on this button.

Related topics: [Changing Personal Contact Data \(p. 39\)](#)

Display of names

Specifies the order in which a contact's first name and surname are displayed in the address book.

Initial folder

Defines the address book that is opened as default after having logged in.

Link postal addresses with map service


Defines the map service to be used for displaying the address when clicking on a contact's postal address in the address book.

7 Calendar

Learn how to work with the Calendar application.

- [The Calendar Components \(p. 128\)](#)
- [Viewing Appointments \(p. 139\)](#)
- [Viewing or Saving Appointment Attachments \(p. 144\)](#)
- [Creating Appointments \(p. 145\)](#)
- [Answering appointment invitations \(p. 155\)](#)
- [Adding Calendars \(p. 156\)](#)
- [Managing Appointments \(p. 160\)](#)
- [Searching for appointments \(p. 168\)](#)
- [Managing Groups \(p. 170\)](#)
- [Managing Resources \(p. 171\)](#)
- [Calendar Settings \(p. 172\)](#)

How to start the Calendar app

Click the **App Launcher** icon  in the menu bar. Click on **Calendar** in the App Launcher.

Depending on the configuration, you can also click the quick start icon for launching the Calendar app in the menu bar.

7.1 The Calendar Components

The Calendar app includes the following components.

- The Calendar search bar (p. 129)
- The Calendar tool bar (p. 130)
- The mini calendar (p. 131)
- The Calendar folder view (p. 132)
- The Calendar display area (p. 132)
 - Day, Work week, Week, Month or Year calendar view. (p. 133)
 - The date picker (p. 134)
 - The Calendar pop-up (p. 135)
 - The Calendar list (p. 135)
 - The Calendar detail view (p. 136)
- The scheduling view (p. 137)
- The appointment editing window: (p. 138)

7.1.1 The Calendar search bar

Enables you to search for appointments.

The search bar is displayed if the folder view is visible. In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Actions:

[Searching for appointments \(p. 168\)](#)

[Viewing Appointments \(p. 139\)](#)

Related topics:

[The search bar \(p. 25\)](#)


7.1.2 The Calendar tool bar

Contains functions for adding, editing and organising appointments. Note: Some functions are only available if you opened a calendar for which you have the appropriate permissions to create or edit objects.

Content

- **New.** Creates a new appointment.
- **Scheduling.** Opens the scheduling view for scheduling appointments with multiple participants.
- If a calendar view is selected in **View: Today** button. Selects the time frame with the current day.
- **View.** Opens a menu with checkboxes for controlling the view.
 - **Day, Work week, Week, Month or Year.** Selects a calendar view.
 - **List.** Activates the [list view](#).
 - **Folder view.** Opens or closes the folder view.
 - **Mini calendar.** Opens or closes the mini calendar.
 - If the list view is selected and **checkboxes** are enabled, checkboxes for marking objects are displayed in the list.
 - **Print.** Opens the print preview for printing a calendar sheet.

If you select an appointment in the list view, additional elements are displayed:

- **Edit.** Edits an appointment's data.
- **Status.** Changes the status of the appointment confirmation.
- **Delete.** Deletes the appointments selected by you.
- **More actions** icon . Opens a menu with additional functions.

Actions:

[Creating Appointments \(p. 145\)](#)
[Managing Appointments \(p. 160\)](#)

Related topics:

[The mini calendar \(p. 131\)](#)
[The tool bar \(p. 26\)](#)

7.1.3 The mini calendar

Displays a clear overview of a month, year or several years.

In order to display the mini calendar, click on **View** in the tool bar. Enable **Folder view** and **Mini calendar**.

Content

- **Browse** icons < >. If clicking the icons, the displayed time range is browsed: one month, one year, 12 years.
- If a month is displayed:
 - The header contains the name of the month and the year.
 - Calendar weeks and the days of the month are displayed. The current day is highlighted.
 - If clicking on a day, the respective time range is used in the calendar view.
 - If clicking on the name of the month in the header, the year is displayed.
- If a year is displayed:
 - The header contains the year.
 - The names of the months are displayed.
 - If clicking on a month name, the month is displayed.
 - If clicking on the year in the header, a time range of 12 months is displayed.
- If a time range of 12 months is displayed:
 - The header contains the start and end of the time range.
 - The years within the time range are displayed.
 - If clicking on a year, the name of the months of the year are displayed.

The date picker offers similar functions.

Related topics:

[The date picker \(p. 134\)](#)

[The Calendar tool bar \(p. 130\)](#)

7.1.4 The Calendar folder view

Displays the calendars.


In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Content

- *My calendars*. Contains your personal calendars.
- *Public calendars*. Contains calendars shared with all users.
The *All my public appointments* calendar contains the public appointments you participate in.
- *Shared calendars*. Contains calendars shared with you by other users.

Depending on the configuration, the content can differ from this information.

Functions

- If clicking on a calendar, appointments within that calendar are displayed.
- If enabling the checkbox next to a calendar, this calendar's appointments are displayed in addition to the current calendar's appointments.
- If double-clicking on a calendar, only the appointments in this calendar are displayed.
If double-clicking on this calendar again, the previously displayed calendars are shown again.
- The **Actions** icon  next to the selected calendar offers functions for organising data, for exchanging data and for selecting a calendar colour.
Depending on the calendar, a function for displaying the calendar properties is available.
- The **add new calendar button** opens a menu with functions for creating, subscribing to or importing calendars.

Actions:

- [Adding Calendars \(p. 156\)](#)
- [Viewing Appointments \(p. 139\)](#)
- [Using calendar colours \(p. 164\)](#)
- [Managing Data with Folders \(p. 228\)](#)

Related topics:

- [The folder view \(p. 27\)](#)

7.1.5 The Calendar display area

Either includes a [calendar view](#) or a [list view](#) of the appointments. In order to select a view, click on **View** in the tool bar.

Related topics:

- [The display area \(p. 28\)](#)

7.1.6 Day, Work week, Week, Month or Year calendar view.

Displays the appointments of the calendars selected in the folder view, for the chosen time range.

In order to display the calendar view, click on **View** in the tool bar. Enable one of the following settings: **Day, Work week, Week, Month** or **Year**.

Content

- The **Browse** icons < > enable you to browse back and forth.
- If clicking on an appointment, its data is shown in the pop-up.

Contents of the **Day** view

- Day of the week, date, calendar week. Clicking on it opens the date picker.
- **Split** button. Displays the calendars selected in the folder view, in separate columns.
- The red line in the calendar sheet displays the current time.
- On the left side of the calendar sheet, the timezone is displayed above the dates. To add an additional column with dates in another timezone, click on the timezone.
- If there are additional appointments above or below the visible calendar sheet, arrows are displayed at the top or the bottom of the calendar sheet.

Contents of the **Work week** and **Week** view.

- Month, year, calendar week. Clicking on it opens the date picker.
- Days of the week. The current weekday is highlighted in red. In the [calendar settings](#), you can define the number of days for a work week and the first day of a work week.
- If clicking on a weekday, the window for creating a new whole day appointment opens.
- The red line in the calendar sheet displays the current time.
- On the left side of the calendar sheet, the timezone is displayed above the dates. To add an additional column with dates in another timezone, click on the timezone.
- If there are additional appointments above or below the visible calendar sheet, arrows are displayed at the top or the bottom of the calendar sheet for the respective day.

Contents of the **Month** view

- days of the week, name of the month, year
- The calendar weeks are displayed on the left side of the calendar sheets.

Contents of the **Year** view

- Year. If clicking on it, a window for selecting a year opens. The calendar sheet shows an overview of a year's days and months. Appointments are not displayed.
- If clicking on a month, the calendar is opened in the month view

Actions:

- [Viewing Appointments \(p. 139\)](#)
- [Creating Appointments \(p. 145\)](#)
- [Managing Appointments \(p. 160\)](#)

7.1.7 The date picker

Shows a calendar for selecting a date.

In order to display the date picker, do one of the following:

- If the mini calendar is not visible, click on the date on the upper left side of the *Day*, *Workweek* or *Week* calendar view.
- Click on the date on the upper left side of the scheduling view.
- Click on a date input field in the appointment editing window.

Content

- **Browse** icons < >. If clicking the icons, the displayed time range is browsed: one month, one year, 12 years.
- If a month is displayed:
 - The header contains the name of the month and the year.
 - Calendar weeks and the days of the month are displayed.
 - If clicking on a day, the date picker closes. The selected date will be used. If clicking on **Today**, the date picker closes. The current date will be used.
 - If clicking on the name of the month in the header, the year is displayed.
- If a year is displayed:
 - The header contains the year.
 - The names of the months are displayed.
 - If clicking on a month name, the month is displayed.
 - If clicking on **Today**, the date picker closes. The current date will be used.
 - If clicking on the year in the header, a time range of 12 months is displayed.
- If a time range of 12 months is displayed:
 - The header contains the start and end of the time range.
 - The years within the time range are displayed.
 - If clicking on a year, the name of the months of the year are displayed.
 - If clicking on **Today**, the current month is displayed. The current day is highlighted.

The mini calendar offers similar functions.

Actions:

[Using the date picker \(p. 147\)](#)

Related topics:

[The mini calendar \(p. 131\)](#)

[Day, Work week, Week, Month or Year calendar view. \(p. 133\)](#)


[The appointment editing window: \(p. 138\)](#)

[The task editing window \(p. 181\)](#)

7.1.8 The Calendar pop-up

Shows the data of an appointment that you select in the calendar view.

Content

- **Accept, Decline, Change status, Edit, Follow-up, Delete** buttons.
Note: Depending on the configuration, the following limitations might prevail:
 - Some buttons for appointments in your private calendars are only displayed if you have the respective permissions for executing the function.
 - If you are a participant, you cannot change or delete the appointment.
 - If you are the organiser, you cannot change your status.
- If clicking the **More actions** icon  a menu with additional functions opens.

Below the buttons, the same information are shown as in the [Detail view in the List view](#).

Actions:

- [Managing Appointments \(p. 160\)](#)
- [Creating a follow-up appointment \(p. 152\)](#)
- [Creating new appointments \(p. 146\)](#)

Related topics:

- [Day, Work week, Week, Month or Year calendar view. \(p. 133\)](#)
- [The pop-up \(p. 29\)](#)

7.1.9 The Calendar list


Displays a list of the appointments of the calendars selected in the folder view.

In order to display the list view, click on **View** in the tool bar. Enable **List**.

Content

- Each day with appointments shows a header with the date.
- The following details are displayed for each appointment: date, time, colour, private appointment icon, subject and location.

Functions

- If clicking on an appointment, its data is displayed in the detail view.
- To select multiple appointments, enable the **Checkboxes** option in the **View** drop-down in the tool bar.
You can also use your system's multi-selection functions.
In order to select all appointments in the calendar, enable the **Select all** checkbox above the list.
- If clicking the **Sort** icon  above the list, a menu opens that allows sorting appointments.
- To adjust the list width, hover over the line between the list and the detail view. Drag the border to the left or to the right.

Actions:

- [Displaying appointments in the list view \(p. 143\)](#)

Related topics:

- [The Calendar detail view \(p. 136\)](#)
- [Searching for appointments \(p. 168\)](#)

7.1.10 The Calendar detail view

Shows the data of the appointment that you select in the list. If double-clicking on the appointment in the list, the data are displayed in a window.

In order to display the detail view, click on **View** in the tool bar. Enable **List**.

Content

- Subject
- Date, time, time zone
- For recurring appointments: the recurrence type
- Appointment location, if entered
- Appointment description, if entered
- The names of the participants. The organiser is mentioned first.
If clicking on a name, a pop-up opens. It displays information about the contact.
 - The person's contact data.
 - If you exchanged E-Mail messages with this person, they are displayed below *Recent conversations*.
 - If you have appointments scheduled with this person, they are displayed below *Shared appointments*.
 - Information about this person from social networks. You can use the available buttons to open this person's profile.If clicking on an appointment or an E-Mail, an additional pop-up opens.
- If the appointment has several participants, the number of participants that accepted, declined or have not replied yet are shown on the top right side above the list of participants. In order to filter the list of participants, click the icons.
- Names of existing resources. If clicking on a resource, a pop-up opens.
- If the appointment includes external participants, their names are displayed below *External participants*.
- If clicking on **Details**, additional information is displayed:
 - the appointment's organiser
 - availability
 - which calendar
 - who created the appointment and when
 - who was the last person to modify the appointment

Actions:

- [Editing appointments \(p. 161\)](#)
- [Changing the appointment confirmation or status \(p. 162\)](#)
- [Deleting appointments \(p. 167\)](#)
- [Printing appointments \(p. 166\)](#)
- [Moving appointments to another calendar \(p. 164\)](#)

Related topics:

- [The Calendar list \(p. 135\)](#)


7.1.11 The scheduling view

Shows the appointments of the participants that you add to a scheduled appointment.

In order to display the scheduling view, do one of the following:

- Click on **Scheduling** in the tool bar.
- Click on **Find a free time** in the appointment editing window.

Content

- The **Browse** icons < > enable you to browse back and forth.
- Start and end date of the selected time range and the calendar week. If clicking on it, the date picker opens that allows setting a different time range.
- Icons for adjusting the zoom ratio for the calendar sheet view
- **Options** button. If clicking on it, a menu with several functions opens:
 - **Compact**. Defines the line height for displaying the participants and resources
 - **Show fine grid**. Defines a smaller grid spacing for the time grid.
 - **Free**. Defines whether free appointments are displayed. Such appointments do not cause conflicts.
 - **Reserved**. Defines whether reserved appointments are displayed.
 - **Reserved**. Defines whether reserved appointments are displayed.
 - **Week** or **Month** date range. Defines the date range that is displayed in the scheduling view.
 - **Hide non-working time**. Defines whether times that are outside the working hours are hidden.
- If the scheduling view was opened from the tool bar: **Close** icon ✕
- An input field for participants and resources
- A list of participants. The following information are shown for each participant: Name, **Remove** icon , appointments in the calendar sheet.
- The calendar sheet of the selected time range.
- Scroll bar. The scroll bar allows setting the part of the time range to be displayed.
- **Save as distribution list** button. Saves the added participants in a new distribution list.

Actions:

[Using the scheduling view \(p. 151\)](#)
[Creating new appointments \(p. 146\)](#)
[Editing appointments \(p. 161\)](#)

Related topics:

[The date picker \(p. 134\)](#)
[The appointment editing window: \(p. 138\)](#)

7.1.12 The appointment editing window:

This window is used when creating an appointment or editing an appointment.

In order to open the window, do one of the following:

- Click on **New** in the tool bar.
- Select an appointment in the list view. Click on **Edit** in the tool bar.
- Click on an appointment in a calendar view. Click on **Edit** in the pop-up.

Content

- Appointment data
 - **Subject, Location, Description** input fields. The subject is displayed as appointment title. Location and description can be optionally entered.
 - **Starts on and Ends on.** Set the start and end date of the appointment. Clicking on it opens the date picker.
If **All day** is disabled, you can set start and end times.
 - If clicking on a time zone button next to a time, a window opens that allows selecting a time zone for the appointment's start and end time. You can [set frequently used time zones as favourites](#) in the calendar settings.
 - **All day.** Defines whether the appointment is supposed to last whole days.
 - **Find a free time.** Opens the scheduling view. In this view, you can find a free time when scheduling an appointment with several participants.
 - **Repeat.** Defines whether the appointment is supposed to be repeated.
 - The appointment's participants.
 - **Add contact/resource** input field. Enter the names of the participants or resources.
- Appointment view
 - **Calendar.** Shows the calendar in which the appointment will be created. If clicking on it, a menu for selecting a calendar opens.
 - **Reminder.** Defines when and how you will be reminded about the appointment's due date.
 - **Appointment colour.** You can define the colour in which the appointment is displayed.
 - **Visibility.** Defines the visibility of the appointment in a shared calendar:
 - **Standard.** The appointment is visible to all users.
 - **Private.** Users that are no participants can only view the appointment date.
 - **Secret.** Users that are not participants cannot view the appointment.
 - **Show as free.** Defines whether the appointment is displayed as free. Enable this checkbox to avoid conflicts with overlapping appointments.
 - **Participants can edit the appointment.** Defines whether participants can edit the appointment.
- **Add attachments.** Adds files.

Actions:

[Creating new appointments \(p. 146\)](#)

[Editing appointments \(p. 161\)](#)

Related topics:

[The date picker \(p. 134\)](#)

[The scheduling view \(p. 137\)](#)

[The editing window \(p. 31\)](#)

7.2 Viewing Appointments

The following options are available:


- [Displaying appointments in the calendar view \(p. 140\)](#)
- [Displaying multiple timezones \(p. 141\)](#)
- [Displaying appointments in the list view \(p. 143\)](#)

7.2.1 Displaying appointments in the calendar view

How to display appointments in the calendar view:

1. Click on **View** in the tool bar. Select one of the following entries: **Day**, **Work week**, **Week** or **Month**.
2. Open a calendar in the folder view.
3. In order to browse the calendar, use the navigation bar on top of the calendar sheet.
In order to display the time frame with the current day, click on **Today** in the tool bar.
4. Click on an appointment in the calendar sheet. The calendar's data is displayed in the pop-up.

Options:

- To view the appointments of other calendars, enable the checkboxes next to the respective calendars.
Note: if a subscribed calendar is marked with an exclamation mark, there is an issue with retrieving this calendar's appointments. To get additional information, click on the exclamation mark.
- If you selected the **Day** view, you can display the selected calendars next to each other by clicking on **Split**.
- To only view the appointments of a single calendar, the following options are available:
 - Double-click on the calendar in the folder view.
To display the previously displayed calendars again, double-click on this calendar again.
 - Click the **Actions** icon  next to the calendar. Click on **Show this calendar only** in the menu.
 - Disable the checkboxes next to the other calendars.

User interface:

[Day, Work week, Week, Month or Year calendar view. \(p. 133\)](#)

[The date picker \(p. 134\)](#)

[The Calendar pop-up \(p. 135\)](#)

Similar actions:

[Navigating within the folder structure \(p. 231\)](#)

[Searching for appointments \(p. 168\)](#)

[Displaying appointments in the list view \(p. 143\)](#)

[Displaying multiple timezones \(p. 141\)](#)

[How are appointments displayed in a calendar view? \(p. 142\)](#)

[Viewing or Saving Appointment Attachments \(p. 144\)](#)

Related topics:

[How are appointments displayed in a calendar view? \(p. 142\)](#)

7.2.2 Displaying multiple timezones

In addition to the default time zone, you can display time zones that have been marked as favourites by you. The default time zone can be changed in the basic settings.

How to display multiple timezones in a calendar view:

1. Click on **View** in the tool bar. Select one of the following entries: **Day**, **Work week** or **Week**.
2. Click on the **Timezone** button on the left side above the calendar sheet. ▼
A menu opens. Enable a timezone in the menu below *Favorites*.
By clicking on **Manage favourites** you can add/remove time zones to/from favourites.

User interface:

[Day, Work week, Week, Month or Year calendar view. \(p. 133\)](#)

Similar actions:

[Displaying appointments in the calendar view \(p. 140\)](#)

Related topics:

[Managing favourite timezones \(p. 163\)](#)

[Customising the Basic Settings \(p. 38\)](#)

7.2.3 How are appointments displayed in a calendar view?

In a calendar view, the appointment display is defined by the following details:

- Your availability displayed during the appointment duration: Reserved, Free
- Your appointment confirmation status: Accepted, Tentative, Declined
- Visibility of the appointment in shared calendars for users who are not participants: Standard, Private, Secret
- If there is enough space, icons for the following appointments are displayed in the Day, Workweek and Week calendar view: serial appointment, appointment with participants, private appointment, secret appointment, tentative appointment

The display is distinguished by the colours, icons and different shadings.

Display of appointments that are visible to all

Depending on the displayed availability, public appointments are displayed in the following colours and patterns:

- Free: Selected colour with broad diagonal stripes
- Booked: Selected colour



If you do not select a colour, the colour of the calendar is used. Depending on the appointment confirmation status, public appointments are displayed as follows:

- Accepted appointments are displayed in the colour and pattern of the availability.
- Tentatively accepted appointments are displayed with question marks.
- Declined appointments are displayed in light gray with a crossed subject.
Tip: In the calendar settings, you can define whether declined appointments are displayed.

Note: In public or shared calendars you will only see the colours of appointments that have been created by you.

Private or secret appointments display

Private and secret appointments are displayed as follows:

- Private appointments are displayed in grey and are marked with the **Private** icon  . Users that are no participants can only view the appointment date in shared calendars.
- Secret appointments are displayed in grey and are marked with the **Private** icon  . Users that are not participants cannot view the appointment in shared calendars. Secret appointments are not considered for the conflict handling. Secret appointments are not displayed in the scheduling view.

Related topics:


[Displaying appointments in the calendar view \(p. 140\)](#)

7.2.4 Displaying appointments in the list view

How to display an appointment in the list view:

1. Click on **View** in the tool bar. Select **List**.
2. Open a calendar in the folder view.
3. Click on an appointment in the list. The appointment's data is displayed in the detail view.

Options:

- To view the appointments of other calendars, enable the checkboxes next to the respective calendars. Note: if a subscribed calendar is marked with an exclamation mark, there is an issue with retrieving this calendar's appointments. To get additional information, click on the exclamation mark.
- To only view the appointments of a single calendar, the following options are available:
 - Double-click on the calendar in the folder view. To display the previously displayed calendars again, double-click on this calendar again.
 - Click the **Actions** icon  next to the calendar. Click on **Show this calendar only** in the menu.
 - Disable the checkboxes next to the other calendars.
- Use the cursor keys to browse the list.
- You can open an appointment in a window by double-clicking on the appointment in the list.

User interface:

[The Calendar list \(p. 135\)](#)

Similar actions:

[Navigating within the folder structure \(p. 231\)](#)

[Searching for appointments \(p. 168\)](#)

[Displaying appointments in the calendar view \(p. 140\)](#)

[Displaying multiple timezones \(p. 141\)](#)

[Viewing or Saving Appointment Attachments \(p. 144\)](#)

7.3 Viewing or Saving Appointment Attachments

Depending on the view selected, the file names of appointment attachments are either displayed in the pop-up or in the display area below the subject. The following functions are available:

- display the attachment in the *Viewer*
- download the attachment
- save the attachment to Drive

Note: Depending on the attachment's file format, the available functions might differ.

How to use the appointment attachment functions:

1. Depending on the view, you have the following options:
 - Click on an appointment with an attachment in a calendar view. Click on an attachment's name in the pop-up.
 - Click on an appointment with an attachment in the list view. Click on an attachment's name in the detail view.
2. Click on the function wanted.

Note: Depending on the configuration, attachments are checked for viruses before being downloaded.

- If no virus is found, the attachments are downloaded without any further notification.
- If a virus scan was not possible or a virus was found, a window with a respective warning opens. In this case you can cancel the download.

Tip: If an appointment contains several attachments, an action can be executed for all attachments at once. To do so, click on **All attachments**.

Similar actions:

[Viewing Appointments \(p. 139\)](#)

Related topics:

[The Calendar list \(p. 135\)](#)

[The Calendar detail view \(p. 136\)](#)

[Day, Work week, Week, Month or Year calendar view. \(p. 133\)](#)

[The Calendar pop-up \(p. 135\)](#)

7.4 Creating Appointments

The following options are available:

- [Creating new appointments \(p. 146\)](#)
- [Using the date picker \(p. 147\)](#)
- [Using appointment reminders \(p. 149\)](#)
- [Setting recurring appointments \(p. 148\)](#)
- [Adding participants or resources \(p. 150\)](#)
- [Setting an appointment's display \(p. 149\)](#)
- [Adding attachments \(p. 150\)](#)
- [Using the scheduling view \(p. 151\)](#)
- [Creating a follow-up appointment \(p. 152\)](#)
- [Inviting participants to a new appointment \(p. 152\)](#)
- [Inviting E-Mail recipients to new appointments \(p. 153\)](#)
- [Creating appointments from iCal attachments \(p. 153\)](#)
- [Resolving appointment conflicts \(p. 154\)](#)

Notes:

- To create an appointment in a calendar, you need to have the permission to create objects in the calendar.
- You cannot create appointments in subscribed calendars.

Tip: Whether it is best to use an appointment or a task can be determined based on the following criteria:

- An appointment takes place at a defined point in time. If you need to execute an action at a defined point in time, create an appointment for this action.
- A task has a due date and sometimes a priority. If you are flexible regarding the time schedule of an action and only have to respect the due date, enter a task for this action.

User interface:

[The Calendar tool bar \(p. 130\)](#)

Related topics:

[Importing appointments \(p. 165\)](#)

[Creating Tasks \(p. 184\)](#)

7.4.1 Creating new appointments

How to create a new appointment:

1. Open a calendar in the folder view.
Note: Open a calendar for which you have the appropriate permissions to create appointments.
2. Click on **New** in the tool bar.
If selecting a shared calendar, you are asked where to create the appointment:
 - If you create the appointment on behalf of the owner, the appointment is created in the owner's shared calendar.
 - If you invite the owner to the appointment though, the appointment is saved in your calendar.
3. Enter a subject. If required, enter the location.
Tip: You can enter a web address in the subject or location. If displaying the appointment, the web address is clickable.
4. To set an appointment's start and end time, use the following options below **Start date** and **Ends on**.
 - Click on a date. The date picker opens. Enter a date or select a date in the date picker.
For all day appointments, activate **All day**.
 - Click on a time. Enter the time or select a time from the list.
 - You can set the timezone for the start or end time by clicking on the timezone button next to a time. You can set different timezones for the start and end time.
5. You can enter a description.
If you want to create the appointment in another calendar, click on the calendar name below **Calendar**. Select a calendar.
6. Click on **Create**.

Options:

- To create an appointment, double-click in the calendar sheet on a free area or drag open an area ranging from the beginning to the end of the new appointment.
- In order to create an all day appointment, select the *Work week* or *Week* calendar view. Click on a day above the calendar sheet.

Example: How can I organise another person's appointments as a representative?

- Ask the other person to share a calendar folder with write permissions.
- Enter this person's appointments in this folder. The other person will be displayed as the organiser of the appointments.

User interface:

[The appointment editing window: \(p. 138\)](#)

Subordinated actions:

[Using the date picker \(p. 147\)](#)
[Setting recurring appointments \(p. 148\)](#)
[Setting an appointment's display \(p. 149\)](#)
[Using appointment reminders \(p. 149\)](#)
[Adding participants or resources \(p. 150\)](#)
[Adding attachments \(p. 150\)](#)

Similar actions:

[Using the scheduling view \(p. 151\)](#)
[Creating a follow-up appointment \(p. 152\)](#)
[Inviting participants to a new appointment \(p. 152\)](#)

[Inviting E-Mail recipients to new appointments \(p. 153\)](#)
[Creating appointments from iCal attachments \(p. 153\)](#)
[Resolving appointment conflicts \(p. 154\)](#)
[Inviting contacts to an appointment \(p. 119\)](#)

7.4.2 Using the date picker

The date picker allows selecting the date to be entered in a date field.

How to use the date picker in the editing window:

1. Click on the date field below **Starts on** or **Ends on**. The date picker opens.
2. Use one of the following methods:
 - To select a date within the current month, click on the wanted day.
To select today's date, you can also click on **Today**.
 - To select a date from another month, the following options are available:
 - Navigate to the required month by using the **Browse** icons **<** **>** .
You can also click on the month name in the header. The year will be displayed. Click on the wanted month.
 - Click on the wanted day.
 - To select a date from another year, the following options are available:
 - Click on the month name in the header. The current year will be displayed.
 - Navigate to the required year by using the **Browse** icons **<** **>** .
You can also click on the year in the header. A time range of 12 months will be displayed. Click on the wanted year.
 - Click on the wanted month. Click on the wanted day.

The date picker will be closed. The date is entered into the date field.

Superordinated action:

[Creating new appointments \(p. 146\)](#)

Further actions that include this function:

[Adding Distribution Lists \(p. 114\)](#)
[Adding participants or resources \(p. 150\)](#)
[Using the scheduling view \(p. 151\)](#)
[Adding participants to a task \(p. 185\)](#)
[Sharing with public links \(p. 236\)](#)
[Inviting to a shared item \(p. 238\)](#)

7.4.3 Setting recurring appointments

How to create a recurring appointment in the appointment editing window:

1. Enable **Repeat**. The current repetition parameters are displayed.
2. To set the repetition parameters, click on the value.
3. Set the repetition parameters:
 - In **Repeat**, you can set the interval between the appointments.
 - Below the interval, you can set the interval parameters.
 - In **Ends**, you can define when the recurring appointment ends.

Example:

- An appointment or a task should take place each second day, and should take place five times.
 - Repeat **Daily**
 - Interval **2** days
 - Ends **After a number of occurrences**
 - Occurrences **5**
- An appointment or a task should take place each Tuesday and Friday.
 - Repeat **Weekly**
 - Weekday **Tue, Fr**
 - Interval **1** week(s)
 - Ends **Never**
- An appointment or a task should take place every second Wednesday. The last appointment should be on 08-03-2023.
 - Repeat **Weekly**
 - Weekday **Wed**
 - Interval **2** week(s)
 - Ends **On specific date**
 - Ends on **08-03-2023**
- An appointment or a task should take place on the first Monday of a month. The event should take place twelve times.
 - Repeat **Monthly**
 - Repeat by **Date**
 - Interval **1** month(s)
 - Ends **After a number of occurrences**
 - Occurrences **12**
- An appointment or a task should take place each year on the last Friday in November.
 - Repeat **Yearly**
 - Repeat by **Week day**
 - Ends **Never**

Superordinated action:

[Creating new appointments \(p. 146\)](#)

Similar actions:



[Creating recurring tasks \(p. 185\)](#)

7.4.4 Setting an appointment's display

The following options are available:

- display the appointment as free
- select an appointment colour
- define the visibility in shared calendars

How to set the appointment's display in the appointment editing window:

1. If there should be no conflict with overlapping appointments, enable **Show as free**.
2. In order to set an individual colour for the appointment, click on a colour field. If clicking on **Use calendar colour**, the appointment gets the colour of its calendar.
3. In a shared calendar, you can use the **Visibility** drop-down to define the calendar's visibility for other users who are not participants.
 - In the default setting **Standard**, the appointment is visible to all users who have permission to see the calendar.
 - If only the appointment date should be visible for other users but not the subject or other appointment data, select **Private** from the drop-down. Private appointments are marked with the *Private* icon .
 - If the appointment is to be invisible for other users, select **Secret** from the drop-down. Secret appointments are marked with the *Private* icon . Secret appointments do not conflict with other appointments. They are not displayed in the scheduling view.

Superordinated action:

[Creating new appointments \(p. 146\)](#)

7.4.5 Using appointment reminders

When creating or editing an appointment, you can set to be reminded of the appointment's due date. To do so, you can use one or several of the following notifications:

- an appointment reminder in the notification area
- an appointment reminder by E-Mail

How to set an appointment reminder in the appointment editing window:



1. Click on the current setting below **Reminder**. The *Edit reminders* window opens. It shows the current reminder.
2. To change the current reminder, select the reminder type. Select a time for the reminder. Define the benchmark for the time.
3. In order to add another reminder, click on **Add new Reminder**.
In order to delete a reminder, click the **Delete** icon.
4. Click on **OK**.

Superordinated action:

[Creating new appointments \(p. 146\)](#)

7.4.6 Adding participants or resources

How to add participants or resources in the appointment editing window:

1. Enter the E-Mail addresses of the participants, the name of a group, distribution list or resource in the input field below *Participants*. Tips:
 - While entering the E-Mail address, several matching suggestions are displayed. To accept a suggestion, use one of the following methods:
 - Use the scroll bar to browse the list. Click on a suggestion.
 - Use the cursor keys to select a suggestion. Press Enter.
 - To select contacts from an address book, click the **Address book** icon  on the right side of the input field.
2. To remove participants or resources, click the icon  next to the name.

All participants are notified about the new appointment in an E-Mail.

Tip: To find free appointments of all participants and resources you can [use the schedule view](#).

Depending on the configuration, you can define that participants can edit the appointment later. To do so, enable the **Participants can edit the appointment** checkbox. Please note the following:

- This option is not available in public folders or for appointments with external participants.
- The checkbox is only available for the appointment's organiser.
- Participants can add other participants but not remove participants.
- Participants cannot remove themselves from the appointment.
- Each change is done on behalf of the organiser.

Superordinated action:


[Creating new appointments \(p. 146\)](#)

Subordinate function:

[Selecting contacts from an address book \(p. 67\)](#)

7.4.7 Adding attachments

How to add attachments in the appointment editing window:

1. Click on **Add attachments** below *Attachments*.
2. Select one or several files.
In order to remove an attachment, click the **Delete** icon .

Tip: You can also add an attachment by dragging and dropping a document from a file browser or from the desktop to the appointments window.


Superordinated action:

[Creating new appointments \(p. 146\)](#)

7.4.8 Using the scheduling view

When scheduling an appointment with several participants or resources, the Scheduling view shows free and busy time periods for the users and resources.

How to use the scheduling view for creating appointments:

1. You have the following possibilities for opening the scheduling view:
 - To use the scheduling view before creating a new appointment, click on **Scheduling** in the tool bar. The *Scheduling* page opens.
 - To use the scheduling view while creating a new appointment or editing an existing appointment, click on **Find a free time** in the appointment editing window. The *Scheduling* window opens.
2. Enter a participant's or resource's name in *Participants*. Tips:
 - While entering the E-Mail address, several matching suggestions are displayed. To accept a suggestion, use one of the following methods:
 - Use the scroll bar to browse the list. Click on a suggestion.
 - Use the cursor keys to select a suggestion. Press Enter.
 - To select contacts from an address book, click the **Address book** icon  on the right side of the input field.

The appointments of the participant or resource are displayed in the calendar sheet.

You can save the participants as a distribution list. To do so, select **Save as distribution list** below the list.

3. Search for a free time in the calendar. Use the following methods:
 - To set a time range, click on the date on the upper left side. You can also use the browse icons
 - To set the display size of the calendar sheet, use the control elements on the upper right side.
 - To set the **Week** or **Month** date range, enable the respective entries in the **Options** drop-down.
 - Use the **Options** menu to adjust the view in the calendar sheet.
 - To adjust the visible part of the time range, use the scroll bar below the calendar sheet.
4. Define the appointment's start and end by using one of the following options:
 - In the calendar sheet drag open an area ranging from the beginning to the end of the new appointment.
If pressing the [Alt] key before releasing the mouse button, the appointment's start and end date are entered on the appointment editing page.
 - To set the appointment's duration to one hour, click on the wanted time.

Depending on how you opened the scheduling view, either click on **Create appointment** or on **Accept changes** to finish the process. The appointment editing window will be displayed.

5. Complete the details for creating or editing the appointment.

User interface:

[The scheduling view \(p. 137\)](#)

[The date picker \(p. 134\)](#)

Subordinated actions:

[Selecting contacts from an address book \(p. 67\)](#)

Superordinated action:

[Creating Appointments \(p. 145\)](#)

Related topics:

[Creating new appointments \(p. 146\)](#)

[Resolving appointment conflicts \(p. 154\)](#)

7.4.9 Creating a follow-up appointment

You can create a follow-up appointment for an existing appointment. The follow-up appointment is prefilled with essential data from the existing appointment.

How to create a follow-up appointment:

1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view. In the pop-up, click on **Follow-up**.
 - Double-click on an appointment in the list view. The appointment will be displayed in a window. Click on **Follow-up**.
2. Adjust the data for the new appointment. Click on **Create**.

Similar actions:

[Creating new appointments \(p. 146\)](#)

Related topics:



[Using the scheduling view \(p. 151\)](#)

[Resolving appointment conflicts \(p. 154\)](#)

7.4.10 Inviting participants to a new appointment

If an appointment has several participants, you can invite those participants to a new appointment.

How to invite participants to a new appointment:

1. Depending on the view, you have the following options:
 - In a calendar view, click on an appointment with multiple participants. In the pop-up, click the **More actions** icon .
 - In the list view, double-click on an appointment with multiple participants. The appointment will be displayed in a window. Click the **More actions** icon .Click on **Invite to new appointment** in the menu.
2. Complete the data for [creating an appointment](#).

Similar actions:

[Creating new appointments \(p. 146\)](#)

[Inviting E-Mail recipients to new appointments \(p. 153\)](#)

Related topics:


[Using the scheduling view \(p. 151\)](#)

[Resolving appointment conflicts \(p. 154\)](#)

7.4.11 Inviting E-Mail recipients to new appointments

If there are several E-Mail recipients, all recipients can be invited to a new appointment.

How to invite all E-Mail recipients to an appointment:

1. Select an E-Mail in the E-Mail app.
2. Click the **More actions** icon  in the detail view. Select **Invite to appointment** from the menu.
3. Complete the data for [creating an appointment](#).

Similar actions:

[Creating new appointments \(p. 146\)](#)

[Inviting participants to a new appointment \(p. 152\)](#)

Related topics:

[Using the scheduling view \(p. 151\)](#)

[Resolving appointment conflicts \(p. 154\)](#)

7.4.12 Creating appointments from iCal attachments

You can create an appointment from an E-Mail's iCal attachment. An iCal attachment can be identified by the file extension .ics.

How to create an appointment from an E-Mail's iCal attachment:

1. Select an E-Mail with an iCal attachment in the E-Mail application.
2. Click on an attachment's name in the detail view. Click on **Add to calendar** in the menu.

Similar actions:

[Creating new appointments \(p. 146\)](#)

Related topics:

[Resolving appointment conflicts \(p. 154\)](#)

7.4.13 Resolving appointment conflicts

An appointment conflict happens if the following is true:

- You are the participant of an existing appointment. The appointment display is set as follows:
 - The visibility is set to **Standard** or **Private**.
 - The **Show as free** checkbox is disabled.
- You create a new appointment. You select the following appointment display:
 - The visibility is set to **Standard** or **Private**.
 - The **Show as free** checkbox is disabled.

As soon as you click on **Create**, the *Conflicts detected* page opens. The appointments causing the conflict are displayed.

How to resolve appointment conflicts:

1. To show or hide details, you can click on an appointment on the *Conflicts detected* page.
2. Use one of the following methods:
 - To create the appointment despite the conflict, click on **Ignore conflicts**.
 - To resolve the conflict, click on **Cancel**. Change the appointment's times or enable **Show as free**.

Related topics:

[Creating new appointments \(p. 146\)](#)

[Using the scheduling view \(p. 151\)](#)

[Creating a follow-up appointment \(p. 152\)](#)


7.5 Answering appointment invitations

If a user or an external partner adds you to the appointment recipients, you will receive at least one of the following notifications:

- You are informed about this appointment in the Notification area.
- You will receive an E-Mail invitation for the appointment.

You can accept, temporarily accept or refuse your participation in the appointment. You can always change your appointment confirmation status later.

How to answer an appointment invitation in the notification area:

1. Click the **Notifications** icon  in the menu bar. The Notification area is displayed.
2. To display the suggested appointment in the calendar, click on **Open in calendar**.
To answer the appointment invitation, click on **Accept/Decline** below the invitation.
3. Enter a comment in the *Change confirmation status* window. Click on one of the buttons **Decline**, **Tentative** or **Accept**.

Tip: You can accept the appointment directly within the notification area by clicking on the **Accept invitation** button.

How to answer an appointment invitation in an e-mail invitation:

1. Open an E-Mail with an appointment invitation in the E-Mail application.
2. Enter a comment below *This e-mail contains an appointment* in the detail view. Click on one of the buttons **Accept**, **Tentative** or **Decline**.

Note: In the calendar settings you can define whether the invitation e-mail is automatically deleted when accepting or declining an appointment.

User interface:

[The notification area \(p. 30\)](#)

Related topics:

[Changing the appointment confirmation or status \(p. 162\)](#)

7.6 Adding Calendars

The following options are available:

- [Adding personal calendars \(p. 157\)](#)
- [Subscribing to calendars \(p. 158\)](#)
- [Importing calendars from files \(p. 159\)](#)
- [Viewing and synchronising shared calendars \(p. 159\)](#)

7.6.1 Adding personal calendars

You can create additional personal calendars below *My calendar*.

How to create a new personal calendar:

1. In the folder view, click on **Add new calendar**. A menu opens.
Click the **Personal calendar** menu item.
A window opens.
2. Enter a name. In case the new calendar should be a public calendar, enable **Add as public calendar**.
Click on **Add**.

User interface:

[The Calendar folder view \(p. 132\)](#)

Similar actions:

[Subscribing to calendars \(p. 158\)](#)

[Importing calendars from files \(p. 159\)](#)

Related topics:

[Managing Appointments \(p. 160\)](#)

[Managing Data with Folders \(p. 228\)](#)

7.6.2 Subscribing to calendars

You can import appointments from external calendars into groupware calendars by subscribing to the external calendar. You can subscribe to the following calendars:

- Calendars that are publicly available on the Internet. Those are e.g., calendars with international public holidays, sport events, media events or stock exchanges.
- Your Google calendar
- iCal calendars that are publicly available on the Internet. To do so, you need to know the calendar's URL.



Changes that you apply to the external calendar can be transferred to the groupware by refreshing the subscribed calendar.

Note: Appointments in subscribed calendars cannot be edited.

How to subscribe to external calendars:

1. In the folder view, click on **Add new calendar**. A menu opens.
2. The following options are available:
 - To subscribe to a public calendar, click on **Browse calendars of interest** in the menu. The *Add calendar* window opens.
Note: Depending on the configuration, this function might not be available.
Select the language and country of the calendar that you want to subscribe to.
Select one or several calendars. Click on **Save**.
 - To subscribe to your Google calendar, click on **Google calendar** in the menu. A new browser window opens. Grant access to your Google calendar.
The appointments will be imported to a new calendar. As soon as the import has been completed, the *Subscribe calendar* window will be closed.
 - To subscribe to an iCal calendar, click on **Subscribe via URL (iCal)** in the menu. The *Subscribe to iCal feed* window opens.
Enter an iCal URL. Click on **Subscribe**.

Options:

- The reminder that is set as default in the calendar settings is applied to all appointments of a public calendar or an iCal calendar.
In order to change this reminder for each appointment in this calendar, click the **Actions** icon  next to the calendar. Click on **Adjust reminders**.
To change an appointment's reminder, use the appointment's detail view or pop-up
Note: Those functions are not available for Google calendars you subscribed to.
- In order to refresh the subscribed data, click the **Action** icon  next to the calendar. Click on **Refresh this calendar** in the menu.

Similar actions:

- [Adding personal calendars \(p. 157\)](#)
- [Importing calendars from files \(p. 159\)](#)

Related topics:

- [Managing subscribed address books \(p. 253\)](#)

7.6.3 Importing calendars from files

You can import calendars that have been created from within other applications. The calendar you want to import needs to be available as an iCal file.

How to import calendars from a file:

1. In the folder view, click on **Add new calendar**. A menu opens.
2. Select **Upload file** from the menu. The *Import from file* window opens.
Select a file. Click on **Import**.

Similar actions:

[Adding personal calendars \(p. 157\)](#)

[Subscribing to calendars \(p. 158\)](#)

7.6.4 Viewing and synchronising shared calendars

You can define whether public and shared calendars are displayed in the folder view. If such a calendar is displayed, you can set whether this calendar is synchronised with other clients, e.g. with your smartphone.

How to define which calendars are displayed and synchronised:

1. In the folder view, click on **Add new calendar**. A menu opens.
Click on **Subscribe shared Calendar** in the menu.
You can also use the **Subscribe shared Calendar** button in the E-Mail settings.
A window opens. It shows the public and shared calendars.
2. To define that a calendar should be displayed, enable the switch on the left side of the calendar.
To define that a displayed calendar is synchronised, enable the checkbox on the right side of the calendar.

Related topics:

[Accessing other users' shares \(p. 244\)](#)

7.7 Managing Appointments

The following options are available:

- [Editing appointments \(p. 161\)](#)
- [Changing the appointment confirmation or status \(p. 162\)](#)
- [Changing the organiser \(p. 163\)](#)
- [Managing favourite timezones \(p. 163\)](#)
- [Using calendar colours \(p. 164\)](#)
- [Moving appointments to another calendar \(p. 164\)](#)
- [Importing appointments \(p. 165\)](#)
- [Exporting appointments \(p. 165\)](#)
- [Printing appointments \(p. 166\)](#)
- [Deleting appointments \(p. 167\)](#)

User interface:

[The Calendar tool bar \(p. 130\)](#)

Related topics:

[Adding Calendars \(p. 156\)](#)

7.7.1 Editing appointments

The following options are available:

- You can edit all appointment data in the appointment's editing window.
- You can also change the appointment's time or duration in a calendar view:
 - move an appointment to another day
 - change an appointment's time or duration

Prerequisite: You have the appropriate permissions to modify objects in the calendar containing the appointment.

Notes:

- Depending on the configuration, you can only edit an appointment in your private calendars if you are the appointment's organiser.
- Appointments in subscribed calendars cannot be edited.

How to edit an appointment in the appointment's editing window:

1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view. Click on **Edit** in the pop-up.
 - Select an appointment in the list view. Click on **Edit** in the tool bar.

When having selected a serial appointment, you are asked to which appointments of the series the changes should be applied:

- When having selected the first appointment of the series, you can either only change the first appointment or the complete series.
- For all other appointments within the series, you can either only change the selected appointment or the selected appointment and all future appointments of the series.

The appointment's data is displayed.

2. Edit the data.
3. Click on **Save**.

How to move an appointment to another day:

1. Select one of the following views: **Work week**, **Week** or **Month**.
2. Drag the appointment to another day.

How to change an appointment's time or duration:

1. Select one of the following views: **Day**, **Work week** or **Week**.
2. Use one of the following methods:
 - Drag the appointment to another time.
 - Drag the start or end time to another time.

User interface:

[The appointment editing window: \(p. 138\)](#)

[The date picker \(p. 134\)](#)

7.7.2 Changing the appointment confirmation or status

You can change your appointment status at a later point of time. The following options are available:

- You can accept or decline the appointment without comment.
- You can change the confirmation status. You can add a comment that is visible to other participants.

Note: Depending on the configuration, you can only edit an appointment confirmation in your private calendars if you are a participant of the appointment. In recurring appointments you can change the confirmation for a single occurrence or for the complete series.

How to accept or decline an appointment:

1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view. A pop-up opens.
 - Double-click on an appointment in the list view. The appointment will be displayed in a window. Click on **Accept** or on **Decline**.
2. When having selected a recurring appointment, set whether the changes should be applied to the single occurrence or for the complete series.

How to change your confirmation status:

1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view. In the pop-up, click on **Change status**.
 - Select an appointment in the list view. Click on **Status** in the tool bar.
2. When having selected a recurring appointment, set whether the changes should be applied to the single occurrence or for the complete series.
3. Enter a comment in the *Change confirmation status* window. Click on one of the buttons **Decline**, **Tentative** or **Accept**.



7.7.3 Changing the organiser

You can change the organiser of the appointment or series if the appointment has at least two participants. You cannot change the organiser for the following appointments:

- an appointment with external participants
- an individually changed appointment within a series

Note: Depending on the configuration, this function might not be available.

How to change an appointment's organiser:


1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view. In the pop-up, click the **More actions** icon .
 - Select an appointment or multiple appointments in the list view. Click the **More actions** icon  in the tool bar. Click on **Change organiser** in the menu.
2. When having selected a recurring appointment, set whether the changes should be applied to the single occurrence or for the complete series.
3. Enter the new organiser's E-Mail address in the *Change organiser* window.
Note: External participants can not be set as organiser.

7.7.4 Managing favourite timezones

Timezones marked as favourites by you, can be displayed in the calendar sheet in addition to the preset timezone.

How to mark a timezone as favourite:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select **Calendar** from the side bar. Click on **Favourite timezones**.
3. Click on **Add timezone** in the display area. The *Select favourite timezone* window opens.
4. Select a timezone from the list. Click on **Add**.

To remove a timezone from the list of favorites, click the **Delete** icon  next to the timezone.


Related topics:

- [The appointment editing window: \(p. 138\)](#)
- [Displaying multiple timezones \(p. 141\)](#)

7.7.5 Using calendar colours

You can assign a colour to a calendar. All appointments in this calendar will then be displayed in the colour of the calendar. If you assign an individual colour to an appointment when creating or editing it, the appointment will be displayed in the colour assigned, not in the colour of the calendar.

How to select a calendar colour:

1. Click the **Actions** icon  next to the calendar name.
2. Select a colour from the colour selection drop down.

Related topics:



[How are appointments displayed in a calendar view? \(p. 142\)](#)

7.7.6 Moving appointments to another calendar

You can move appointments to another calendar.

Prerequisite: You need to have the appropriate permissions to create objects in the target calendar.

How to move appointments to another calendar:

1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view. In the pop-up, click the **More actions** icon .
 - Select an appointment or multiple appointments in the list view. Click the **More actions** icon  in the tool bar.
Select **Move** from the menu.
2. Select a calendar in the *Move* window. You can create a new calendar by clicking on **Create folder**.
3. Click on **Move**.


Related topics:

[Adding Calendars \(p. 156\)](#)

7.7.7 Importing appointments

You can import appointments from files in iCal format.

How to import appointments from an iCal file:

1. Select the calendar for importing the appointments to in the folder view.
2. Click the **Actions** icon  next to the calendar. Click on **Import**.
3. In the *Import from file* window, click on **Upload file**. Select a file in iCal format.
To also import appointments that have the same ID as already existing appointments, enable **Ignore existing appointments**.
4. Click on **Import**.

Result: The contacts are added to the calendar.



Similar actions:

[Exporting appointments \(p. 165\)](#)


7.7.8 Exporting appointments

You can export appointments in the iCalendar format. You can e.g. use this format to exchange appointments with other calendar applications. You can export individual appointments or all appointments from a calendar.

How to export individual appointments:

1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view.
In the pop-up, click the **More actions** icon .
 - Select an appointment or multiple appointments in the list view.
Click the **More actions** icon  in the tool bar.
Click the **Export** menu item. The *Export selected* window opens.
2. Click on **Export**. Complete the entries.

How to export all appointments from a calendar:

1. Select a personal or public address book in the folder view.
2. Click the **Actions** icon  next to the folder name. Click on **Export**. The *Export folder* window opens.
3. Click on **Export**. Complete the entries.

Similar actions:

[Importing appointments \(p. 165\)](#)

7.7.9 Printing appointments



To print calendars and appointments you can:

- print a calendar sheet with appointments
- print appointment data
- print a detailed or compact list of appointments


How to print a calendar sheet with appointments:

1. Click on **View** in the tool bar. Select one of the following entries: **Day**, **Work week**, **Week** or **Month**.
2. Open a calendar in the folder view.
3. Click on **View** in the tool bar. Click on **Print** in the menu. A window with a print preview opens.
4. If required, change the printer settings. Click on the **Print** button.
5. Close the print preview window.

How to print an appointment's data:

1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view. In the pop-up, click the **More actions** icon .
 - Select an appointment or multiple appointments in the list view. Click the **More actions** icon  in the tool bar.Click on **Print** in the menu. A window with a print preview opens.
2. If required, change the printer settings. Click on the **Print** button.
3. Close the print preview window.

How to print a list of appointments:

1. Click on **View** in the tool bar. Select **List**.
2. Select the appointments to be printed.
3. Click the **More actions** icon  in the tool bar. Click on **Print** in the menu. A window opens. You are asked how you want to print the appointments.
 - To print a list with detailed appointment data, click on **Detailed**.
 - To print a compact list, click on **Compact**.
4. If required, change the printer settings. Click on the **Print** button.
5. Close the print preview window.

7.7.10 Deleting appointments

Warning: If you delete an appointment it will be irrevocably lost. Depending on the configuration, you can only delete an appointment in your private calendars if you are the appointment's organiser.

How to delete appointments:

1. Depending on the view, you have the following options:
 - Click on an appointment in a calendar view. In the pop-up, click on **Delete**.
 - Select an appointment or multiple appointments in the list view. Click on **Delete** in the tool bar.
2. Confirm that you want to delete the appointment.

Result: The appointment will be deleted.

Options:

- When having selected a serial appointment, you are asked which appointments of the series are to be deleted:
 - When having selected the first appointment of the series, you can either only delete the first appointment or the complete series.
 - When having selected an appointment within the series, you can either only delete the selected appointment or the selected appointment and all future appointments of the series.
 - When having selected the last appointment of the series, you can only delete the last appointment. In the latter case, you are not asked which appointments are to be deleted.
- If you are the appointment's organiser, you can inform other participants about the reason for the deletion by entering a message. The input field is shown if the following conditions are met:
 - The appointment has at least two participants.
 - **Receive notification for appointment changes** is enabled In the calendar settings.The message is sent as E-Mail.

7.8 Searching for appointments

In order to search for specific appointments, you can use the following search criteria:

- search terms for subject, description, location, attachments' names, participants
- calendars that are to be searched
- appointment confirmation status
- time frame of the appointment creation, related to the current date: one month, three months, one year
- type: all, series, single appointment

How to search for appointments:

1. Click on the **Search** input field. Additional icons are displayed.
2. Enter a search term in the input field. The search menu opens.
Define the data sources to be searched by clicking on an entry in the search menu.
 - If clicking on the search term or pressing enter, the following data sources are searched: subject, description
 - In order to only search in the subject, click on **in subject** in the search menu. Accordingly, you can limit the search to the description, location or the attachment's name.
 - In order to search for appointments with a specific participant, click on a name in the search menu.The search results are displayed in the list that is shown in the display area.
3. To select a calendar for the search, click the **Options** icon ▼ in the input field. The calendar that is searched, is displayed in the **Folder** drop-down. To select another calendar, open the drop-down. If you select **All folders**, all private, public, and shared calendars are searched.
4. The following options are available for limiting the search to specific appointments:
 - To limit the search to appointments with a specific confirmation status, click the **Options** icon ▼ in the input field. Open the **My status** drop-down. Select a status.
 - To limit the search to a specific time range, click the **Options** icon ▼ in the input field. Open the **Range** drop-down. Select a time range.
 - To limit the search to single or recurring appointments, click the **Options** icon ▼ in the input field. Open the **Type** drop-down. Select a type.
5. To refine the search result, enter further search terms: To remove a search term, click the **Remove** icon ✕ next to the search term.
6. In order to finish the search, click the **Close** icon ⊗ in the input field.

User interface:

[The Calendar search bar \(p. 129\)](#)

Related topics:

[Viewing Appointments \(p. 139\)](#)

7.9 Managing Groups

In case you frequently want to add the same persons to appointments or tasks, you can create a [group](#) consisting of those persons. You can then add the group as participant instead of adding single persons. The following options are available:

- create a new group
- edit an existing group
- delete an existing group

Note: Depending on the configuration, those functions are not available for all users.

How to create a new group:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
In the side bar, click on **Groups**.
2. In the display area, click on **Create new group**.
3. Enter a group name in the *Create new group* window. Add members. The members are displayed below *Members*
In order to remove a member, click the **Remove member** icon ✕ next to the name.
Click on **Create**.

How to edit a group:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
In the side bar, click on **Groups**.
2. Select a group in the display area. Click on **Edit**.
3. Edit the group's data in the *Edit group* window.
Click on **Save**.

How to delete a group:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
In the side bar, click on **Groups**.
2. Select a group in the display area.
3. Click the **Delete** button.

Related topics:

[Managing Resources \(p. 171\)](#)

7.10 Managing Resources

Other than participant conflicts, [resource](#) conflicts cannot be ignored when creating appointments. If creating appointments, resources that are already booked for other appointments can not be added. The following options are available:

- create new resources
- edit existing resources
- delete existing resources

Note: Depending on the configuration, those functions are not available for all users.

How to create a new resource:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item. In the side bar, click on **Resources**.
2. In the display area, click on **Create new resource**.
3. Enter a resource name in the *Create new resource* window. You can enter a description. Define an E-Mail address for the resource. Click on **Create**.

How to edit a resource:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item. In the side bar, click on **Resources**.
2. Select a resource in the display area. Click on **Edit**.
3. Edit the resource's data in the *Edit resource* window. Click on **Save**.

How to delete a resource:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item. In the side bar, click on **Resources**.
2. Select a resource in the display area.
3. Click the **Delete** button.

Related topics:

[Managing Groups \(p. 170\)](#)

7.11 Calendar Settings

How to use the calendar settings:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **Calendar** in the side bar.

Depending on the configuration, the following settings are available:

Buttons

- **Subscribe to iCal calendars**
See [Viewing and synchronising shared calendars \(p. 159\)](#)

View

- **Start of working time**
Defines the start of working hours.
- **End of working time**
Defines the end of working hours.
- **Time scale**
Specifies the interval for dividing the time grid in the *Day*, *Work week*, *Week* calendar views.
- **Display refused appointments**
Defines whether appointments that you refused are displayed.

Birthday calendar

- **Show birthday calendar**
Defines whether a birthday calendar is displayed in the folder view.

Workweek view

- **Week start**
Defines the beginning of a work week.
- **Workweek length**
Defines the number of days of a work week.

New appointment

Defines default settings for new appointments.

- **Default reminder time when creating the following appointments:**
 - appointments or serial appointments
 - all day appointments
 - birthday calendar appointmentsTo change a setting, click on the current setting. Change the current reminder in the *Edit reminders* window. You can add additional reminders.
- **Mark all day appointments as free**
Defines whether all day appointments are displayed as free by default.
- **Participants can edit appointments**
Defines whether participants by default get the permission to edit an appointment.

E-mail notifications

Specifies whether you will receive an E-Mail notification, if the following is true:

- **Receive notifications when an appointment in which you participate is created, modified or deleted**
An appointment in which you participate has been re-created, changed or deleted.
- **Receive notification as appointment creator when participants accept or decline**
a participant accepted or declined an appointment created by you.
- **Receive notification as appointment participant when other participants accept or decline**
a participant accepted or declined an appointment in which you participate.


- **Automatically delete the invitation e-mail after the appointment has been accepted or declined**
Defines whether the email notification for an appointment invitation will be automatically deleted when accepting or declining the appointment.

8 Tasks

Learn how to work with the Tasks application.

- [The Tasks Components \(p. 176\)](#)
- [Viewing tasks \(p. 182\)](#)
- [Viewing or Saving Task Attachments \(p. 183\)](#)
- [Creating Tasks \(p. 184\)](#)
- [Answering Task Invitations \(p. 186\)](#)
- [Adding Task Folders \(p. 187\)](#)
- [Managing tasks \(p. 188\)](#)
- [Searching for Tasks \(p. 193\)](#)
- [Task Settings \(p. 195\)](#)

How to start the Tasks app

Click the **App Launcher** icon  in the menu bar. Click on **Tasks** in the App Launcher.

8.1 The Tasks Components

The Tasks app includes the following components.

- [The Tasks search bar \(p. 177\)](#)
- [The Tasks tool bar \(p. 177\)](#)
- [The Tasks folder view \(p. 178\)](#)
- [The Tasks display area \(p. 178\)](#)
 - [The Tasks list \(p. 179\)](#)
 - [The Tasks detail view \(p. 180\)](#)
- [The task editing window \(p. 181\)](#)

8.1.1 The Tasks search bar

Enables you to search for tasks.

The search bar is displayed if the folder view is visible. In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Actions:

- [Searching for Tasks \(p. 193\)](#)
- [Viewing tasks \(p. 182\)](#)


Related topics:

- [The search bar \(p. 25\)](#)

8.1.2 The Tasks tool bar

Contains functions for creating, editing and organising tasks. Note: Some functions are only available if you opened a folder for which you have the appropriate permissions to create or edit objects.

Content

- **New.** Creates a new task.
- **Edit.** Edits a task's data.
- **Due.** Changes a task's due date.
- **Done.** Marks a task as done.
- **Delete.** Deletes the tasks selected by you.
- **More actions** icon . Opens a menu with additional functions.
- **View.** Opens a menu with check boxes for controlling the view.
 - **Folder view.** Opens or closes the folder view.
 - **Checkboxes.** Displays checkboxes in the list, for marking objects.

Actions:

- [Creating Tasks \(p. 184\)](#)
- [Managing tasks \(p. 188\)](#)

Related topics:

- [The tool bar \(p. 26\)](#)

8.1.3 The Tasks folder view

Displays the tasks folders.


In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Content

- *My tasks*. Contains your personal tasks.
- *Public tasks*. Contains tasks shared with all users.
- *Shared tasks*. Contains tasks shared with you by other users.

Depending on the configuration, the content can differ from this information.

Functions

- If clicking on a folder, its tasks are displayed.
- The **Actions** icon  next to the selected folder offers functions for organising data and for exchanging data.
- The **Add new folder** button allows creating a new private or public folder.

Actions:

[Adding Task Folders \(p. 187\)](#)

[Managing Data with Folders \(p. 228\)](#)

Related topics:

[The folder view \(p. 27\)](#)

8.1.4 The Tasks display area

Contains the contacts [list](#) and a contact's [detail view](#).

Related topics:

[The display area \(p. 28\)](#)


8.1.5 The Tasks list

Displays a list of tasks in the folder selected.

Content

- The following details are displayed for each task: subject, status or due date, and the progress.
- The text above the list contains the name of the selected folder. The number corresponds to the number of objects in the selected folder.

Functions

- If clicking on a task, its content is displayed in the detail view.
- To select multiple tasks, enable the **Checkboxes** option in the **View** drop-down in the tool bar. You can also use your system's multi-selection functions. In order to select all contacts in folder, enable the **Select all** checkbox above the list.
- If clicking the **Sort** icon  above the list, a menu opens that allows sorting tasks. You can also define in this menu whether tasks marked done are displayed.
- To adjust the list width, hover over the line between the list and the detail view. Drag the border to the left or to the right.

Related topics:

- [The Tasks detail view \(p. 180\)](#)
- [Searching for Tasks \(p. 193\)](#)


Related topics:

- [The Tasks detail view \(p. 180\)](#)

8.1.6 The Tasks detail view

Shows the data of the task that you selected in the list. If double-clicking on the task in the list, the data are displayed in a window.

Content

- Icon for the task's priority, if set.
 - Subject
 - Private tasks are marked with the **Private** icon .
- Task's start date, if available
- Status and progress
- If the task has attachments, the names of the attachments are displayed.
- Task's description, if available
- If the task is a recurring task, recurrence parameters will be displayed.
- Task's start date, if available
- Task details like billing information, if available
- If the task has several participants, the number of participants that accepted, declined or have not replied yet are shown on the top right side above the list of participants. In order to filter the list of participants, click the icons.
- Names of the participants, if they exist. If clicking on a name, a pop-up opens. It displays information about the contact.
 - The person's contact data.
 - If you exchanged E-Mail messages with this person, they are displayed below *Recent conversations*.
 - If you have appointments scheduled with this person, they are displayed below *Shared appointments*.
 - Information about this person from social networks. You can use the available buttons to open this person's profile.If clicking on an appointment or an E-Mail, an additional pop-up opens.
- If the appointment includes external participants, their names are displayed below *External participants*.

Actions:

- [Editing tasks \(p. 189\)](#)
- [Changing tasks confirmations \(p. 191\)](#)
- [Deleting tasks \(p. 192\)](#)
- [Printing tasks \(p. 192\)](#)
- [Moving tasks to another folder \(p. 190\)](#)

Related topics:

- [The Tasks list \(p. 179\)](#)

8.1.7 The task editing window


This window is used when creating a new task or editing an existing one.

In order to open the window, do one of the following:

- Click on **New** in the tool bar.
- Select a task. Click on **Edit** in the tool bar.

This window is used when creating a new task or editing a task.

Content

- Task data.
 - **Subject, Description** input fields. The subject is displayed as task title. A description can be entered optionally.
 - **Expand form**. Displays additional input fields.
 - **Start date** and **Due date**. Defines the start and the due date. Clicking on it opens the date picker. If **All day** is disabled, you can set start and due times.
 - **All day**. Defines whether the task is supposed to last whole days.
 - **Repeat**. Defines whether the task is to be repeated.
- **Reminder**. Defines when and how you will be reminded about the task's due date. You can also set a date and time for the reminder in **Reminder date**. In this case, **Manual input** will be pre-selected in the **Reminder** field.
- Task view
 - **Status**. Defines the task's status. You can also enter a percentage value for the task completion in **Progress**.
 - **Priority**. Defines the task's priority.
 - **Private**. Enable this checkbox if other users are not to see the task's subject and description.
- **Add contact** input field. Enter the names of the participants that are to take part in the task in this field.
 - Select contacts** icon . Opens a window for selecting contacts from a list.
- **Add attachments**. Adds files.
- **Show details**. Displays additional data fields where you can enter billing details like estimated efforts, actual efforts or billing information.

Actions:

- [Creating new tasks \(p. 184\)](#)
- [Editing tasks \(p. 189\)](#)

Related topics:


- [The date picker \(p. 134\)](#)
- [The editing window \(p. 31\)](#)

8.2 Viewing tasks

How to display a task:

1. Open a task folder in the folder view.
2. Click on a task in the list. The task's data is displayed in the detail view.

Options:

- To sort the task list or to only display due tasks, click the **Sort** icon  above the list.
- You can open the task in a window by double-clicking on the task in the list.

User interface:

[The Tasks detail view \(p. 180\)](#)

[The Tasks list \(p. 179\)](#)

Similar actions:

[Navigating within the folder structure \(p. 231\)](#)

[Searching for Tasks \(p. 193\)](#)

[Viewing or Saving Task Attachments \(p. 183\)](#)

8.3 Viewing or Saving Task Attachments

The file names of task attachments are displayed in the display area below the subject. The following functions are available:

- display the attachment in the Viewer
- download the attachment
- save the attachment to Drive

Note: Depending on the attachment's file format, the available function might differ.

How to use the task attachment functions:

1. Select a task with an attachment.
2. Click on an attachment's name in the detail view. Click on the function wanted.

Note: Depending on the configuration, attachments are checked for viruses before being downloaded.

- If no virus is found, the attachments are downloaded without any further notification.
- If a virus scan was not possible or a virus was found, a window with a respective warning opens. In this case you can cancel the download.

Tip: If a task contains several attachments, an action can be executed for all attachments at once. To do so, click on **All attachments**.

Similar actions:

[Viewing tasks \(p. 182\)](#)

Related topics:

[The Tasks detail view \(p. 180\)](#)
[The Tasks list \(p. 179\)](#)

8.4 Creating Tasks

The following options are available:

- [Creating new tasks \(p. 184\)](#)
- [Creating recurring tasks \(p. 185\)](#)
- [Adding participants to a task \(p. 185\)](#)
- [Adding attachments \(p. 185\)](#)

User interface:

[The Tasks tool bar \(p. 177\)](#)

Related topics:

[Importing tasks \(p. 191\)](#)


[Creating Appointments \(p. 145\)](#)

8.4.1 Creating new tasks

How to create a new task:

1. Open a task folder in the folder view.
Note: Select a folder for which you have the permission to create tasks.
2. Click on **New** in the tool bar.
3. Enter a subject. Enter a description, if needed.
4. Click on **Create**.

Options:

- To view the complete form, click on **Expand form**. The following optional functions are available:
 - Set the task's start and due date.
 - To get an appointment reminder, select a setting in **Reminder**. The respective date and time are entered in **Reminder date**.
To use custom values, set them in **Reminder date**. In this case, **Manual input** will be pre-selected in the **Reminder** field.
 - If the subject and description are not to be shown to other users, activate **Private**. Private tasks are marked with the *Private* icon .
 - In order to add details like billing information, click on **Show details**. Enter the data required.

User interface:

[The task editing window \(p. 181\)](#)

Subordinated actions:

[Using the date picker \(p. 147\)](#)

[Creating recurring tasks \(p. 185\)](#)

[Adding participants to a task \(p. 185\)](#)

[Adding attachments \(p. 185\)](#)

Similar actions:

[Creating E-Mail reminders \(p. 82\)](#)

8.4.2 Creating recurring tasks

How to create a recurring task in the task editing window:

1. To view the complete form, click on **Expand form**.
2. Enable **Repeat**. The current repetition parameters are displayed.
3. To set the repetition parameters, click on the value.
4. Set the repetition parameters:
 - In **Repeat**, you can set the interval between the appointments.
 - Below the interval, you can set the interval parameters.
 - In **Ends**, you can define when the recurring tasks ends.



Tip: Application examples can be found in [Setting recurring appointments \(p. 148\)](#)

Superordinated action:

[Creating new tasks \(p. 184\)](#)

8.4.3 Adding participants to a task

How to add participants in the task editing window:

1. Enter the participants' E-Mail addresses, a group's name or a distribution list's name in the input field below *Participants*. Tips:
 - While entering the E-Mail address, several matching suggestions are displayed. To accept a suggestion, use one of the following methods:
 - Use the scroll bar to browse the list. Click on a suggestion.
 - Use the cursor keys to select a suggestion. Press Enter.
 - To select contacts from an address book, click the **Address book** icon  on the right side of the input field.
2. In order to remove a participant, click the icon  next to the name.

Superordinated action:


[Creating new tasks \(p. 184\)](#)

Related topics:

[Selecting contacts from an address book \(p. 67\)](#)

8.4.4 Adding attachments

How to add attachments in the task editing window:

1. Click on **Add attachments** below *Attachments*.
2. Select one or several files.
In order to remove an attachment, click the **Delete** icon .

Tip: You can also add an attachment by dragging and dropping a document from a file browser or from the desktop to the task window.

Superordinated action:

[Creating new tasks \(p. 184\)](#)


8.5 Answering Task Invitations

If a user or an external partner adds you to a task as participant, you will receive at least one of the following notifications:

- You are informed about this task in the Notification area.
- You will receive an E-Mail invitation for the task.

You can accept, temporarily accept or refuse your participation in the task.

How to answer a task invitation in the notification area:

1. Click the **Notifications** icon  in the menu bar. The Notification area is displayed.
2. Click on **Accept/Decline** below the invitation.
3. Enter a comment in the *Change confirmation status* window. Click on one of the buttons **Accept**, **Tentative** or **Decline**.

Tip: You can confirm the task directly in the notification area by clicking on the **Accept invitation** button.

How to answer a task invitation in an email invitation:

1. Display an E-Mail with a task invitation in the E-Mail application.
2. Click on one of the buttons **Confirm**, **Temporary**, **Decline** in the detail view below *This e-mail contains a task*.

User interface:

[The notification area \(p. 30\)](#)

8.6 Adding Task Folders

You can create additional personal task folders below *My tasks*.

How to create a new personal task folder:

1. In the folder view, click on **Add new folder**. A window opens.
2. Enter a name. In case the new folder should be a public folder, enable **Add as public folder**. Click on **Add**.

User interface:

[The Tasks folder view \(p. 178\)](#)

Related topics:

[Managing tasks \(p. 188\)](#)

[Managing Data with Folders \(p. 228\)](#)

8.7 Managing tasks

The following options are available:

- [Editing tasks \(p. 189\)](#)
- [Marking tasks as done \(p. 189\)](#)
- [Changing a task's due date \(p. 190\)](#)
- [Moving tasks to another folder \(p. 190\)](#)
- [Changing tasks confirmations \(p. 191\)](#)
- [Importing tasks \(p. 191\)](#)
- [Exporting tasks \(p. 191\)](#)
- [Printing tasks \(p. 192\)](#)
- [Deleting tasks \(p. 192\)](#)

User interface:

[The Tasks tool bar \(p. 177\)](#)

Related topics:

[Adding Task Folders \(p. 187\)](#)

8.7.1 Editing tasks

You can edit a task's data at a later point.

Prerequisite: You have the permission to create objects in the folder containing the task.

How to edit a task:

1. Select a task from the list.
2. Click on **Edit** in the tool bar. The task's data are displayed.
3. Edit the data.
A description of the input fields can be found in [The task editing window \(page 181\)](#).
4. Click on **Save**.

User interface:

[The task editing window \(p. 181\)](#)

Similar actions:

[Marking tasks as done \(p. 189\)](#)
[Changing a task's due date \(p. 190\)](#)
[Changing tasks confirmations \(p. 191\)](#)

8.7.2 Marking tasks as done

You can mark tasks as done.

Prerequisite: You have the permission to create objects in the folder containing the task.

How to mark a task as done:

1. Select a task or multiple tasks from the list.
2. Click on **Done** in the tool bar.
To mark the selected tasks as undone, click on **Undone**.

Similar actions:

[Editing tasks \(p. 189\)](#)
[Changing a task's due date \(p. 190\)](#)
[Changing tasks confirmations \(p. 191\)](#)

8.7.3 Changing a task's due date

You can change a task's due date.

Prerequisite: You have the permission to create objects in the folder containing the task.

How to change a task's due date:

1. Select a task from the list.
2. Click on **Due** in the tool bar. Select an entry.

Similar actions:

[Editing tasks \(p. 189\)](#)

[Marking tasks as done \(p. 189\)](#)


[Changing tasks confirmations \(p. 191\)](#)

8.7.4 Moving tasks to another folder

You can move tasks to another folder.

Prerequisite: You need to have the appropriate permissions to create objects in the target folder.

How to move tasks to another folder:

1. Select a task or multiple tasks from the list.
2. Click the **More actions** icon  in the tool bar. Select **Move** from the menu.
3. Select a folder in the *Move* window. You can create a new folder by clicking on **Create folder**.
4. Click on **Move**.

Tip: You can also move the selected objects by dragging the objects from the folder view to a folder.


Related topics:

[Adding Task Folders \(p. 187\)](#)

8.7.5 Changing tasks confirmations

You can change your task confirmation at a later point in time.

How to change your task confirmation:

1. Select a task from the list.
2. Click the **More actions** icon  in the tool bar. Click on **Change confirmation status** in the menu.
3. A window opens. Select a confirmation status. If required, enter a message.
4. Click on **Change status**.


Similar actions:

- [Editing tasks \(p. 189\)](#)
- [Marking tasks as done \(p. 189\)](#)
- [Changing a task's due date \(p. 190\)](#)

8.7.6 Importing tasks

You can import tasks from files in iCal format.

How to import tasks from an iCal file:

1. Select the task folder for importing the tasks to in the folder view.
2. Click the **Actions** icon  next to the calendar. Click on **Import**.
3. In the *Import from file* window, click on **Upload file**. Select a file in iCal format.
To also import tasks that have the same id as already existing tasks, enable **Ignore existing events**.
4. Click on **Import**.

Result: The tasks are added to the folder.


Related topics:

- [Exporting tasks \(p. 191\)](#)


8.7.7 Exporting tasks

You can export tasks in the iCalendar format. You can e.g. use this format to exchange tasks with other calendar applications. You can export individual tasks or all tasks from a folder.

How to export individual tasks:

1. Select a task or multiple tasks from the list.
2. Click the **More actions** icon  in the tool bar. Click the **Export** menu item. The *Export selected* window opens.
3. Click on **Export**. Complete the entries.

How to export all tasks from a folder:

1. Select a personal or public tasks folder in the folder view.
2. Click the **Actions** icon  next to the folder name. Click on **Export**. The *Export folder* window opens.
3. Click on **Export**. Complete the entries.


Related topics:

- [Importing tasks \(p. 191\)](#)

8.7.8 Printing tasks

You can print the data of a single task or of multiple tasks.

How to print a task's data:

1. Select a task or multiple tasks from the list.
2. Click the **More actions** icon  in the tool bar. Click on **Print** in the menu. A window with a print preview opens.
3. If required, change the printer settings. Click on the **Print** button.
4. Close the print preview window.

8.7.9 Deleting tasks

You can delete tasks.

Warning: When deleting a task, the task is irrevocably lost.

How to delete tasks:

1. Select a task or multiple tasks from the list.
2. Click on **Delete** in the tool bar.
3. Confirm that you want to delete the task.

Result: The task will be deleted.

8.8 Searching for Tasks

In order to search for tasks, you can use the following search criteria:

- search terms for subject, description, attachments' names, participants
- folders that are to be searched
- the task's status
- task type: single or recurring task
- folder type: all, private, public, shared

How to search for tasks:

1. Click on the **Search** input field. Additional icons are displayed.
2. Enter a search term in the input field. The search menu opens.
Define the data sources to be searched by clicking on an entry in the search menu.
 - If clicking on the search term or pressing enter, the following data sources are searched: subject, description
 - In order to only search in the subject, click on **in subject** in the search menu. Accordingly, you can limit the search to the description or the attachment's name.
 - In order to search for appointments with a specific participant, click on a name in the search menu.The search results are displayed in the list that is shown in the display area.
3. To select a folder for the search, click the **Options** icon ▼ in the input field. The folder that is searched, is displayed in the **Folder** drop-down. To select another folder, open the drop-down. If you select **All folders**, all private, public, and shared folders are searched.
4. The following options are available for limiting the search to specific tasks:
 - To limit the search to tasks with a specific editing status, click the **Options** icon ▼ in the input field. Open the **Task status** drop-down. Select a status.
 - To limit the search to single or recurring tasks, click the **Options** icon ▼ in the input field. Open the **Task type** drop-down. Select a type.
 - To limit the search to private, public or shared tasks, click the **Options** icon ▼ in the input field. Open the **Folder type** drop-down. Select a type.
5. To refine the search result, enter further search terms: To remove a search term, click the **Remove** icon ✕ next to the search term.
6. In order to finish the search, click the **Close** icon ✕ in the input field.

User interface:

[The Tasks search bar \(p. 177\)](#)

Related topics:

[Viewing tasks \(p. 182\)](#)

8.9 Task Settings

How to use the task settings:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **Tasks** in the side bar.

Depending on the configuration, the following settings are available:

Email notifications

Specifies whether you will receive an E-Mail notification, if the following is true:

- **Receive notifications when a task in which you participate is created, modified or deleted**
A task in which you participate has been re-created, changed or deleted.
- **Receive notifications when a participant accepted or declined a task created by you**
A participant accepted or declined a task created by you.
- **Receive notifications when a participant accepted or declined a task in which you participate**
A participant accepted or declined a task in which you participate.


9 Drive

Learn how to work with the Drive application.

- [The Drive Components \(p. 198\)](#)
- [Viewing files \(p. 206\)](#)
- [Downloading Files or Folder Contents \(p. 210\)](#)
- [Creating Files or Drive Folders \(p. 211\)](#)
- [Creating or Editing Text Files \(p. 212\)](#)
- [Organising Files and Drive Folders \(p. 213\)](#)
- [Searching for Files \(p. 221\)](#)
- [Sharing Data \(p. 235\)](#)
- [Accessing Files with WebDAV \(p. 223\)](#)
- [Adding storage accounts \(p. 225\)](#)
- [DriveSettings \(p. 226\)](#)

Information on the usage of local apps on desktops and mobile devices can be found in the Drive apps user guide.

How to start the Drive app

Click the **App Launcher** icon  in the menu bar. Click on **Drive** in the App Launcher.

Depending on the configuration, you can also click the quick start icon in the menu bar for launching the app. Drive

9.1 The Drive Components

The Drive app includes the following components.

- [The Drive search bar \(p. 199\)](#)
- [The Drive folder view \(p. 201\)](#)
- [The Drive tool bar \(p. 200\)](#)
- [The Drive navigation bar \(p. 202\)](#)
- [The Drive display area \(p. 203\)](#)
- [The file details \(p. 204\)](#)
- [The viewer \(p. 205\)](#)

9.1.1 The Drive search bar

Enables you to search for files.

The search bar is displayed if the folder view is visible. In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Actions:

[Searching for Files \(p. 221\)](#)

[Viewing files \(p. 206\)](#)

Related topics:







[The search bar \(p. 25\)](#)

9.1.2 The Drive tool bar

Contains functions for creating, editing and organising files and folders. Notes:

- Some functions are only available if you opened a folder for which you have the appropriate permissions to create or edit objects.
- Some buttons are only displayed, if objects have been selected.

Content

- **New.** Contains the following functions:
 - **Add local file.** Adds one or multiple local files.
 - Depending on the configuration, a function for adding files in an encrypted format will be available. Information on encrypting files can be found in [Encrypting Data with Guard \(p. 267\)](#)
 - **Add note.** Creates a simple text file.
 - **New text document.** Creates a new text document.
 - **New spreadsheet** Creates a new spreadsheet.
 - **Add new folder.** Creates a new folder.
- **Edit.** Edits a text file or an Office document. This function is only available if selecting a text file or an Office document.
- **Share** icon . This function allows sharing files or folders.
- **View** icon . Shows the contents of the selected file in the Viewer.
- **Download** icon . Downloads the files selected by you. Multiple files are downloaded as a zip archive.
- **Present** icon . Starts a presentation. This function is only available if you select a document in the PowerPoint or PDF format.
- **Delete** icon . Deletes the files or folders selected by you.
- **More actions** icon . Opens a menu with additional functions. Notes:
 - If you selected multiple files, some functions are not available.
 - If displaying a document or a text file, the function **Save as PDF** is available.
- **View.** Allows selecting the view in the [display area \[203\]](#).

Actions:

[Creating Files or Drive Folders \(p. 211\)](#)
[Viewing files \(p. 206\)](#)
[Organising Files and Drive Folders \(p. 213\)](#)
[Sharing Data \(p. 235\)](#)
[Encrypting files \(p. 272\)](#)

Related topics:

[The tool bar \(p. 26\)](#)

9.1.3 The Drive folder view

Displays the folders.


In order to display the folder view, click on **View** in the tool bar. Enable **Folder view**.

Content

- *My files*. Contains your personal files and folders. By default, it contains folders for documents, music, images, and videos.
- *My shares*. Shows the files and folders shared by you for other users or external partners.
- *My attachments*. Displays the file attachments of E-Mail messages sent or received by you.
- *Trash*. Contains the files and folders deleted by you.
- *Shared files*. Contains files shared with you by other users.
- *Public files*. Contains files shared with all users.

Depending on the configuration, the content can differ from this information.

Functions

- If clicking on a folder, its contents are displayed.
- The **Actions** icon  next to the selected folder offers functions for organising data and for exchanging data.
- The **Add storage account** button below the folders offers functions for adding cloud storage accounts that you set up in third party products like Dropbox.

Actions:

[Navigating within the folder structure \(p. 231\)](#)

[Adding storage accounts \(p. 225\)](#)

[Managing Data with Folders \(p. 228\)](#)

Related topics:

[The folder view \(p. 27\)](#)

[Sharing Data \(p. 235\)](#)

9.1.4 The Drive navigation bar

The navigation path is located below the tool bar. The following functions are available:

- navigate within the folder structure
- sort and select objects

Functions


- Navigation path. It shows the path to the folder opened. To open a parent folder, click on a path entry.
- **Sort by** button. Sorts the files in the display area by various criteria.
- **Select** button. Contains functions for selecting or filtering objects in the [display area \[203\]](#):
 - select all files and folders, select all files, clear the selection
 - display certain file types only, display all file types

Related topics:

[Viewing files \(p. 206\)](#)

9.1.5 The Drive display area

Displays the files and folders as a list, icons or tiles. In order to select a view, click on **View** in the tool bar.

- For each file and folder a row with the following content is displayed in the **List** view.
 - An icon. There are different icons for the individual object types.
 - The name of the file or folder.
 - Date or time of the last change
 - In the case of files, the size is displayed.
- For each file and folder the following information is displayed in the **Icons** view.
 - An icon. If available, a file preview is shown.
 - the name of the file or folder
- Files and folders are displayed as squares in the **Tiles** view.
- Encrypted files are marked with the *Encrypted* icon . Information on encrypting files can be found in *Encrypting Data with Guard* (p. 267)

Functions

- In order to display details of a selected object, click on **View** in the tool bar. Enable **File Details**. Details are displayed in a side bar.
- In order to display specific object types only, click on **Select** in the navigation bar. Enable an entry below *Filter*.
In order to display all objects, click on **Select** in the navigation bar. Enable the entry **All** below *Filter*.
- In order to sort objects, click on **Sort by** in the navigation bar. Enable an entry.
- Select a file or folder by clicking on it. You can also use your system's multi-selection functions. You can also use checkboxes to select files or folders. In order to display the checkboxes, click on **View** in the tool bar. Enable **Checkboxes**.
To select all objects or files or to clear the selection, click on **Select** in the navigation bar. Click on an entry below *Select*.
- If double-clicking on a folder, it will be opened.
- For frequently used functions, you can use the context menu for a folder, a file or multiple files.

Actions:

[Viewing files \(p. 206\)](#)
[Downloading Files or Folder Contents \(p. 210\)](#)
[Organising Files and Drive Folders \(p. 213\)](#)

Related topics:

[The file details \(p. 204\)](#)
[The display area \(p. 28\)](#)
[Managing Data with Folders \(p. 228\)](#)
[Sharing Data \(p. 235\)](#)

9.1.6 The file details



Displays information about the selected object in a side bar.

In order to display the side bar, click on **View** in the tool bar. Enable **File Details**.

Content

- *Details*. Displays general information about the object selected in the display area:
 - the name of the file or folder
 - file size or number of objects in the folder
 - date of the last change
 - the editor's name
 - the parent folder's name
 - Some of the following data are displayed for pictures with Exif data: make, model, shot, ISO, capture date

If you shared the object, the button next to *Shares* can be used to open the window for editing shares. When having selected an object in the *My attachments* folder, the **View message** button is displayed. If clicking on it, the respective E-Mail with the attachment is displayed.
- *Description*. Shows file comments, if available.

To view the buttons for creating or editing a description, click the **Panel on/off** icon .
- If there are several file versions, the *Versions* area is displayed. To view the list of versions, click the **Panel on/off** icon .
- For each version the following information is displayed:
 - The version's file name. If clicking on it, a menu with several functions opens:
 - the version's file size
 - name of the user who uploaded the version
 - date and time of the version's upload
- **Upload a new version** button. Click on this button to select a file that is uploaded as new version.

Actions:

[Viewing files \(p. 206\)](#)
[Downloading Files or Folder Contents \(p. 210\)](#)
[Organising Files and Drive Folders \(p. 213\)](#)
[Working with versions \(p. 220\)](#)


Related topics:

[The display area \(p. 28\)](#)
[The viewer \(p. 205\)](#)
[Managing Data with Folders \(p. 228\)](#)
[Sharing Data \(p. 235\)](#)










9.1.7 The viewer

Shows the contents of files.

In order to launch the viewer, do one of the following:

- Select a file. Click the **View** icon  in the tool bar.
- Double-click on a file in the display area.
Note: If double-clicking on an Office document, the respective Documents app is launched if configured accordingly.
- Select one or several files. Click on **View** in the context menu.

Content

- Name of the selected file. If clicking on the name, the *Rename* window opens.
- Depending on the selected file type, the respective functions are displayed.
 - If the selected file is editable, the **Edit** button is displayed.
 - If a document template is shown, the **New from template** button is displayed.
 - Depending on the content of the selected file, the **Zoom out** icon  and the **Zoom in** icon  are displayed.
 - If an image is shown and there are further images in the selected folder, the **Slideshow** button is displayed.
 - If a presentation or a PDF document is shown, the **Present** icon  is displayed.
- **Download** icon . Downloads the file.
- **Share** icon . This function allows sharing data.
- **More actions** icon . Opens a menu with additional functions. If displaying a document or a text file, the function **Print as PDF** is available. If there are several images, the **Run auto-play mode** function is available.
- **View details** icon . Opens or closes a side bar with file details.
- **Pop out** icon . Displays the contents of the selected file on a new page. For documents in the Office format, there are page navigation functions available:
- **Close** icon . Closes the Viewer.
- If there are additional files, icons for browsing are displayed to the left and to the right of the view.

Actions:

[Displaying files in the viewer \(p. 207\)](#)
[Holding a presentation \(p. 208\)](#)
[Organising Files and Drive Folders \(p. 213\)](#)
[Downloading Files or Folder Contents \(p. 210\)](#)
[Sharing Data \(p. 235\)](#)
[Encrypting files \(p. 272\)](#)

Related topics:

[The file details \(p. 204\)](#)
[Sharing Data \(p. 235\)](#)

9.2 Viewing files

The following options are available:

- [Displaying files in the viewer \(p. 207\)](#)
- [Displaying E-Mail attachments in Drive \(p. 208\)](#)
- [Holding a presentation \(p. 208\)](#)

9.2.1 Displaying files in the viewer

The following options are available:

- display text files, documents or images in the viewer
- view images as a slide show
- play audio and video files, provided they are in a suitable format

How to display files in the viewer:


1. Open a folder containing files.
2. In order to select a view for the objects, click on **View** in the tool bar. Select one of these entries: **List, Icons, Tiles**.

In order to display details of a selected file, click on **View** in the tool bar. Enable **File Details**.

3. To change the sorting, click on **Sort by** in the navigation bar.

In order to display specific object types only, click on **Select** in the navigation bar.


4. Use one of the following methods:

- Double-click on a file in the display area.
- Select one or several files in the display area. Click the **View** icon  in the tool bar.
- Select **View** from the context menu.

To display details for the selected file, enable the **Show details** icon .

In order to open the previous or next file, click the **Back** icon  or the **Next** icon  next to the view.

Depending on the file type, different functions can be available:

- If the file content cannot be displayed, a button for downloading the file will be shown.
- For text files and documents in the Office format, there are editing functions available: Information on editing documents can be found in the Documents user documentation.
- For images, a button for running a slideshow is available.
- For presentations, an icon for presenting the presentation is shown.
- For audio and video files in suitable formats, there are playing functions available.
Note: The playing options depend on the browser used.
- In order to display the file in a new page, click the **Pop out** icon . For documents in the Office format, there are page navigation functions available:
 - In order to browse page by page or to view a specific page, use the elements above the document.
 - In order to navigate with the help of thumbnail images, activate the **Thumbnail** tab in the side bar. Click on a thumbnail image.

User interface:

[The Drive display area \(p. 203\)](#)

[The file details \(p. 204\)](#)

[The viewer \(p. 205\)](#)

Similar actions:

[Navigating within the folder structure \(p. 231\)](#)

[Searching for Files \(p. 221\)](#)

[Displaying E-Mail attachments in Drive \(p. 208\)](#)

[Holding a presentation \(p. 208\)](#)

[Downloading Files or Folder Contents \(p. 210\)](#)

9.2.2 Displaying E-Mail attachments in Drive

The attachments of E-Mail messages that have been sent or received by you, are displayed in a separate folder.

How to display E-Mail attachments:

1. In the Drive app, open the **My shares** folder.
2. To view an attachment's content, use the methods for viewing files.
To display the E-Mail that belongs to the selected attachment, click on **View** in the tool bar. Enable **File Details**. Click on **View message**.

User interface:

[The Drive display area \(p. 203\)](#)
[The file details \(p. 204\)](#)

Similar actions:



[Displaying files in the viewer \(p. 207\)](#)
[Holding a presentation \(p. 208\)](#)
[Downloading Files or Folder Contents \(p. 210\)](#)
[Viewing or Saving email Attachments \(p. 64\)](#)

9.2.3 Holding a presentation




You can hold presentations in common Office formats or in the PDF format. Depending on the requirement, use one of the following methods:

- Locally hold a presentation on the machine.
- Hold a remote presentation. This enables users who are not on-site, to follow the presentation.

How to hold a local presentation:

1. Open a folder containing presentations.
2. Select a presentation in the display area. Click the **Present** icon  in the tool bar.
You can also use the **Present** icon in the Viewer.
The presentation is opened in a new page. To browse the pages before the start, use the navigation elements next to the sheet or the previews below the sheet. You can also use the cursor keys.
You can use the icons on the right side of the tool bar to adjust the sheet size.
3. In order to start a local presentation, click on **Start presentation** in the tool bar. Select **Start local presentation**.
During the presentation, the following functions are available:
 - To display a function bar, hover the mouse over the bottom of the screen. The following functions are available:
browse, display a specific sheet, display the participants list, pause presentation, activate fullscreen mode.
 - If clicking on **Pause presentation**, the presentation is stopped at the current sheet.
 - If clicking the icon **Toggle fullscreen** , the fullscreen mode is activated. You can use the [esc] key or the function bar at the bottom of the screen to leave the fullscreen mode.
4. In order to end the presentation, click on **End presentation** in the tool bar.

How to hold a remote presentation:

1. Open a folder containing presentations.
2. Select a presentation in the display area. Click the **Present** icon  in the tool bar.
You can also use the **Present** icon in the Viewer.
The presentation is opened in a new page. To browse the pages before the start, use the navigation elements next to the sheet or the previews below the sheet. You can also use the cursor keys.
You can use the icons on the right side of the tool bar to adjust the sheet size.
3. Send the URL of the selected presentation to the users who should take part in the presentation. The users have to open the URL in their browser.
If clicking the **Show participants** icon  the users who take part in the remote presentation are shown in the side bar.
4. Click on **Start presentation** in the tool bar. Select **Start remote presentation**.
During the presentation, the following functions are available:
 - To display a function bar, hover the mouse over the bottom of the screen. The following functions are available:
browse, display a specific sheet, display the participants list, pause presentation, activate fullscreen mode.
 - If clicking on **Pause presentation**, the presentation is stopped at the current sheet.
 - If clicking the icon **Toggle fullscreen**  , the fullscreen mode is activated. You can use the [esc] key or the function bar at the bottom of the screen to leave the fullscreen mode.
5. In order to end the presentation, click on **End presentation** in the tool bar.

User interface:

[The Drive display area \(p. 203\)](#)
[The file details \(p. 204\)](#)
[The viewer \(p. 205\)](#)

Similar actions:


[Displaying files in the viewer \(p. 207\)](#)
[Displaying E-Mail attachments in Drive \(p. 208\)](#)
[Downloading Files or Folder Contents \(p. 210\)](#)

9.3 Downloading Files or Folder Contents

The following options are available:


- download one or several files
- download the complete contents of a folder as zip archive

How to download files:

1. Open a folder containing files.
Select one or several files in the display area.
2. Use one of the following methods:
 - Click the **Download** icon  in the tool bar.
 - Select **Download** from the context menu.
 - Use the **Download** button in the Viewer.
3. Complete the steps for downloading the folder.

Tip: Learn how to download a certain file version by reading [Section 9.6.11, “Working with versions”](#).

How to download the complete contents of a folder:

1. In the folder view, select the folder with the content you want to download.
2. Click the **Actions** icon  next to the folder name. Click on **Download entire folder**.
3. Complete the steps for downloading the folder. The folder's content is saved as a zip archive.

You can also download a folder by using the context menu in the display area.

Note: Depending on the configuration, attachments are checked for viruses before being downloaded.

- If no virus is found, the attachments are downloaded without any further notification.
- If a virus scan was not possible or a virus was found, a window with a respective warning opens. In this case you can cancel the download.

User interface:

[The Drive display area \(p. 203\)](#)

[The viewer \(p. 205\)](#)

Similar actions:

[Displaying files in the viewer \(p. 207\)](#)

[Displaying E-Mail attachments in Drive \(p. 208\)](#)

[Holding a presentation \(p. 208\)](#)

9.4 Creating Files or Drive Folders

The following options are available:

- add new files in the current folder
- create new sub-folders

How to add new files:

1. Open a folder.

Note: Open a folder for which you have the appropriate permissions to create objects.

2. Click on **New** in the tool bar. Click on **Add local file**.

Depending on the configuration, a function for adding files in an encrypted format will be available. Information on encrypting files can be found in *Encrypting Data with Guard* (p. 267)

3. Select one or several files in the *Upload file* window.

Click on **Open**. The display area shows the current progress status.

In order to cancel the process, click on **Cancel** at the bottom right side of the display area.

In order to cancel the process for individual files, click on **File Details** at the bottom right side of the display area. Click on **Cancel** next to a file name in the *Upload progress* window.

In the *Settings*, you can define whether a new file or a new version of a possibly existing file with the same name should be created.

Tips:

- You can continue working in the groupware during the upload process.
- You can also create a new file by dragging a file from a file browser or from your desktop to the Drive app window and drop it in the display area.

How to create a new folder:

1. Open a folder.

Note: Open a folder for which you have the appropriate permissions to create objects.

2. Click on **New** in the tool bar. Click on **Add new folder**.

Click the **Actions** icon  next to the folder name. Click on **Add new folder**.

3. Enter a name in the *Add new folder* window. Click on **Add**.

User interface:

[The Drive display area](#) (p. 203)

[The file details](#) (p. 204)

Related topics:

[Viewing files](#) (p. 206)

[Creating or Editing Text Files](#) (p. 212)

[Organising Files and Drive Folders](#) (p. 213)

[Searching for Files](#) (p. 221)

[Managing Data with Folders](#) (p. 228)

[Sharing Data](#) (p. 235)

9.5 Creating or Editing Text Files

The following options are available:

- create text files with plain text
- edit existing text files

How to create a new text file:

1. Open a folder in the folder view.

Note: Open a folder for which you have the appropriate permissions to create objects.

2. Click on **New** in the tool bar. Click on **Add note**.

3. Enter a title.

Enter the text or paste text from the clipboard.

In order to edit the text, use common techniques from familiar applications.

How to edit a text file:

1. Open a folder containing text files, in the folder view.

Note: Open a folder for which you have the permission to create objects.

2. Use one of the following methods:

- Select a text file. Click on **Edit** in the tool bar.
- Double-click on a text file.
- Display a text file in the Viewer. Click on **Edit**.

The text will be opened for editing.

3. In order to edit the text, use common techniques from familiar applications.

User interface:

[The editing window \(p. 31\)](#)

Related topics:

[Viewing files \(p. 206\)](#)

[Creating Files or Drive Folders \(p. 211\)](#)

[Organising Files and Drive Folders \(p. 213\)](#)

[Searching for Files \(p. 221\)](#)

[Managing Data with Folders \(p. 228\)](#)

[Sharing Data \(p. 235\)](#)

9.6 Organising Files and Drive Folders

The following options are available:

- [Sending files as E-Mail attachments \(p. 214\)](#)
- [Editing file names \(p. 214\)](#)
- [Creating or editing descriptions \(p. 215\)](#)
- [Moving files or Drive folders \(p. 215\)](#)
- [Copying files \(p. 216\)](#)
- [Saving files as PDF \(p. 216\)](#)
- [Adding files to the portal \(p. 217\)](#)
- [Adding files or Drive folders to favorites \(p. 217\)](#)
- [Deleting files or Drive folders \(p. 218\)](#)
- [Locking or unlocking files \(p. 219\)](#)
- [Working with versions \(p. 220\)](#)

User interface:

- [The Drive tool bar \(p. 200\)](#)



Related topics:

- [Creating Files or Drive Folders \(p. 211\)](#)

9.6.1 Sending files as E-Mail attachments

You can send the current versions of files as E-Mail attachments.

How to send files as an E-Mail attachment:

1. Select one or several files in the display area.
2. Use one of the following methods:
 - Click the **More actions** icon  in the tool bar. Click on **Send by e-mail** in the menu.
 - Click on **Send by e-mail** in the context menu.
 - Use the **More actions** icon  in the Viewer.
3. In the E-Mail edit window, fill in the details to send a new E-Mail.

User interface:



[The Drive display area \(p. 203\)](#)

[The viewer \(p. 205\)](#)

9.6.2 Editing file names

Prerequisite: You have the appropriate permissions for editing objects in the folder containing the file.

How to edit the file name:

1. Select a file in the display area.
2. Use one of the following methods:
 - Click the **More actions** icon  in the tool bar. Click on **Rename** in the menu.
 - Select **Rename** from the context menu.
 - Use the **More actions** icon  in the Viewer.
 - Click on the file name on the upper left side of the Viewer.
3. Edit the file name in the *Rename* window.

User interface:

[The Drive display area \(p. 203\)](#)

[The file details \(p. 204\)](#)

[The viewer \(p. 205\)](#)

Similar actions:


[Creating or editing descriptions \(p. 215\)](#)

9.6.3 Creating or editing descriptions

You can create or edit a file's description.

Prerequisite: You have the appropriate permissions for editing objects in the folder containing the file.

How to create or edit a file's description:

1. Select a file in the display area.
If no details are displayed, click on **View** in the tool bar. Enable **File Details**.
2. To view the buttons, click the **Panel on/off** icon .
In order to add a description, click on **Add a description**.
In order to edit a description, click on **Edit description**.

You can also use the function in the side bar of the Viewer.

User interface:

- [The Drive display area \(p. 203\)](#)
- [The file details \(p. 204\)](#)
- [The viewer \(p. 205\)](#)

Similar actions:

- [Editing file names \(p. 214\)](#)


9.6.4 Moving files or Drive folders

You can move the following objects to another folder:

- one or multiple files
- one or multiple folders
- a combination of files and folders

Prerequisite: You need to have the appropriate permissions to create objects in the target folder.

How to move objects to another folder:

1. Select the objects in the display area.
2. Use one of the following methods:
 - Click the **More actions** icon  in the tool bar. Select **Move** from the menu.
 - Select **Move** from the context menu.
 - Use drag and drop to move the items to a folder in the folder view.
3. Select a folder in the *Move* window. You can create a new folder by clicking on **Create folder**.
Click on **Move**.

User interface:

- [The Drive display area \(p. 203\)](#)

Similar actions:


- [Copying files \(p. 216\)](#)

9.6.5 Copying files

You can copy files to another folder: When copying a shared file, the permissions will not be copied. This means, the file's copy is not shared.

Prerequisite: You need to have the appropriate permissions to create objects in the target folder.

How to copy files to another folder:

1. Select one or several files in the display area.
2. Use one of the following methods:
 - Click the **More actions** icon  in the tool bar. Select **Copy** from the menu.
 - Select **Copy** from the context menu.
3. Select a folder in the *Copy* window. You can create a new folder by clicking on **Create folder**. Click on **Copy**.

User interface:

[The Drive display area \(p. 203\)](#)



Similar actions:

- [Moving files or Drive folders \(p. 215\)](#)

9.6.6 Saving files as PDF

You can save documents and text files in PDF format. The PDF file will be saved to the folder that contains the document or text file.

How to save a file in the PDF format:

1. Select a file in the display area.
2. Use one of the following methods:
 - Click the **More actions** icon  in the tool bar. Select **Save as PDF** from the menu.
 - Select **Save as PDF** from the context menu.
 - Use the **More actions** icon  in the Viewer.
3. In the *Save as PDF* window, you can enter a name for the PDF file. Click on **Save**.

User interface:


[The Drive display area \(p. 203\)](#)

[The viewer \(p. 205\)](#)

9.6.7 Adding files to the portal

You can add a file as widget to the Portal.

How to add a file to the portal:

Select a file in the display area. Click the **More actions** icon  in the tool bar. Click on **Add to portal** in the menu.

User interface:

[The Drive display area \(p. 203\)](#)

Related topics:

- [Adding Portal widgets \(p. 50\)](#)


9.6.8 Adding files or Drive folders to favorites

You can add frequently used objects like files or folders to the symbolic folder *Favourites*. The following functions are available:

- add objects to favourites
- remove objects from favourites

The original position of the objects in the folder view will not be affected by those actions.

How to add objects to *Favourites*:

1. Select the objects in the display area.
2. Use one of the following methods:
 - Click the **More actions** icon  in the tool bar. Click on **Add to favourites** in the menu.
 - Select **Add to favourites** from the context menu.

Result: The objects are displayed in the upper part of the folder view below *Favourites*.

How to remove objects from *Favourites*:

1. In the folder view, click on **Favourites**. Select the objects in the display area.
2. Click on **Remove from favourites** in the tool bar.

Result: The objects are removed from *Favourites*. If *Favourites* is empty, the folder will be removed.

User interface:

[The Drive display area \(p. 203\)](#)

Similar actions:

- [Moving files or Drive folders \(p. 215\)](#)


9.6.9 Deleting files or Drive folders

You can delete objects in the same way as files and folders. The following options are available:

- **delete** object The objects are moved to the *Trash* folder.
- **Restore** deleted objects from the *Trash* folder. The objects are restored to their original location.
- **Permanently delete** objects from the *Trash* folder. You can also permanently delete all items in a folder by **emptying the trash**.


Warning: If you delete objects from the *Trash* folder, they are irrevocably deleted.

How to delete objects:

1. Select the objects in the display area.
2. Use one of the following methods:
 - Click the **Delete** icon  in the tool bar.
 - Select **Delete** from the context menu.
3. Confirm that you want to delete the items.

Result: The selected objects are deleted.


How to restore deleted objects:

1. Open the *Trash* folder.
2. Select the objects to be restored.
3. Use one of the following methods:
 - Click the **More actions** icon  in the tool bar. Click the **Restore** menu item.
 - Select **Restore** from the context menu.

Result: The objects are restored in their original location.

How to permanently delete objects:


Warning: Permanently deleted objects **cannot** be restored.

1. Open the *Trash* folder.
2. Select the objects.
3. Click the **Permanently delete** icon in the tool bar. .
4. Confirm that you want to delete the items.

Result: The items are permanently deleted.

How to permanently delete the contents of the Trash folder:

Warning: Permanently deleted objects **cannot** be restored.

1. **Select** the *Trash* folder in the folder view.
2. Click the **Actions** icon  next to the folder name. Click on **Empty folder**.
3. Confirm that you want to empty the folder.


Result: The objects in the trash are permanently deleted.

9.6.10 Locking or unlocking files


When editing a file, you can lock the file. The lock has the following purposes:

- The file lock informs other users that the file is currently being edited and might no longer be up to date.
- If the file is located in a folder that you share with other users whom you granted edit permissions, those users can not edit the locked file.
- If you are the owner of a shared file and another user locks the file, you can always unlock it.

How to lock files:

1. Select one or several files in the display area.
2. Click the **More actions** icon  in the tool bar. Click on **Lock** in the menu.

How to unlock files:


1. Select one or several locked files in the display area.
2. Click the **More actions** icon  in the tool bar. Click on **Unlock** in the menu.

9.6.11 Working with versions

The following options are available:

- open or save the current version
- upload a new version
- apply functions to a specific version:
 - download
 - set as current version
 - delete the version
 - delete all previous versions

How to open or save the current version:

1. Select a file in the display area. Click the **Download** icon  in the tool bar.
2. Complete the steps for opening or downloading.


How to upload a new version:

1. Select a file in the display area. If no side bar is displayed, click on **View** in the tool bar. Enable **File Details**.
2. Click on **Upload new version** in the side bar. Select a file.
3. Enter a version comment.
4. Click on **Upload**.

You can also use the function in the side bar of the Viewer.

Tip: You can also upload a new version by dragging a file from a file browser or from the desktop to the viewer's or the display area's side bar and dropping it there.

How to download or delete a specific version or make it the current version:

1. Select a file in the display area. If no side bar is displayed, click on **View** in the tool bar. Enable **File Details**.
2. To view the buttons, click the **Panel on/off** icon  next to **Versions** in the side bar. Click on a version. Select one of the functions from the menu:
 - **Download**. Downloads the version.
 - **Make this the current version**. Sets this version as the current version.
 - **Delete version**. Deletes this version only.
 - **Delete all previous versions**. Deletes all versions that are older than this version.

You can also use the function in the side bar of the Viewer.

User interface:

- [The Drive display area \(p. 203\)](#)
- [The file details \(p. 204\)](#)
- [The viewer \(p. 205\)](#)

9.7 Searching for Files

In order to search for files, you can use the following search criteria:

- search terms for file names, file descriptions
- folders that are to be searched
- file type: all, audio, documents, images, other, video
- file size
- time frame of the latest change, related to the current date: last week, last month, last year
- folder type: all, private, public, shared

How to search for files:

1. Click on the **Search** input field in the menu bar. Additional icons are displayed.
2. Enter a search term in the input field. The search menu opens.
Define the data sources to be searched by clicking on an entry in the search menu.
 - If clicking on the search term or pressing enter, the following data sources are searched: file name, description
 - In order to only search in the file names, click on **in file name** in the search menu. Accordingly, you can limit the search to the file description.The search results are displayed in the list that is shown in the display area.
3. To select a folder for the search, click the **Options** icon ▼ in the input field. The folder that is searched, is displayed in the **Folder** drop-down. To select another folder, open the drop-down.
 - If you select **All folders**, all private, public, and shared folders and sub-folders are searched. To limit the search to private, public or shared folders, click on **Options**. Select a type.
 - If you select a specific folder or the folder, only this folder is searched, but not sub-folders.
4. The following options are available for limiting the search to specific files:
 - To search for specific files, click the **Options** icon ▼ in the input field. Open the **File type** drop-down. Select a type.
 - To limit the search to files with a specific size, click the **Options** icon ▼ in the input field. Open the **File size** drop-down. Select a size.
 - To search for files that have been modified within a specific time frame, click the **Options** icon ▼ in the input field. Open the **Date** drop-down. Select a value.
5. To refine the search results, enter additional search terms: To remove a search term, click the **Remove** icon ✕ next to the search term.
6. In order to finish the search, click the **Close** icon ☒ in the input field.

User interface:

[The Drive search bar \(p. 199\)](#)

Related topics:

[Viewing files \(p. 206\)](#)

9.8 Accessing Files with WebDAV

With WebDAV you can access the Drive app files in the same way as when accessing local files on your disk. Compared with the access from the Groupware GUI, WebDAV has advantages and disadvantages:

- The advantage is the quick and direct access with a file browser e.g. Windows Explorer. You do not need to be logged in to the Groupware GUI.
- The disadvantage is that you can only see the current document version. Neither the version history nor additional information, like comments, are displayed.

Warning: If you delete a file with WebDAV, all versions will be lost, not only the current version.

Note: To create objects with WebDAV in a public or shared folder, you need to have at least the following permissions for the respective folder: create objects, edit own objects. To also read own objects, you additionally need this permission: read own objects. Information on permissions can be found in [10.2.9: Which permissions can be used? \(page 245\)](#).

Prior to accessing the Drive app files with a file browser, e.g. the Windows Explorer, you have to set up the WebDAV access. Depending on the system software the procedure differs:

- [Setting up WebDAV under Linux \(p. 223\)](#)
- [Setting up WebDAV under Windows 7 \(p. 223\)](#)

9.8.1 Setting up WebDAV under Linux

How to set up WebDAV access under Linux:

1. Open KDE Konqueror or a similar browser.
2. Enter the following address in the address bar:
webdav://<address>/servlet/webdav.infostore
Replace the <address> with the Groupware Server's IP address or URL.
3. Enter your username and password for accessing the Groupware Server.

Result: The Drive app files are displayed in the browser.

9.8.2 Setting up WebDAV under Windows 7

How to set up WebDAV access under Windows 7:

Prerequisite: The registry key *BasicAuthLevel* has to be set to *2* in the Windows registry database. Additional information can be found in the Microsoft articles <http://support.microsoft.com/kb/928692> and <https://support.microsoft.com/kb/841215>.

Note: Depending on the Windows 7 setup, there can be delays when accessing WebDAV folders. If this is the case, follow the instructions in this article: <http://support.microsoft.com/kb/2445570>.

1. In the navigation area of the Windows Explorer select the entry **Computer**.
2. In the icon bar click on **Connect drive**. The *Connect drive* window opens.
3. Click on **Connect to a Web site that you can use to store your documents**. The *Add network address* window opens. Click on **Next**.
4. Select **Select custom network address**. Click on **Next**.
5. In the *Add network path* dialogue window enter the following address:
https://<address>/servlet/webdav.infostore
where <address> needs to be replaced by the Groupware server's IP address or URL.
Click on **Next**.
6. Enter your username and password for accessing the Groupware Server. Click on **OK**.
7. On the next page you can assign a name to the network address. Click on **Next**.
8. Click on **Finish**.

Result: Below **Computer** you can access your Drive app files.

9.9 Adding storage accounts


If you use third party cloud storage services like Google Drive, Dropbox, Box or OneDrive, you can access the data of those accounts from within the groupware by adding those accounts as storage accounts.

How to add a storage account:

1. In the folder view, click on **Add storage account**. The *Add storage account* window opens.
2. Click an icon. The next step depends on the cloud storage account provider:
 - If the provider asks for credentials, enter your credentials for the cloud storage account.
 - If the provider asks you for permission to access the data, grant this permission.

A folder for the storage account appears in the folder view.

Options:

- To rename the folder, click the **Actions** icon  next to the folder name or use the context menu.
- Depending on the folder content, you can use the tool bar functions, e.g. to view pictures or to copy files.

Note: Depending on the storage account's functionality, working with versions might not be supported.

Related topics:

[Renaming folders \(p. 233\)](#)

[Viewing, editing, deleting accounts \(p. 251\)](#)

9.10 DriveSettings

How to use the Drive settings:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **Drive** in the side bar.

Depending on the configuration, the following settings are available:

Adding files with identical names

Defines whether a new file or a new version of a possibly existing file with the same name should be created.

- **Add new version**
A new version of the file will be created.
- **Add new version and show notification**
A new version of the file will be created. As soon as the process is finished, you will receive a notification.
- **Add separate file**
A new file will be added. The file name is enhanced with a consecutive number.

Slideshow / Autoplay mode for images

Defines how to present pictures that are displayed in the viewer

Advanced settings

- **Show hidden files and folders**
Defines whether hidden files and folders are displayed. The names of hidden files and folders are preceded by a dot. The local Drive apps require such files and folders for internal purposes. In order to not endanger the functionality of the local Drive apps, such hidden files and folders must not be changed or deleted.

Version history

Depending on the configuration, you can define the number of file versions that should be kept for a specific time frame set by you. If the maximum time frame or number is reached, older versions are deleted upon creation of a new version.

- **Time frame**
Defines the period after which an older version is deleted when creating a new version.
- **File version limit**
Defines the maximum number of versions. If the maximum is reached, an older version is deleted when creating a new version.

10 Data Organisation and Shares

Learn how to organise your data and how to share your data with others.

- [Managing Data with Folders \(p. 228\)](#)
- [Sharing Data \(p. 235\)](#)
- [Managing Accounts \(p. 249\)](#)
- [Managing Subscriptions \(p. 252\)](#)

Information on encrypting E-Mail messages and files can be found in *Encrypting Data with Guard* (p. 267)

10.1 Managing Data with Folders

Folders help you to:

- keep an overview of your objects
- share information with other users and external partners
- search for certain information and quickly find the information again

What you should know:

- [What are folder types? \(p. 229\)](#)
- [What is the purpose of permissions? \(p. 230\)](#)

The following options are available:

- [Navigating within the folder structure \(p. 231\)](#)
- [Hiding folders \(p. 232\)](#)
- [Adding folders to favourites \(p. 233\)](#)
- [Renaming folders \(p. 233\)](#)
- [Moving folders \(p. 234\)](#)
- [Deleting folders \(p. 234\)](#)

Further information on files and folders in the Drive app can be found in [Organising Files and Drive Folders \(p. 213\)](#).

User interface:

- [The E-Mail folder view \(p. 57\)](#)
- [The Address Book folder view \(p. 105\)](#)
- [The Calendar folder view \(p. 132\)](#)
- [The Tasks folder view \(p. 178\)](#)
- [The Drive folder view \(p. 201\)](#)

Related topics:

- [Adding E-Mail folders \(p. 75\)](#)
- [Adding Address Books \(p. 117\)](#)
- [Adding Calendars \(p. 156\)](#)
- [Adding Task Folders \(p. 187\)](#)
- [Creating Files or Drive Folders \(p. 211\)](#)

10.1.1 What are folder types?

The folder type defines the folder access for the users. The following folder types exist in the folder view:

- Personal folders
 - Personal folders contain your email messages, contacts, appointments, tasks, and files. Other users cannot view your personal folders, unless you share them with other users.
 - Your personal folders for contacts, appointments, tasks, and files can be found below *My address books*, *My calendars*, *My tasks*, *My files* in the respective app.
- Public folders
 - Public folders contain contacts, appointments, and documents that are of common interest to all users. Each user can create public folders and share them with other users.
 - The public folders for contacts, appointments, tasks, and files can be found below *Public address books*, *Public calendars*, *Public tasks*, *Public files* in the respective app.
- Shared folders
 - Shared folders have been shared with you by other users with read or write access.
 - The shared folders for contacts, appointments, tasks, and files can be found below *Shared address books*, *Shared calendars*, *Shared tasks*, *Shared files* in the respective app.

Note: If there are no public or shared folders, their folder type headers are not displayed.

Related topics:

[What is the purpose of permissions? \(p. 230\)](#)

10.1.2 What is the purpose of permissions?

Permissions define what an internal user or external partner is allowed to do with a particular folder and its contents.

- As an internal user you have preset permissions for existing folders.
When creating a new folder, you will be granted the preset permissions.
- When inviting other people to a shared item, you grant them specific permissions.

You have the following permissions for folders that already exist:

- You are the owner of your personal folders.
The owner has the same permissions as an administrator. The owner has all permissions for this folder. The owner can grant other users permissions to the folder.
- You are allowed to create folders and objects in public folders.
- You are allowed to view folders and read objects in the *Global Address book*.

Depending on where you create a new folder, particular rights are assigned to you.

- If you create a new folder in a personal folder:
 - You are the owner.
 - In the E-Mail app and the Drive app, other users inherit their permissions for the parent folder. In the other apps, other users do not inherit permissions.
- If you create a new folder in the **Public files** folder:
 - You are the owner.
 - Other users will get no rights. You have to set the permissions for the new folder. If you then create new subfolders in this folder, the permissions for this folder are inherited by the new subfolders.
- If you create a new folder in the shared folder of another user:
 - The user who shared the folder is the administrator of the new folder.
 - You are the author of the new folder.
An author is allowed to change or delete existing objects, to create and edit new objects, and to create subfolders.
 - Other users will get the same rights as for the parent folder.

Note: You need to have the permission to create objects in the shared folder.

Related topics:

[What are folder types? \(p. 229\)](#)

[Sharing Data \(p. 235\)](#)

[Which permissions can be used? \(p. 245\)](#)

[Use cases for permissions \(p. 247\)](#)

10.1.3 Navigating within the folder structure

The following functions are available:

- open or close the folder view
- change the folder view width
- open or select a folder in the folder view or by using the navigation path

How to open or close the folder view:

Use one of the following methods:

- Click on **View** in the tool bar. Enable or disable **Folder view**.
- Below the folder view, click the **Open folder view** icon » or the **Close folder view** icon «.

How to change the folder view width:

1. Move the cursor to the right border of the folder view. A double arrow will be displayed.
2. Drag the border to the left or to the right.

How to open or select a folder:

1. If the folder view is closed, open it.
2. To view a folder's subfolders, click on the arrow next to the folder name.
3. Click on a folder. The folder's items are displayed in the detail view.
In the Drive app, additionally the following options are available:
 - Click on an entry in the navigation bar to open a parent folder.
 - To open a folder, double-click on it in the detail view.

Further actions that include this function:

[Displaying email messages \(p. 63\)](#)

[Working with tabs \(p. 77\)](#)

[Displaying contacts \(p. 109\)](#)

[Displaying appointments in the calendar view \(p. 140\)](#)

[Displaying appointments in the list view \(p. 143\)](#)

[Viewing tasks \(p. 182\)](#)

[Viewing files \(p. 206\)](#)

[Displaying files in the viewer \(p. 207\)](#)

Related topics:

[Hiding folders \(p. 232\)](#)

[Adding folders to favourites \(p. 233\)](#)


10.1.4 Hiding folders

In the Address Book, Calendar or Tasks apps, you can hide certain personal, shared or public folders. The following functions are available:

- hide single folders
- display hidden folders again


Each hidden folder is displayed in a collective folder at the bottom of the folder view.

How to hide a folder:

1. In the Address Book, Calendar or Tasks app, select the folder you want to hide, in the folder view.
2. Click the **Actions** icon  next to the folder name. Click on **Hide**.

Note: If you select a folder that cannot be hidden, this function is not displayed.

How to display a hidden folder again:

1. In the Address Book, Calendar or Tasks app, respectively select one of the entries **Hidden address books**, **Hidden calendars** or **Hidden tasks**. The hidden folders will be displayed.
2. Click the **Actions** icon  next to a folder name. Click on **Show**.

Related topics:

[Navigating within the folder structure \(p. 231\)](#)

[Adding folders to favourites \(p. 233\)](#)


10.1.5 Adding folders to favourites

You can add frequently used folders to the symbolic folder *Favourites*. The following functions are available:

- add folders to favourites
- remove folders from favourites


The original position of the objects in the folder view will not be affected by those actions.

How to add a folder to *Favourites*:

1. Select a folder in the folder view.
2. Click the **Actions** icon  next to the folder name. Click on **Add to favourites**.

Result: The folder is displayed in the upper part of the folder view below *Favourites*. If *Favourites* does not exist already, it will be created automatically.

How to remove a folder from *Favourites*:

1. Select a folder in the folder view below *Favourites*.
2. Click the **Actions** icon  next to the folder name. Click on **Remove from favourites**.
You can also activate this function by right-clicking on the folder in its original position in the folder view.

Result: The folder is removed from *Favourites*. If *Favourites* is empty, the folder will be removed.


Related topics:

- [Navigating within the folder structure \(p. 231\)](#)
- [Hiding folders \(p. 232\)](#)

10.1.6 Renaming folders

You can rename sub-folders in your personal folders. For other folders you need administrator permissions.

How to rename a folder:

1. In the folder view, select the folder that you want to rename.
2. Click the **Actions** icon  next to the folder name. Click on **Rename**.
3. Edit the name or enter a new name. Click on **Rename**.


Related topics:

- [Navigating within the folder structure \(p. 231\)](#)
- [Moving folders \(p. 234\)](#)
- [Deleting folders \(p. 234\)](#)
- [Adding storage accounts \(p. 225\)](#)

10.1.7 Moving folders

You can move sub-folders from your personal folders. For other folders you need the appropriate permissions. For the target folder you need the permission to create sub-folders.

How to move a folder:

1. In the folder view, select the folder that you want to move.
2. Click the **Actions** icon  next to the folder name. Click on **Move**.
3. Select a folder in the *Move folder* window. You can create a new folder by clicking on **Create folder**.
4. Click on **Move**.

Related topics:

[Navigating within the folder structure \(p. 231\)](#)

[Renaming folders \(p. 233\)](#)


[Deleting folders \(p. 234\)](#)

10.1.8 Deleting folders

You can delete sub-folders in your personal folders. For other folders you need the appropriate permissions.

Warning: If you delete a folder, all subfolders and objects in this folder will also be deleted. Deleted subfolders and objects cannot be restored.

How to delete a folder:

1. In the folder view, select the folder that you want to delete.
2. Click the **Actions** icon  next to the folder name. Click the **Delete** button.
3. Confirm that you want to delete the folder.

Result: The folder and its objects are permanently deleted.

Related topics:

[Navigating within the folder structure \(p. 231\)](#)

[Renaming folders \(p. 233\)](#)

[Moving folders \(p. 234\)](#)

10.2 Sharing Data

You can co-operate with internal users or external partners by sharing the following data with read or edit permissions:

- E-Mail folders, address books, calendars, task folders
- Drive-folders, files

When sharing items, particular permissions are granted to the people you share the items with.

What you should know:

- In order to share data, you need to have administrator permissions for the respective folder.
- The global address book cannot be shared.
- E-Mail messages can only be shared with internal users, not with external partners.
- Address books, calendars, and tasks can only be shared with external partners with read access, not with edit access.
- If you share a folder in the Drive app, you can define whether sub-folders should be shared as well.

The following options are available:

- [Sharing with public links \(p. 236\)](#)
You can give this link to other people. The data are shared with read permissions. Other permissions cannot be granted.
- [Inviting to a shared item \(p. 238\)](#)
The data are shared with internal users or external partners with read or edit permissions. You define the permissions for a single person.
- [Editing shares \(p. 240\)](#)
You can change permissions or add people.
- [Resending an invitation \(p. 241\)](#)
- [Removing shares \(p. 242\)](#)
- [Viewing or editing shares in the Drive app \(p. 243\)](#)
- [Subscribing to E-Mail folders \(p. 244\)](#)
- [Accessing other users' shares \(p. 244\)](#)

Information about permissions that can be used when sharing, are to be found here:

- [Which permissions can be used? \(p. 245\)](#)
- [Use cases for permissions \(p. 247\)](#)

Related topics:

- [What is the purpose of permissions? \(p. 230\)](#)





10.2.1 Sharing with public links

You can share data with read access by creating a public link. You can give this link to other people. Everyone who gets this link can view the data.

The following options exist:

- You can share the following data with read access by using a public link: address books, calendars, tasks, folders, files.
E-Mail messages cannot be shared with a public link.
- You can set a password for the access. You can define that the link expires after a specific time frame, e.g.: after one month.
- You can revoke the public link.

How to share data with read access by using a public link:

1. Select the app that should be used for sharing data.
Select a folder in the folder view.
Note: Select a folder for which you have the permission to share. Depending on the app, some folders cannot be shared.
In the Drive, you can also select a folder or file in the display area.
2. Click the **Actions** icon  next to the folder name. Click on **Create sharing link**.
In the Drive app, you can also use one of the following methods:
 - Click the **Share** icon  in the tool bar. Click on **Invite people**.
 - Select **Invite people** from the context menu.A window opens. It contains a public link for read access to the share.
3. To share the link, the following options are available:
 - To insert the link into other applications, click the **Copy to clipboard** icon  next to the link.
 - In order to directly send the link by E-Mail, enter the respective E-Mail addresses. Tips:
 - While entering the E-Mail address, several matching suggestions are displayed. To accept a suggestion, click on it.
 - To select contacts from a list, click the **Address book** icon  on the right side of the input field.You can enter a message for the recipients.
 - By default, the data are shared with read access for an unlimited time. To set a time limit for the access to the shared data, enable **Expires in**. Select a time range.
 - To protect the access with a password, enable **Password required**. Enter a password. If you send the public link by E-Mail, the E-Mail contains the password.
4. If you share a folder in the Drive app, you can transfer the folder's permissions to all existing or newly created sub-folders of this folder. To do so, enable **Apply to all sub-folders**.
5. Click on **Close**.

Subordinated actions:

[Selecting contacts from an address book \(p. 67\)](#)

Similar actions:

[Inviting to a shared item \(p. 238\)](#)

[Editing shares \(p. 240\)](#)

[Resending an invitation \(p. 241\)](#)

[Removing shares \(p. 242\)](#)

[Viewing or editing shares in the Drive app \(p. 243\)](#)

[Subscribing to E-Mail folders \(p. 244\)](#)

[Accessing other users' shares \(p. 244\)](#)

10.2.2 Inviting to a shared item

In order to share data with specific people with read or edit access, you can invite internal users or external partners to a shared item. The users will receive an E-Mail invitation. If an external partner accesses the share, the partner will automatically be logged in as a guest user.

The following options are available:





- You can share E-Mail messages with internal users with read access.
- You can share address books, calendars and tasks with internal users with read or edit access, with external partners only with read access.
- You can share folders and files with internal users and external partners with read or edit access.

When sharing items, internal users or external partners are granted certain permissions for the shared data.

Note the following:

- You cannot share your personal *Inbox* folder. In order to grant other users access to your E-Mail messages, share an E-Mail folder that is located below your *Inbox* folder. Other users have to subscribe to this E-Mail folder then.
- You have the exclusive administrator rights for your personal address book, calendar and task folders. You cannot grant administrator rights for these folders to other users.

How to invite internal users or external partners to a share:

1. Select the app that should be used for sharing data.
Select a folder in the folder view.
Note: Select a folder for which you have the permission to share. Depending on the app, some folders cannot be shared.
In the Drive, you can also select a folder or file in the display area.
2. Click the **Actions** icon  next to the folder name. Click on **Permissions / Invite people**.
In the Drive app, you can also use one of the following methods:
 - Click the **Share** icon  in the tool bar. Click on **Create sharing link**.
 - Select **Create sharing link** from the context menu.The window for adjusting the permissions opens.
3. Enter a name or an E-Mail address in *Add people*. Tips:
 - While entering the recipients, matching suggestions are displayed. To accept a suggestion, click on it.
 - To select contacts from a list, click the **Address book** icon  on the right side of the input field.The selection will be added to the list as internal user, group or guest. Preset permissions are granted.
If required, enter a message.
4. To edit the permissions, the following options are available:
 - To adjust a user role, click on the entry in **Current role**. Select an entry from the menu.
 - To adjust the permission details, click on the entry in **Detailed access rights**. Select a permission from the menu.
 - In order to remove a permission, click the **Action** icon  next to the name. Click on **Revoke access**.
5. If no E-Mail notifications about the shared item are to be sent, disable **Send notifications**.
Note: The checkbox cannot be enabled when inviting external partners to a shared item.
6. If you share a folder in the Drive app, you can transfer the folder's permissions to all existing or newly created sub-folders of this folder. To do so, enable **Apply to all sub-folders**.
7. Click on **Save**.

Subordinated actions:

[Selecting contacts from an address book \(p. 67\)](#)

Similar actions:

[Sharing with public links \(p. 236\)](#)

[Editing shares \(p. 240\)](#)

[Resending an invitation \(p. 241\)](#)

[Removing shares \(p. 242\)](#)

[Viewing or editing shares in the Drive app \(p. 243\)](#)

[Subscribing to E-Mail folders \(p. 244\)](#)

[Accessing other users' shares \(p. 244\)](#)

Related topics:

[Which permissions can be used? \(p. 245\)](#)




[Use cases for permissions \(p. 247\)](#)

10.2.3 Editing shares

The following options are available:

- adjust user roles or permissions
- add new people to a share

How to edit existing shares:

1. In the folder view, select a folder that you shared.
2. Click the **Actions** icon  next to the folder name. Click on **Permissions / Invite people**.
In the Drive app, you can also click the **Share** icon  in the tool bar. Click on **Invite people**.
The window for adjusting the permissions opens.
3. To edit the user roles or permissions, the following options are available:
 - To adjust a user role, click on the entry in **Current role**. Select an entry from the menu.
 - To adjust the permission details, click on the entry in **Detailed access rights**. Select a permission from the menu.
Notes:
 - You cannot change the administrator permissions of a personal folder.
 - Permissions cannot be changed for public links.
 - Guests only get read permissions. You cannot change this permission.
4. In order to add new people, enter an E-Mail address in *Add people*. The E-Mail address will be added to the list as internal user, group or guest.
Tips:
 - While entering the E-Mail address, several matching suggestions are displayed. To accept a suggestion, click on it.
 - To select contacts from a list, click the **Address book** icon  on the right side of the input field.
5. Click on **Save**.

Subordinated actions:

[Selecting contacts from an address book \(p. 67\)](#)

Similar actions:

[Sharing with public links \(p. 236\)](#)

[Inviting to a shared item \(p. 238\)](#)

[Resending an invitation \(p. 241\)](#)

[Removing shares \(p. 242\)](#)

[Viewing or editing shares in the Drive app \(p. 243\)](#)

[Subscribing to E-Mail folders \(p. 244\)](#)

[Accessing other users' shares \(p. 244\)](#)

Related topics:




[Which permissions can be used? \(p. 245\)](#)

[Use cases for permissions \(p. 247\)](#)

10.2.4 Resending an invitation

You can resend an invitation to an already granted share.

How to resend an invitation to a person:

1. In the folder view, select a folder that you shared.
2. Click the **Actions** icon  next to the folder name. Click on **Permissions / Invite people**.
In the Drive app, you can also click the **Share** icon  in the tool bar. Click on **Invite people**.
The window for adjusting the permissions opens.
3. Click the **Actions** icon  next to a user name. Click on **Resend invitation** in the menu.
4. Click on **Save**.

Similar actions:




- [Sharing with public links \(p. 236\)](#)
- [Inviting to a shared item \(p. 238\)](#)
- [Editing shares \(p. 240\)](#)
- [Removing shares \(p. 242\)](#)
- [Viewing or editing shares in the Drive app \(p. 243\)](#)
- [Subscribing to E-Mail folders \(p. 244\)](#)
- [Accessing other users' shares \(p. 244\)](#)

10.2.5 Removing shares

The following options are available:

- remove shares for a single person or remove a public link
- remove all existing permissions for a file or a folder in the Drive app

How to remove shares for a single person or remove a public link.

1. In the folder view, select a folder that you shared.
2. Click the **Actions** icon  next to the folder name. Click on **Permissions / Invite people**.
In the Drive app, you can also click the **Share** icon  in the tool bar. Click on **Invite people**.
The window for adjusting the permissions opens.
3. Click the **Actions** icon  next to a person's name or next to *Public link*. Click on **Revoke access** in the menu.
4. Click on **Save**.

How to remove all permissions for a file or a folder in the Drive app:

1. In the Drive app, open **My shares** in the folder view.
2. Select a share in the detail view. Click on **Revoke access** in the tool bar.

Similar actions:

- [Sharing with public links \(p. 236\)](#)
- [Inviting to a shared item \(p. 238\)](#)
- [Editing shares \(p. 240\)](#)
- [Resending an invitation \(p. 241\)](#)
- [Viewing or editing shares in the Drive app \(p. 243\)](#)
- [Subscribing to E-Mail folders \(p. 244\)](#)
- [Accessing other users' shares \(p. 244\)](#)

10.2.6 Viewing or editing shares in the Drive app




In addition to the basic functions, the following options are available in the Drive app:

- You can display your shared objects as a list. You can sort the list by different criteria.
- You can edit or revoke shares.

How to view your shares in the Drive app:

1. In the Drive app, open **My shares** in the folder view.

The folders and files shared by you are displayed in the detail view. For each share a row with the following details is displayed in the detail view:

- An icon indicates the share's object type: file or folder.
 - The share's name and folder path. To open a folder, click on a path entry.
 - Three icons in different colours indicate whether an object has been shared with specific users:
 - The icon  indicates whether the object has been shared for internal users.
 - The icon  indicates whether the object has been shared for guest users.
 - The icon  indicates whether the object has been shared by using a public link.
 - The share's creation date.
2. You can do the following:
 - To sort the shares list, click on **Sort by** above the list.
 - To display the folder of a shared object, open the object's context menu. Select **Show in Drive**.
 - To display the content of a share's parent folder, click on a path entry in the list.

How to edit a share in the Drive app:

1. In the Drive app, open **My shares** in the folder view.

The folders and files shared by you are displayed in the detail view.

2. Select a folder or file in the detail view. The following options are available:
 - To edit the share, click on **Edit share** in the tool bar or context menu. Depending on the type of share, the window for editing the public link or the window for changing the permissions opens. Change the settings.
 - To revoke the share, click on **Revoke access** in the tool bar or context menu.

Subordinated actions:

[Selecting contacts from an address book \(p. 67\)](#)

Similar actions:

[Sharing with public links \(p. 236\)](#)

[Inviting to a shared item \(p. 238\)](#)

[Editing shares \(p. 240\)](#)

[Resending an invitation \(p. 241\)](#)

[Removing shares \(p. 242\)](#)

[Subscribing to E-Mail folders \(p. 244\)](#)

[Accessing other users' shares \(p. 244\)](#)

Related topics:

[Which permissions can be used? \(p. 245\)](#)

[Use cases for permissions \(p. 247\)](#)

[What is the purpose of permissions? \(p. 230\)](#)

10.2.7 Subscribing to E-Mail folders

In order to see E-Mail folders shared by other users, you have to subscribe to those folders.

How to subscribe to shared E-Mail folders:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Click on **E-Mail** in the side bar.
3. Click on **Change IMAP subscription** in the display area.
4. In the *Subscribe IMAP folders* window activate the checkboxes of the folders that you want to subscribe to. Click on **Save**.

Similar actions:

- [Sharing with public links \(p. 236\)](#)
- [Inviting to a shared item \(p. 238\)](#)
- [Editing shares \(p. 240\)](#)
- [Resending an invitation \(p. 241\)](#)
- [Removing shares \(p. 242\)](#)
- [Accessing other users' shares \(p. 244\)](#)
- [Viewing or editing shares in the Drive app \(p. 243\)](#)


Related topics:

- [Which permissions can be used? \(p. 245\)](#)
- [Use cases for permissions \(p. 247\)](#)

10.2.8 Accessing other users' shares

In the folder view, you have access to data shared with you by other users.

How to access data shared by other users:

1. Open the shared folder in the folder view. Depending on the app, you can find these folders below *Shared address books*, *Shared calendars*, *Shared tasks*, *Shared files*.
If a user shared data with you, a folder named after the user will be displayed.
Tip: To see the permissions that have been granted for the shared folder, click the **Actions** icon . Click on **Permissions / Invite people**.
2. Open the folder to display its contents.
3. Select one or several objects. Use the function bar entries.
Note: Depending on whether the objects are shared with read or edit rights, different functions can be available.

Similar actions:

- [Sharing with public links \(p. 236\)](#)
- [Inviting to a shared item \(p. 238\)](#)
- [Editing shares \(p. 240\)](#)
- [Resending an invitation \(p. 241\)](#)
- [Removing shares \(p. 242\)](#)
- [Subscribing to E-Mail folders \(p. 244\)](#)
- [Viewing or editing shares in the Drive app \(p. 243\)](#)

Related topics:

- [Which permissions can be used? \(p. 245\)](#)
- [Use cases for permissions \(p. 247\)](#)
- [Viewing and synchronising shared calendars \(p. 159\)](#)

10.2.9 Which permissions can be used?

In order to easily grant logical permission combinations, there are specific preset user roles: A user role consists of logical permission combinations. You can also grant detailed permissions. You can grant such permissions by sharing objects.

Administrator

A folder's administrator owns all permissions for this folder. The owner can grant other users permissions to the folder.

- Folder permissions: create objects and subfolders, rename folders
- Object permissions: read all objects, edit all objects, delete all objects

Viewer

A viewer can read all existing objects. A viewer has no other permissions.

- Folder permissions: view the folder
- Object permissions: read all objects

Reviewer

A reviewer can read and edit existing objects. The reviewer cannot create new objects though. The reviewer cannot delete objects.

- Folder permissions: view the folder
- Object permissions: read all objects, edit all objects

Author

An author is allowed to change or delete existing objects, to create and edit new objects, and to create subfolders.

- Folder permissions: create objects and subfolders
- Object permissions: read all objects, edit all objects, delete all objects

Detailed permissions

The preset permissions for the user roles can be refined. The following permissions can be granted:

- Folder
 - view the folder
 - create objects
 - create objects and subfolders
- read permissions
 - none
 - read own objects
 - read all objects
- write permissions
 - none
 - edit own objects
 - edit all objects
- delete permissions
 - none
 - delete own objects
 - delete all objects

Similar actions:

- [Sharing with public links \(p. 236\)](#)
- [Inviting to a shared item \(p. 238\)](#)
- [Accessing other users' shares \(p. 244\)](#)
- [Editing shares \(p. 240\)](#)
- [Resending an invitation \(p. 241\)](#)
- [Removing shares \(p. 242\)](#)
- [Viewing or editing shares in the Drive app \(p. 243\)](#)

Related topics:

- [Use cases for permissions \(p. 247\)](#)
- [What is the purpose of permissions? \(p. 230\)](#)

10.2.10 Use cases for permissions

The following examples show which permissions need to be granted to other users or external partners to enable them to execute specific actions in a shared folder. You can grant such permissions by sharing objects.

- **Example 1:** View objects. Not change and delete objects. Not create new objects.
Settings in *Details*:
 - *Folders*: view the folder
 - *Read permissions*: read all objects
 - *Write permissions*: none
 - *Delete permissions*: none
 - *Administrative role*: UserYou can also assign the **Viewer** role.
- **Example 2:** View objects. Not change and delete objects. Create and edit new objects.
Settings in *Details*:
 - *Folders*: view the folder
 - *Read permissions*: read all objects
 - *Write permissions*: edit own objects
 - *Delete permissions*: delete own objects
 - *Administrative role*: User
- **Example 3:** Not view existing objects. Create and edit new objects.
Settings in *Details*:
 - *Folders*: create objects
 - *Read permissions*: read own objects
 - *Write permissions*: edit own objects
 - *Delete permissions*: delete own objects
 - *Administrative role*: User
- **Example 4:** View and edit all objects. Create and edit subfolders and objects,
Settings in *Details*:
 - *Folders*: create objects and subfolders
 - *Read permissions*: read all objects
 - *Write permissions*: edit all objects
 - *Delete permissions*: delete all objects
 - *Administrative role*: UserYou can also assign the **Author** role.
- **Example 5:** All permissions. Grant permissions to other users.
Settings in *Details*:
 - *Folders*: create objects and subfolders
 - *Read permissions*: read all objects
 - *Write permissions*: edit all objects
 - *Delete permissions*: delete all objects
 - *Administrative role*: AdministratorYou can also assign the **Administrator** role.

Similar actions:

- [Inviting to a shared item \(p. 238\)](#)
- [Accessing other users' shares \(p. 244\)](#)
- [Editing shares \(p. 240\)](#)
- [Resending an invitation \(p. 241\)](#)
- [Removing shares \(p. 242\)](#)
- [Viewing or editing shares in the Drive app \(p. 243\)](#)

Related topics:

- [Which permissions can be used? \(p. 245\)](#)
- [What is the purpose of permissions? \(p. 230\)](#)

10.3 Managing Accounts

Learn how to manage your [accounts](#) that have been set up by default or have been set up by you.

- your primary E-Mail account
- messages from social networks, e.g. Twitter
- appointments from your Google calendar or from calendars that are publicly available on the Internet.
- storage accounts, e.g. Google Drive
- your Google contacts or contacts from other sources

The following options are available:

- [Editing the primary E-Mail account \(p. 250\)](#)
- [Viewing, editing, deleting accounts \(p. 251\)](#)

10.3.1 Editing the primary E-Mail account

The following options are available:

- You can change the name of your primary E-Mail account. This name is displayed in the E-Mail settings.
- Change the preset sender name.
- You can change the folders of your primary E-Mail account by assigning other folders to a standard folder.

How to edit the primary E-Mail account:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Accounts**.
3. Click on **Edit** next to *E-Mail* in the display area. The *Edit mail account* window displays the current settings.
4. To change the account name, click into the input field next to **Account name**.
Note: The entries for *Incoming server* and *Outgoing server* cannot be changed.
5. To change the preset sender name, click into the input field next to **Your name**.
You can overwrite this preset name when composing an E-Mail.
6. To select other folders, browse down to *Standard folders*.
Click on **Select** next to a folder. Select another folder.
7. Click on **Save** at the bottom of the window.

Similar actions:

[Viewing, editing, deleting accounts \(p. 251\)](#)

Related topics:

[Adding E-Mail Accounts \(p. 95\)](#)

[Settings for composing E-Mail messages \(p. 99\)](#)

10.3.2 Viewing, editing, deleting accounts


Depending on the account type, you can edit different account settings:

- For E-Mail accounts: account name, sender name, Unified Mail usage, server parameters, folder names
- for social networks: account name

How to view, edit or delete accounts:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Accounts**.
3. Click on **Edit** next to an account in the display area. The settings are displayed in an editing window. If you use several services from the selected provider, e.g. Google, the editing window shows an overview of the services.
4. Change the settings.
Notes for editing external E-Mail accounts:
 - To change the preset sender name, click into the input field next to **Your name**.
 - You can overwrite this preset name when composing an E-Mail.

Further options in the editing window:

- Depending on the account type, you can open the respective folder in the corresponding app by clicking on the name of the service.
- If you no longer want to access an account from within the groupware, you can delete this account. To do so, click the **Delete** icon  next to an account.

Similar actions:

[Editing the primary E-Mail account \(p. 250\)](#)

Related topics:

[Adding a Portal widget for social networks \(p. 50\)](#)

[Adding E-Mail Accounts \(p. 95\)](#)

[Using Unified Mail \(p. 87\)](#)

[Selecting sender address \(p. 68\)](#)

[Adding storage accounts \(p. 225\)](#)

10.4 Managing Subscriptions

Learn how to manage the address books you have subscribed to:

- Google contacts
- contacts from other sources

The following options are available:

- [refresh subscribed data \(p. 253\)](#)
You can transfer changes that have been applied to subscribed data to the groupware by refreshing the subscribed data.
- [Managing subscribed address books \(p. 253\)](#)
In order to keep the overview of your subscribed data, you can manage it on an overview page.

10.4.1 refresh subscribed data

The following changes are applied when refreshing subscribed data:

- new contacts
- edited contacts

How to refresh subscribed data:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Subscriptions**.
3. Click on **refresh** next to a subscription in the display area.

Similar actions:

[Managing subscribed address books \(p. 253\)](#)

Related topics:

[Subscribing to external address books \(p. 118\)](#)

[Subscribing to calendars \(p. 158\)](#)


10.4.2 Managing subscribed address books

The following options are available:

- show all subscriptions
- disable or enable a subscription
- remove a subscription

How to display all subscriptions:


1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Subscriptions**.
3. To show the folder with the subscribed data, click on the navigation path below the subscription's name.

Tip: You can only view information for a specific folder. To do so, click the **Subscriptions** icon  next to a folder with subscriptions, in the folder tree.

How to disable or enable a subscription:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Subscriptions**.
3. Click on **Disable** or **Enable** in the display area next to a subscription.

How to remove a subscription:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Subscriptions**.
3. Click the **Delete** icon  next to a subscription in the display area.

Similar actions:

[refresh subscribed data \(p. 253\)](#)

Related topics:

[Subscribing to external address books \(p. 118\)](#)

[Subscribing to calendars \(p. 158\)](#)

11 Data Security

Learn how to increase the data security when working with the groupware.

- Protect your data against unauthorised access.
- Minimise the threat of malware.
- Prevent the reception of unwanted messages.

The following options are available:

- [Automatic sign out \(p. 256\)](#)
You can define whether you are automatically signed out.
- [Externally linked images in E-Mail messages \(p. 257\)](#)
You can define whether externally linked images in E-Mail messages are automatically loaded and displayed.
- [Using a whitelist \(p. 258\)](#)
You can enter trusted E-Mail sources in a whitelist.
Note: Depending on the configuration, this function might not be available.
- [Displaying or terminating sessions \(p. 259\)](#)
You can display active sessions and terminate them if required.
- [Multi-Factor Authentication \(p. 260\)](#)
You can set up a 2-step verification for the login.

In addition, you can encrypt your E-Mail messages and files. Information on encryption can be found in [Encrypting Data with Guard \(p. 267\)](#)

11.1 Automatic sign out

You can define whether you are automatically signed out if you have not worked with the groupware for a specific time.

How to define whether you are automatically signed out:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Security**.
3. Select an entry from the **Automatic sign out** drop-down in the display area.

Similar actions:

[Externally linked images in E-Mail messages \(p. 257\)](#)

[Using a whitelist \(p. 258\)](#)

[Displaying or terminating sessions \(p. 259\)](#)

11.2 Externally linked images in E-Mail messages

Externally linked images are not part of the E-Mail itself. They are loaded from an external source upon reading the E-Mail. You can define whether those images are loaded and displayed. If you allow loading externally linked images, your privacy and computer are endangered by the following security issues:

- The sender can gather information, e.g. whether your E-Mail address is valid or when you retrieved the E-Mail. Such information can e.g. be used to purposefully send spam E-Mail messages.
- The externally linked graphic can be used to infect your computer with malware.

How to define the loading of externally linked images:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Security**.
3. You can enable or disable the **Allow pre-loading of externally linked images** option in the display area.
 - If externally linked images are not to be displayed, disable the setting.
 - If externally linked images are to be loaded and displayed, enable the setting.

Similar actions:

- [Automatic sign out \(p. 256\)](#)
- [Using a whitelist \(p. 258\)](#)
- [Displaying or terminating sessions \(p. 259\)](#)

Related topics:

- [Displaying email messages \(p. 63\)](#)

11.3 Using a whitelist

Depending on the configuration, you can create a [whitelist](#). All E-Mail messages from senders who are recorded in the whitelist, are treated as follows:

- The E-Mail is not treated as unwanted E-Mail.
- The E-Mail source is labeled as trustworthy.
- Externally linked images are immediately loaded and displayed.

Warning: When making entries into the whitelist, several security measures are circumvented. Only enter E-Mails or [domain names](#) in the whitelist if you absolutely trust them.

How to create a whitelist:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. In the side bar, click on **Security**.
3. Enter the respective E-Mail addresses or domain names as comma separated list in the input field below *Always trust e-mail messages from the following senders* in the display area. Please also note:
 - When entering multiple E-Mail addresses or domain names, separate the entries with a comma.
 - Make sure to enter the exact E-Mail addresses or domain names.

Similar actions:

[Automatic sign out \(p. 256\)](#)

[Externally linked images in E-Mail messages \(p. 257\)](#)

[Displaying or terminating sessions \(p. 259\)](#)

Related topics:

[Displaying email messages \(p. 63\)](#)

11.4 Displaying or terminating sessions

You can be logged in to your groupware account with different devices on various clients simultaneously, e.g. with desktop browsers, E-Mail clients, tablets, smartphones. With each login, an active [session](#) is created on the groupware server. On the following occasions it can make sense to list active sessions and to terminate them if required:

- You want to check whether you are logged in to a certain device or client.
- You want to log out from a certain device.
- You want to prevent reaching the maximum number of allowed sessions as you then could no longer log in from an additional device.

The following options are available:

- display all active sessions
- terminate single sessions
- terminate all sessions except the current one

How to edit the active sessions:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select **Security** in the side bar. Click on **Active clients**.
All active sessions are listed in the display area.
3. In order to terminate sessions, do one of the following:
 - In order to terminate a single session, click on **Sign out** next to the client.
 - To terminate all sessions except the active one, click on **Sign out from all clients**.

Similar actions:

[Automatic sign out \(p. 256\)](#)

[Externally linked images in E-Mail messages \(p. 257\)](#)

[Using a whitelist \(p. 258\)](#)

11.5 Multi-Factor Authentication

By default, you only log in to the groupware with your username and password. Depending on the configuration, you can increase the security when logging in by using an additional authentication that is executed after the usual login. This procedure is generally called multi-factor authentication.

The additional authentication is done by verifying your identity with a device owned by you. The following options are available to verify your identity:

- **Google Authenticator**
You need to install an app on your mobile device to get an auto-generated code. You need to enter this code to confirm your identity.
- **Yubikey, Google Security Key or compatible FIDO device**
With a security key that is connected with your PC via USB or wirelessly, your identity is verified during the login.
- **send code via SMS**
An SMS with a code is sent to your mobile device. You need to enter this code to confirm your identity.

The following options are available:

- [Setting up verification methods \(p. 261\)](#)
- [Verifying a login by using an authenticator app \(p. 263\)](#)
- [Verifying the login with a security key \(p. 263\)](#)
- [Verifying the login with an SMS code \(p. 264\)](#)
- [Recovering the verification \(p. 265\)](#)
- [Managing verification methods \(p. 266\)](#)

11.5.1 Setting up verification methods

Prior to being able to use a 2-step verification for the next login, you have to set up the additional verification methods wanted. The following options are available:

- Set up verification methods.
- As soon as having set up an initial verification method, you have to set a recovery method. You need the recovery e.g. in case you have lost your device that you use for the verification. In this case, you can log in to the groupware by using the recovery method.

How to set up verification methods:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select **Security** in the side bar. Click on **2-step verification**.
3. Click on **Add verification option** in the display area.
The *Add verification option* window opens. Depending on the configuration, various verification methods are offered.
4. Setting up a verification by using an Authenticator App:
 - a. Install Google Authenticator or compatible app on the mobile device that you want to use for the verification.
Launch the app.
 - b. Click on **Google Authenticator or compatible** in the *Add verification option* window.
 - c. The *Authenticator registration* window displays a QR code. Scan the QR code with the Authenticator app on the mobile device.
 - d. The app on the mobile device displays a code. Enter this code in the *Authenticator registration* window. Click on **OK**.When having set up the initial verification method, the *Add recovery option* window is displayed. In the following instruction, you will learn how to [add a recovery method](#).
5. Set up a verification with a security key:
Note: Depending on the browser, this verification method might not be supported.
 - a. Connect your security key with your workstation. Depending on the security key, a USB or wireless connection is used.
 - b. Click on **Yubikey, Google Security Keys or compatible FIDO device** in the *Add verification option* window.
 - c. Activate your security key e.g. by pressing a button on the security key.When having set up the initial verification method, the *Add recovery option* window is displayed. In the following instruction, you will learn how to [add a recovery method](#).
6. Setting up a verification via text message:
 - a. Click on **Code via text message** in the *Add verification option* window.
 - b. The *Add User ID* window opens. Enter your mobile phone number.
 - c. Shortly after, you will receive a text message with a code. Enter this code in the *Confirm Code* window. Click on **OK**.After having set up the initial verification method, the *Add recovery option* window opens. In the following instruction, you will learn how to [add a recovery method](#).

How to add a recovery method in the *Add recovery option* window:**1.** Setting up a recovery via text message:

Note: When having selected the verification via text message as initial verification method, you have to enter another mobile device for a recovery via text message.

- a.** Click on **Code via text message**.
- b.** The *Add Multi-factor Device* window opens. Enter the phone number of the mobile device that you want to use for a recovery.
- c.** Shortly after, you will receive a text message with a code. Enter this code in the *Confirm Code* window. Click on **OK**.

2. Setting up a recovery via recovery code:

- a.** Click on **Backup code to access your account**.
- b.** The **Recovery Code** window opens. It displays a code that can be used for the recovery.
- c.** In order to print the recovery code, click on **Print**.
In order to save the recovery code as a text file, click on **Download**. In case of a recovery, you can import the recovery code from this text file.

Related topics:

[Verifying a login by using an authenticator app \(p. 263\)](#)

[Verifying the login with a security key \(p. 263\)](#)

[Verifying the login with an SMS code \(p. 264\)](#)

[Managing verification methods \(p. 266\)](#)

11.5.2 Verifying a login by using an authenticator app

This verification method works as follows:

- Use a code that is created by an app on your mobile device.
- The code is valid for 30 seconds. As soon as the time expires, a new code is automatically displayed which again is valid for 30 seconds.
- When logging in, you have to use the same authenticator app that you used for setting up the verification method.

How to verify your identity with an authenticator app:

1. Launch the authenticator app on your mobile device.
If the app displays multiple services, select the service that you use for verifying the groupware login.
2. Log in to the groupware with your username and password.
3. If having set up multiple verification methods, the *Select 2-step verification method* window opens. Select **Google Authenticator**.
The *2-Step Verification* window opens. In **Authentication Code**, enter the code that is currently displayed by the app on your mobile device.

Similar actions:

- [Verifying the login with a security key \(p. 263\)](#)
- [Verifying the login with an SMS code \(p. 264\)](#)

Related topics:

- [Setting up verification methods \(p. 261\)](#)

11.5.3 Verifying the login with a security key

This verification method works as follows:

- Use a security key that you connect with your work station via USB or wirelessly.
- While authenticating, you are prompted to activate the security key e.g. by pressing a button on the security key.

Note: Depending on the browser, this verification method might not be supported.

How to verify your identity with a security key:

1. Connect your workstation with the security key.
2. Log in to the groupware with your username and password.
3. If having set up multiple verification methods, the *Select 2-step verification method* window opens. Select **Yubikey, Google Security Keys or compatible FIDO device**.
The *Confirm Code* window opens.
Activate your security key.

Similar actions:

- [Verifying a login by using an authenticator app \(p. 263\)](#)
- [Verifying the login with an SMS code \(p. 264\)](#)

Related topics:

- [Setting up verification methods \(p. 261\)](#)

11.5.4 Verifying the login with an SMS code

This verification method works as follows:

- Use a code that you receive by SMS on your mobile device.
- The last digits of the mobile phone number of the device to which the SMS is sent to are displayed.

How to verify your identity with an SMS code:

1. Log in to the groupware with your username and password.
2. If having set up multiple verification methods, the *Select 2-step verification method* window opens. Select **SMS Code**.
An SMS with a code is sent to your mobile device.
3. The *2-Step Verification* window opens. Enter this code.

Similar actions:

- [Verifying a login by using an authenticator app \(p. 263\)](#)
- [Verifying the login with a security key \(p. 263\)](#)

Related topics:

- [Setting up verification methods \(p. 261\)](#)

11.5.5 Recovering the verification

You need the recovery e.g. in case you have lost the device that you use for the verification. In this case, you can log in to the groupware by using the recovery method.

How to log in using a recovery method:

1. Recovering with a recovery code:
 - a. Click on **I lost my device** in the *2-Step Verification* or *Select 2-Step Verification Method* window. In a window, you are asked to enter the recovery code.
 - b. Enter the recovery code.
If you downloaded the recovery code as text file when having set up the recovery method, you can also click on **Upload recovery file**. Select the text file with the recovery code.
 - c. Shortly after, you will receive an SMS with a 4-digit authentication code. Enter this code. Click on **OK**.
2. Recovering via an SMS code:
 - a. Click on **I lost my device** in the *2-Step Verification* or *Select 2-Step Verification Method* window. In a window, you are asked to enter the recovery code.
 - b. Shortly after, you will receive an SMS with a 4-digit authentication code. Enter this code. Click on **OK**.

Similar actions:

[Verifying a login by using an authenticator app \(p. 263\)](#)
[Verifying the login with a security key \(p. 263\)](#)

Related topics:

[Setting up verification methods \(p. 261\)](#)

11.5.6 Managing verification methods

The following options are available:

- add a verification method
- change a verification device's name
- remove a verification device

You can set up and manage multiple verification methods but only one recovery method.

How to manage verification methods or verification devices:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select **Security** in the side bar. Click on **2-step verification**.
3. The following options are available:
 - **Edit**. Opens the **Edit multi-factor device** window to change the name of the device.
 - **Delete** icon. Removes a verification device.
 - **Add verification option**. Adds a new verification method.

Related topics:

[Setting up verification methods \(p. 261\)](#)

12 Encrypting Data with Guard

Guard is a groupware security component that allows encrypting E-Mail messages and files.

- Encrypt your E-Mail communication with other users or external partners.
- Encrypt your files. Share the encrypted data with other users.
- Use the security options to define the encryption level.
- The encrypted data are password-protected. Depending on the configuration, you can reset your password if forgotten.

Learn how to work with Guard.

- [Setting up Guard \(p. 268\)](#)
- [Encrypting E-Mail Conversations \(p. 269\)](#)
- [Encrypting files \(p. 272\)](#)
- [Encrypting Office Documents \(p. 275\)](#)
- [Signing Out from Guard \(p. 278\)](#)
- [GuardSettings \(p. 279\)](#)

Information on additional security-related topics can be found in [Data Security \(p. 255\)](#).

12.1 Setting up Guard


Prior to being able to use Guard, you have to apply some basic settings:

- You have to enter a Guard security password that is used to encrypt data and to access encrypted data.
- Enter a secondary E-Mail address that is used if you forget your Guard security password. In this case, use the function for resetting the Guard security password. A new password will then be sent to you. For security reasons, it is highly recommended to enter a secondary E-Mail address for this purpose. Otherwise the new password is sent to your primary E-Mail account.


There are two options for entering the basic settings:

- Define the basic settings while initially using an encryption function.
- Define the basic settings in the groupware settings before using the encryption function.

How to define the basic settings when initially using an encryption function:

1. Enable the encryption function when composing an E-Mail, encrypting a file or uploading a new file by clicking on the **Encrypt** icon .
2. You consecutively will be asked to enter a Guard security password and a secondary E-Mail address. Enter the data.

How to define the basic settings before initially using encryption:

1. Click the **System menu** icon  on the right side of the menu bar. Click the **Settings** menu item.
2. Select **Security** in the side bar. Click on **Guard Security**.
When initially opening the Guard security settings, the *Guard Create Security Keys* window opens.
3. In the **Password** field, enter the password that you want to use for encrypting your data.
Confirm the password in the **Verify** field by entering it again.
4. In the **Enter new secondary e-mail** field, enter the E-Mail address that is used for receiving a temporary password for resetting your Guard security password.
5. Click on **OK**.

12.2 Encrypting E-Mail Conversations


The following options are available:

- [Reading encrypted E-Mail messages \(p. 269\)](#)
- [Sending encrypted E-Mail messages \(p. 270\)](#)
- [How can external recipients read an encrypted E-Mail? \(p. 271\)](#)

12.2.1 Reading encrypted E-Mail messages

To be able to read an encrypted E-Mail, the Guard security password is required.

How to read an encrypted E-Mail:

1. Select an E-Mail with the *Encrypted* icon . In the detail view, the notification *Secure E-Mail, enter your Guard security password.* is displayed.
Note: If, when having used guard the last time, you set that Guard should remember the security password, the E-Mail will be displayed immediately.
2. Enter the Guard security password.
You can define how long the security password should be remembered by Guard. To do so, enable Keep me logged into **Guard**. Select a time range from the list.
In the Guard security settings, you can [define a default value](#) for the time range.
3. Click on **OK**. The content is shown in plain text.
If the E-Mail includes attachments, functions for using the attachments' decrypted or encrypted versions are displayed.

Similar actions:

[Sending encrypted E-Mail messages \(p. 270\)](#)

Related topics:

[How can external recipients read an encrypted E-Mail? \(p. 271\)](#)

12.2.2 Sending encrypted E-Mail messages

The following options are available:

- Sending an encrypted E-Mail. Only you and the recipients can read the E-Mail content.
- Sending an E-Mail with a signature. The signature ensures that the recipient is able to recognise whether the E-Mail content has been changed in transport.
- Sending an encrypted E-Mail with a signature.

How to send an encrypted E-Mail:

1. Compose an E-Mail in the E-Mail app as usual.

In the *Compose* page, click the **Encrypt** icon  on the upper right side.

You can also click on **Security** below the subject. Depending on the configuration of the Guard security settings, the menu contains different entries:

- If **Show advanced settings** is disabled, click on **Secure**.
- If **Show advanced settings** is disabled, click on **Secure**.

Icons next to the recipients indicate whether the message can be encrypted for this recipient. If hovering over an icon, a description will be displayed.

2. In order to additionally sign the E-Mail, click on **Security**. Enable **Sign**.
3. If **Show advanced settings** is enabled in the Guard security settings, you can use additional options. To do so, click on **Security**. You can activate the following options:
 - By default, encrypted E-Mail messages are sent in **PGP Mime** format. Some older clients only support PGP Inline. If the recipient uses such a client, enable **PGP Inline**. If you use **PGP Inline**, you can not send E-Mail messages in HTML format.
 - To enable The E-Mail recipient to send an encrypted reply, the recipient needs to have your public key. You can send your public key as an attachment. To do so, enable **Attach my key**.

4. Click on **Send encrypted**.

When sending to new recipients, a window is displayed that allows to send notes for opening the encrypted E-Mail to the recipients.

Similar actions:

[Reading encrypted E-Mail messages \(p. 269\)](#)

Related topics:

[GuardSettings \(p. 279\)](#)

[How can external recipients read an encrypted E-Mail? \(p. 271\)](#)

12.2.3 How can external recipients read an encrypted E-Mail?

You can also send encrypted E-Mail messages to external recipients who are not groupware users. When adding an external recipient, Guard checks whether a public key is available for this E-Mail address. Depending on the result, Guard uses different procedures for sending the encrypted E-Mail:

- If there is a public key for the recipient:
 - The message is sent encrypted with this key. The recipient can read the message with his/her private key.
- If there is no public key for the recipient:
 - If the external user already has a guest account, he/she receives an E-Mail with the link to the login page of his/her guest account. When having logged in, he/she can read the encrypted E-Mail on the guest page. He/she can send an encrypted reply from this page.
 - If there is no guest account, a guest account will be created. The external recipient receives an E-Mail with a link to a guest page and an automatically created password. The user logs in to the guest page. Then he/she can create their own password.
Depending on the configuration, the automatically created password and the link to the guest page are sent in separate E-Mail messages.
Depending on the configuration, the first E-Mail to the external recipient can be protected with a four-digit pin.
 - Depending on the configuration, guest account E-Mail messages are deleted from the server after a specific number of days.
The external recipient can send an encrypted reply to the encrypted E-Mail. It is not possible to add additional recipients though.

Related topics:

[Reading encrypted E-Mail messages \(p. 269\)](#)

[Sending encrypted E-Mail messages \(p. 270\)](#)

12.3 Encrypting files

The following options are available:



- [Encrypting files \(p. 272\)](#)
- [Creating new encrypted files \(p. 273\)](#)
- [Opening encrypted files \(p. 273\)](#)
- [Downloading encrypted files \(p. 274\)](#)
- [Decrypting files \(p. 274\)](#)

12.3.1 Encrypting files

When encrypting a file, only the last version of these files will be encrypted. All other versions will be deleted.

How to encrypt a file:

Warning: When encrypting a file, all versions of this file will be deleted, except for the current version. If you need to keep an older version, save it before encrypting the file.

1. Select one or several files in the in the display area of the Drive app.
2. Use one of the following methods:
 - Click the **Actions** icon  in the tool bar. Click on **Encrypt** in the menu.
 - Select **Encrypt** from the context menu.
 - Use the **More actions** icon  in the Viewer. Click on **Encrypt** in the menu.

Similar actions:

- [Creating new encrypted files \(p. 273\)](#)
- [Opening encrypted files \(p. 273\)](#)
- [Downloading encrypted files \(p. 274\)](#)
- [Decrypting files \(p. 274\)](#)

12.3.2 Creating new encrypted files

You can create a new encrypted file by uploading a local file with encryption.

How to create a new encrypted file:

1. In the Drive app, open a folder in the folder view.

Note: Open a folder for which you have the appropriate permissions to create objects.

2. Click on **New** in the tool bar. Click on **Add and encrypt local file**.

3. Select one or several files in the *Upload file* window.

Click on **Open**. The display area shows the current progress.

In order to cancel the process, click on **File Details** at the bottom right side of the display area. Click on **Cancel** next to a file name in the *Upload progress* window.

Tip: You can also create a new encrypted file by dragging a file from your operating system's desktop to the Drive app window and drop it in the bottom part.

Similar actions:

[Encrypting files \(p. 272\)](#)

[Opening encrypted files \(p. 273\)](#)


[Downloading encrypted files \(p. 274\)](#)

[Decrypting files \(p. 274\)](#)

12.3.3 Opening encrypted files

You can open and read an encrypted file. The file remains encrypted on the server.

How to open an encrypted file:

1. In the Drive app, select an encrypted file in the display area. Click the **View** icon  in the tool bar.

2. If the Enter Guard security password window opens, enter the Guard security password.

You can define how long the security password should be remembered by Guard. To do so, enable **Remember my password**. Select a value from the list.

In the Guard security settings, you can [define a default value](#) for the time range.

Click on **OK**.

Similar actions:

[Encrypting files \(p. 272\)](#)

[Creating new encrypted files \(p. 273\)](#)



[Downloading encrypted files \(p. 274\)](#)

[Decrypting files \(p. 274\)](#)

12.3.4 Downloading encrypted files

You can download an encrypted file to locally read or edit it. The file remains encrypted on the server.

How to download an encrypted file:

1. In the Drive app, select an encrypted file in the display area. Click the **View** icon  in the tool bar.
Note: If you click on **Download** in the tool bar or context menu instead, the downloaded file remains encrypted.
2. If the *Enter Guard security password* window opens, enter the Guard security password.
You can define how long the security password should be remembered by Guard. To do so, enable **Remember my password**. Select a value from the list.
In the Guard security settings, you can [define a default value](#) for the time range.
Click on **OK**.
3. Click the **More actions** icon  in the Viewer. Click on **Download Decrypted**.


Similar actions:

- [Encrypting files \(p. 272\)](#)
- [Creating new encrypted files \(p. 273\)](#)
- [Opening encrypted files \(p. 273\)](#)
- [Decrypting files \(p. 274\)](#)

12.3.5 Decrypting files

You can remove a file's encryption by decrypting the file.

How to decrypt a file:

1. In the Drive app, select an encrypted file in the display area.
2. Use one of the following methods:
 - Click the **Actions** icon  in the tool bar. Click on **Remove Encryption** in the menu.
 - Select **Remove Encryption** from the context menu.
3. If the *Enter Guard security password* window opens, enter the Guard security password.
You can define how long the Guard security password should be valid. To do so, enable **Remember my password**. Select a value from the list.
In the Guard security settings, you can [define a default value](#) for the time range.
Click on **OK**.

Similar actions:

- [Encrypting files \(p. 272\)](#)
- [Creating new encrypted files \(p. 273\)](#)
- [Opening encrypted files \(p. 273\)](#)
- [Downloading encrypted files \(p. 274\)](#)

12.4 Encrypting Office Documents

The following options are available:

- [Creating new encrypted documents \(p. 276\)](#)
- [Saving selected documents in an encrypted format \(p. 276\)](#)
- [Opening an encrypted document \(p. 277\)](#)

Additional functions are available in the Drive app:

- [encrypt](#) existing documents
- [decrypt](#) documents

12.4.1 Creating new encrypted documents

When creating a new document, you have the option to create a document that will be saved encrypted..

How to create a new encrypted document:

1. Depending on whether you want to create an encrypted text document, spreadsheet or presentation, launch the Text, Spreadsheet or Presentation app.
2. In the Office menu bar, click on one of the respective buttons **New text document (encrypted)**, **New spreadsheet (encrypted)**, **New presentation (encrypted)**.
3. If the *Enter Guard security password* window opens, enter the Guard security password.
You can define how long the security password should be remembered by Guard. To do so, enable **Remember my password**. Select a value from the list.
In the Guard security settings, you can [define a default value](#) for the time range.
Click on **OK**.

Similar actions:

- [Saving selected documents in an encrypted format \(p. 276\)](#)
- [Opening an encrypted document \(p. 277\)](#)

Related topics:

- [Encrypting files \(p. 272\)](#)

12.4.2 Saving selected documents in an encrypted format

When having opened a text document, spreadsheet or a presentation, you can save this document in an encrypted format.

How to save the selected document in an encrypted format:

1. Open a document in the Text, Spreadsheet or Presentation app.
2. In the **File** tool bar, click on **Save in Drive**. Select **Save as (encrypted)**.
The *Save as (encrypted)* window opens. Select a folder and a file name. Click on **OK**.
3. If the *Enter Guard security password* window opens, enter the Guard security password.
You can define how long the security password should be remembered by Guard. To do so, enable **Remember my password**. Select a value from the list.
In the Guard security settings, you can [define a default value](#) for the time range.
Click on **OK**.

Similar actions:

- [Creating new encrypted documents \(p. 276\)](#)
- [Opening an encrypted document \(p. 277\)](#)

Related topics:

- [Encrypting files \(p. 272\)](#)



12.4.3 Opening an encrypted document

You can open an encrypted document to do the following:

- read or edit the document
- download the document in decrypted format
- print the document as a PDF in decrypted format

The document remains encrypted on the server.

How to open an encrypted document:

1. Open a document in the Text, Spreadsheet or Presentation app.
2. If the *Enter Guard security password* window opens, enter the Guard security password.
You can define how long the security password should be remembered by Guard. To do so, enable **Remember my password**. Select a value from the list.
In the Guard security settings, you can [define a default value](#) for the time range.
Click on **OK**.
3. You can use the following functions:
 - Edit the document. Information can be found in the Documents user guide.
 - To download the document in a decrypted format, click the **Download** icon .
 - To save the document as PDF in a decrypted format, click the **Print as PDF** icon .

Similar actions:

[Creating new encrypted documents \(p. 276\)](#)

[Saving selected documents in an encrypted format \(p. 276\)](#)

Related topics:


[Encrypting files \(p. 272\)](#)

12.5 Signing Out from Guard

You can sign out from Guard without closing the groupware. To open an encrypted E-Mail or file after having signed out, you have to re-enter the Guard security password.

Note: This function is only available if you enable **Remember Password** when opening an encrypted E-Mail or file.

How to sign out from Guard:

1. Click the **System menu** icon  on the right side of the menu bar.
2. Click on **Sign out Guard** in the menu.

12.6 GuardSettings

How to use the Guard settings:

1. Click the **Settings** icon on the right side of the menu bar. Click the **Settings** menu item.
2. Select **Security** in the side bar. Click on **Guard**.

The following settings are available:

Defaults

- **Default to send encrypted when composing e-mail**
Defines whether a new E-Mail is encrypted by default.
- **Default adding signature to outgoing e-mail messages**
Defines whether a new E-Mail is encrypted by default.
- **Default to using PGP inline for new e-mail messages**
Defines whether the PGP encryption is done inline by default. Only use those settings if the E-Mail client of a recipient does not support PGP. With PGP inline, the recipient can decrypt the message regardless. If you use this setting, you can not send E-Mail messages in HTML format.
- **Remember password default**
Defines the time range default for Guard to remember the password. You can change this default when being asked for your Guard password.

Password management

Contains functions for changing or resetting the password

Related topics:

[Password management \(p. 281\)](#)

Advanced

- **Advanced settings**
Defines whether the *Keys* section is displayed. Those functions allow to manage your own or public keys. If **Show advanced settings** is enabled, you can use additional options when sending encrypted E-Mail messages.

Related topics:

[Sending encrypted E-Mail messages \(p. 270\)](#)

Keys

Usually, the key management functions are not required for sending or receiving encrypted messages. Those functions can be useful though under the following circumstances:

- You want to use your Guard PGP keys in other E-Mail clients, e.g. in local E-Mail clients.
- You have PGP keys from other PGP applications. You want to use those keys in Guard.
- You have an external partner's public key. In order to send encrypted messages to this external partner or verify received signed messages without having to access a key server, you want to import the partner's public key into Guard.
- You want to provide your public key to an external partner in order to allow the external partner to send encrypted messages to you without the need to access a key server.

The following options are available:

- **Download my public key button**
Saves your public key locally.
- **Your keys button**
Opens the *Your Keys* window for managing your [own keys](#).
- **Public keys of recipients button**
Opens the *Your Keys* window for managing [public keys](#).

12.6.1 Password management

The following options are available:

- change the Guard security password
- When having lost your Guard security password, you can request a temporary Guard security password by resetting the Guard security password.
- Defining an E-Mail address for resetting the password.
- To be able to reset your password if needed, your password has to be saved on the server in an encrypted version. If you do not want your password to be saved on the server, you can completely remove the function for resetting the password.

Note: Depending on the configuration, some of those functions might not be available.

How to change the Guard password:

1. Click on **Reset Password** on the **Guard** page. The *Change password* window opens.
2. In the **Enter current Guard security password** field, enter the password that you have used so far for encrypting your data.
In the **Enter new Guard security password** field, enter the password that you want to use for encrypting your data from now on.
Confirm the password in the **Verify new Guard security password** field by entering it again.
3. Click on **Change**.

How to reset the Guard password:

1. Click on **Reset Password** on the **Guard** page. The *Reset password* window opens.
Click on **Reset**.
2. A new password will be sent to your secondary E-Mail address.
If not having entered a secondary E-Mail address, the new password will be sent to your primary E-Mail address.
This new password is now your current Guard security password. You should immediately [change](#) this password.

How to change your secondary E-Mail address for resetting the password:

1. Click on **Set e-mail address for reset** on the **Guard** page. The *Secondary E-mail Address* window opens.
2. In the **Enter current Guard security password** field, enter the password for encrypting your data.
In the **Enter new secondary e-mail** field, enter the E-Mail address that is used for receiving a temporary password for resetting your Guard security password.
Re-enter the E-Mail address in **Verify e-mail address**.
Click on **Change E-mail address**.

How to remove the function for resetting the password:

Warning: If you remove the function for resetting the password, you can no longer reset your password. If you forget your password afterwards, there will be no possibility to decrypt your encrypted E-Mail messages or files.

1. Enable **Show advanced settings** on the **Guard security settings** page.
Click on **Delete password recovery**. The *Delete Recovery* window opens.
2. Click the **Delete** button.

Similar actions:

- [Managing your own keys \(p. 283\)](#)
- [Managing public keys \(p. 285\)](#)

12.6.2 Managing your own keys


The following options are available:

- display your own keys, display details
Make a key the current one. Others can use this key to encrypt data.
- add new keys
- add user IDs
When adding additional user IDs to a key, you can use the key for multiple E-Mail accounts.
- download keys
- delete keys

How to display your own keys or make a key the current one:

1. Enable the **Show Advanced Settings** checkbox below *Advanced*.

Click on **Your keys** below *Keys*. The *Your Keys* window opens.

- Your existing keys are displayed. Each key consists of a master key and a sub-key.
 - Among other things, the master key is used for signing your E-Mail messages.
 - The sub-key is used for encrypting and decrypting E-Mail messages and files.
 - Depending on the requirement, Guard automatically uses the master key or the sub-key.
2. If your key list contains more than one key, you can define the current key. To do so, enable the **Current** checkbox next to the key. From now on, the current key will be used for encryption.
 3. To display details for a key, click the **Details** icon  next to a key. The *Key Details* window opens. To view the key's signatures, click on **Signatures**.

How to add a new key in the *Your Keys* window:


1. Click the **Add** icon . The *Adding Keys* window opens.

2. The following options are available:


- To add a private key, click on **Upload Private Key**. Select a file containing a private key. The *Upload Private Keys* window opens.
To upload the new key, enter your Guard security password. Enter a new password for the new key.
- To add a public key, click on **Upload Public Key Only**. Select a file containing a public key.
- To create a new key pair, click on **Create New Keys**. The *Create Guard Security Keys* window opens.
Enter a password for the new key. Confirm the password.
The new key consists of a master key and a corresponding sub-key.

The new key will be entered on top of your key list. The new key becomes the current key.

How to add an additional user ID in the *Your Keys* window:


1. Click the **Edit** icon  next to a key. The *Add User ID* window opens.
2. Enter a name for the user ID. Enter the E-Mail address that you want to use for this key.
Enter your password for this key.
Click on **OK**.

How to download a key in the *Your Keys* window:

1. Click the **Download** icon  next to a key.
2. Define whether to download your private key only, your public key only or both keys.
Caution: Your private key will be downloaded in encrypted form. You should not download your private key to a publicly accessible system, though.

How to delete a key in the *Your Keys* window:

Warning: If you delete a private key, you can no longer decrypt objects that have been encrypted with this key. If you are unsure, you should not delete the key but revoke it. A revoked key can no longer be used for encryption. But you can still decrypt objects that have been encrypted with this key.

1. Click the **Delete** icon  next to a key. The *Delete Private Key* window opens.
2. The following options are available:
 - To revoke a private key, click on **Revoke**.
if you revoke a key, it will no longer be used. But you can still decrypt objects that have been encrypted with this key. For this reason, revoking a key is better than deleting it.
Enter the password for the private key. If required, select a reason for revoking the key.
Click on **Revoke**.
 - In order to delete a private key, click on **Delete**.
Warning: If you delete a private key, you can no longer decrypt objects that have been encrypted with this key.
Enter the password for the private key.
Click the **Delete** button.

When deleting a master key, the corresponding sub-key will be deleted too.

Similar actions:

[Managing public keys \(p. 285\)](#)
[Password management \(p. 281\)](#)

12.6.3 Managing public keys

The following options are available:

- display public keys
- upload public keys
- delete your own public key

How to show public keys:

1. Enable the **Show advanced settings** checkbox below *Advanced*.

Click on **Public keys of recipients** below *Keys*. The *Public Keys* window opens.

The public keys shared by you or other users are displayed. If a user's public key is displayed in this list, you can send an encrypted E-Mail to this user and verify signed E-Mail messages that have been sent to you by this user.

2. To display details for a key, click the **Details** icon  next to a key. The *Public Keys Detail* window opens.

You can share public keys by enabling **Share key**. Other users can view and download your shared keys. Public keys are only available for groupware users.

How to upload a recipient's public key in the *Public Keys* window:

Click the **Add** icon  next to *PGP Public Key List*. Select a file containing a public key.

How to delete a public key in the *Public Keys* window:

Click the **Delete** icon  next to a public key.

Confirm that you want to delete the public key.

Similar actions:

[Managing your own keys \(p. 283\)](#)

[Password management \(p. 281\)](#)

Index

A

- account
 - definition, 13
- Account
 - add E-Mail accounts, 95
 - add storage accounts, 225
 - edit, 251
 - edit primary E-Mail account, 250
 - remove, 251
 - set up social networks, 50
 - view, 251
- Accounts
 - see accounts, 249
- Add as XING contact, 121
- Add storage accounts, 225
- Address Book , 101
 - Components, 102
- Address book
 - add personal address books, 118
 - invite contact to appointment, 119
 - send E-Mail messages, 119
 - settings, 126
- Address book settings
 - Display of names, 126
 - initial folder, 126
 - Link postal addresses with map service, 126
 - My contact data, 126
- Address Book-User interface
 - Detail view, 106
 - Display area, 105
 - distribution list editing window, 108
 - editing window, 107
 - folder view, 105
 - List, 105
 - Navigation bar, 105
 - search bar, 103
 - Tool bar, 104
- Addresses
 - collect, 80
 - select from address book, 67
- An appointment's color, 142
- App
 - Address Book , 101
 - Calendar , 127
 - definition, 13
 - Drive , 197
 - E-Mail , 53
 - install local apps, 42
 - set up local apps with a wizard, 43
 - Tasks , 175
- Appointments
 - add participants or resources, 150
 - Adding attachments, 150
 - answer invitations, 155
 - change status, 162
 - change the organiser, 163

- change time or duration, 161
 - changing status, 162
 - colours, 142
 - create, 146
 - create a follow-up appointment, 152
 - create from iCal, 153
 - delete, 167
 - display in calendar view, 140, 142
 - display in list view, 143
 - display timezones, multiple -, 141
 - edit, 161
 - export, 165
 - finding free times, 151
 - import, 165
 - invite E-Mail recipients to new appointments, 153
 - invite from address book, 119
 - Inviting participants to a new appointment, 152
 - manage, 160
 - manage favourite timezones, 163
 - move to another calendar, 164
 - print, 166
 - reschedule to another day, 161
 - resolve conflicts, 154
 - save attachment, 144
 - search, 168
 - set an appointment's display, 149
 - set recurring appointments, 148
 - use appointment reminders, 149
 - use calendar colours, 164
 - use the date picker, 147
 - use the scheduling view, 151
 - view, 139
 - view attachment, 144
- archive E-Mail messages, 84
 - Automatic sign out, 256

B

- Basic settings, 37, 38
 - Automatic opening of notification area, 38
 - Automatic sign out, 38
 - change password, 38
 - Default application after sign in, 38
 - Design, 38
 - Language, 38
 - My contact data, 38
 - Quick launch, 38
 - Refresh interval, 38
 - Show desktop notifications, 38
 - Time zone, 38

C

- Calendar , 127
 - add calendars, 156
 - add personal calendars, 157
 - Components, 128
 - Date picker, 134
 - import, 159
 - mini calendar, 131

- share, see sharing, 235
- Subscribe, 158
- subscribe to Google calendars, 158
- subscribe to iCal calendars, 158
- use calendar colours, 164
- use the scheduling view, 151
- view and synchronise shared calendars, 159
- Calendar settings
 - Automatically delete the invitation e-mail after the appointment has been accepted or declined, 173
 - Birthday calendar, 172
 - calendar work week view, 172
 - Display refused appointments, 172
 - End of working time, 172
 - participants can edit appointments, 172
 - Receive notification as appointment creator when participants accept or decline, 172
 - Receive notification as appointment participant when other participants accept or decline, 172
 - Receive notifications when an appointment in which you participate is created, modified or deleted, 172
 - Start of working time, 172
 - subscribe to iCal calendars, 172
 - time scale, 172
- Calendar-User interface
 - calendar view, 133
 - Date picker, 134
 - Detail view, 136
 - Display area, 132
 - editing window, 138
 - folder view, 132
 - List, 135
 - mini calendar, 131
 - Pop-up, 135
 - Scheduling view, 137
 - search bar, 129
 - Tool bar, 130
- Change the appointment organiser, 163
- Cloud storage
 - see add storage accounts, 225
- Compose E-Mail, 66
- Contacts
 - add address books, 117
 - add as XING contact, 121
 - add from vCard, 113
 - Adding attachments, 113
 - copy, 120
 - create, 112
 - create a distribution list from the list of participants, 116
 - create contact picture, 112
 - create distribution lists, 114
 - create new distribution lists, 115
 - delete, 124
 - display, 109
 - displaying the halo view, 111
 - edit, 120
 - export, 123
 - importing in CSV format, 122
 - importing in vCard format, 122
 - invite to appointment, 119
 - invite to XING, 122
 - manage, 119
 - move, 120
 - print, 123
 - save attachment, 110
 - save E-Mail recipients as distribution list, 116
 - search, 125
 - select from address book, 67
 - send as vCard, 121
 - send E-Mail messages to, 119
 - share, see sharing, 235
 - subscribe to external address books, 118
 - view attachment, 110
- Copy
 - contacts, 120
 - Email messages, 78
 - Files, 216
- Create a follow-up appointment, 152
- Create E-Mail reminders, 82
- CSV
 - export, 123
 - import, 122
- D**
- Date picker, 134
- Default group
 - see group, 13
 - see users, 13
- Definitions, 13
- delete
 - account, 251
 - Appointments, 167
 - Contacts, 124
 - Email messages, 84
 - Files, 218
 - folders, 234
 - Tasks, 192
- Desktop notifications, 40
- Display contents
 - Files, 207
 - Presentations, 208
- distribution list
 - definition, 13
 - edit, 120
- Distribution list
 - add, 114
 - create from the list of participants, 116
 - invite to appointment, 119
 - send E-Mail messages to, 119
- Documentation, 11
 - Content, 12
 - target group, 12
- Domain, definition, 13
- Drive, 197
 - add files, 211
 - Adding files or folders, 218

- Adding files or folders to favourites, 217
 - Adding files to the portal, 217
 - Components, 198
 - Copying files, 216
 - create folders, 211
 - create or edit text files, 212
 - Creating or editing descriptions, 215
 - display a file's content, 207
 - display E-Mail attachments, 208
 - download files or folder contents, 210
 - Locking or unlocking files, 219
 - Moving files or folders, 215
 - Organise files and folders, 213
 - Saving files as PDF, 216
 - search for files, 221
 - Sending files as E-Mail attachments, 214
 - Viewing files, 206
 - Working with versions, 220
 - Drive-User interface
 - Display area, 203
 - file details., 204
 - folder view, 201
 - Navigation bar, 202
 - search bar, 199
 - Tool bar, 200
 - Viewer, 205
 - DriveSettings
 - add files with identical names, 226
 - default view, 226
 - Slideshow / Autoplay mode for images, 226
 - version history, 226
- E**
- E-Mail , 53
 - Components, 54
 - E-Mail filters, 88
 - add action, 91
 - add condition, 90
 - change rules, 91
 - condition examples, 90
 - create new rule when moving, 91
 - create rule, 89
 - E-Mail messages
 - display attachments, 208
 - read encrypted E-Mail messages, 269
 - send encrypted E-Mail messages, 270
 - send from address book, 119
 - share, see sharing, 235
 - use a whitelist, 258
 - E-Mail tabs
 - definition, 13
 - working with, 77
 - E-Mail thread, definition, 13
 - E-Mail, see E-Mail, 53
 - E-Mail-User interface
 - Categories bar, 58
 - Detail view, 60
 - Display area, 58
 - editing window, 62
 - folder view, 57
 - List, 59
 - Pop-up, 61
 - search bar, 55
 - Tool bar, 56
 - Edit
 - accounts, 251
 - Appointments, 161
 - Contacts, 120
 - distribution list, 120
 - file description, 215
 - Tasks, 189
 - text file, 212
 - versions, 220
 - Elements, definition, 13
 - Email messages
 - add E-Mail accounts, 95
 - add folder, 75
 - add to portal, 82
 - Adding attachments, 69
 - archive, 84
 - assign colour, 80
 - automatically forward, 73
 - categorise, 80
 - clean up folders, 86
 - Collecting addresses, 80
 - copy, 78
 - create reminder, 82
 - delete, 84
 - display, 63
 - drafts, 81
 - filters, 88
 - forward, 72
 - import from EML, 82
 - manage, 76
 - mark as read, 79
 - mark as unread, 79
 - mark folder as read, 79
 - move, 78
 - notification sounds, 97
 - print, 83
 - reply, 72
 - save as EML, 82
 - save attachment, 64
 - search, 93
 - select contacts from an address book, 67
 - Selecting sender address, 68
 - send, 66
 - send a vacation notice, 74
 - send to appointment participants, 73
 - Sending attachments as a link, 70
 - show E-Mail source, 81
 - tabs, 77
 - Unified Mail, 87
 - use signatures, 70
 - view attachment, 64
 - Email settings
 - advanced settings, 99

- Allow HTML formatted email messages?, 97
- Append vCard, 99
- Ask for mailto link registration, 97
- auto-forward, 97
- Auto-save email drafts, 99
- Automatically collect contacts while reading, 97
- Automatically collect contacts while sending, 97
- automatically send E-Mail messages to BCC, 99
- Colour quoted lines, 97
- Confirm recipients when replying to a mailing list, 99
- default font style, 99
- default sender address, 99
- Fixed-width font, 97
- format email messages as, 99
- Forward E-mail messages as, 99
- IMAP folder subscription, 97
- Insert the original email text into a reply?, 99
- notification sounds, 97
- Permanently remove deleted e-mail messages, 97
- Show folder with all unseen messages, 97
- Show requests for read receipts, 97
- vacation notice, 97
- Encrypt
 - create new encrypted documents, 276
 - create new encrypted files, 273
 - E-Mail messages, 269
 - encrypt Office documents, 275
 - files, 272
 - save selected documents in an encrypted format, 276
- Encrypt Office documents, 275
- Encrypted document
 - open, 277
 - remove key, see decrypt files, 274
- Encrypted E-Mail messages
 - read, 269
 - send, 270
- Encrypted files
 - download, 274
 - open, 273
 - remove key, 274
- Export
 - Appointments, 165
 - Contacts, 123
 - Tasks, 191
- External participant, definition, 13
- Externally linked images in E-Mail messages, 257
- F**
- favourites
 - add files or Drive folders, 217
 - Favourite timezones, 163
 - folder favourites, 233
- File
 - access with WebDAV, 223
 - add favourites, 217
 - add to portal, 217
 - copy, 216
 - create, 211
 - create description, 215
 - create encrypted files, 273
 - decrypt files, 274
 - delete, 218
 - display, 206
 - display E-Mail attachments, 208
 - display in viewer, 207
 - download, 210
 - download encrypted files, 274
 - Driveadd folder, 211
 - edit description, 215
 - editing versions, 220
 - encrypt, 272
 - lock, 219
 - manage, 213
 - move, 215
 - open encrypted files, 273
 - rename file, 214
 - save as PDF, 216
 - search, 221
 - send as E-Mail attachment, 214
 - share, see sharing, 235
 - unlock, 219
 - WebDAV under Linux, 223
 - WebDAV under Windows 7, 223
- First Steps, 17
- Folder structure
 - favourites, 233
 - hide folders, 232
 - navigate, 231
- folder view
 - change width, 231
 - favourites, 233
 - hide folders, 232
 - open, 231
- Folder, definition, 13
- Folders, 228
 - add favourites, 217
 - add folders to favourites, 233
 - clean up, 86
 - delete, 234
 - download contents, 210
 - hide, 232
 - move, 234
 - navigate in folder structure, 231
 - open, 231
 - Permissions, 230
 - personal folders, 229
 - public folders, 229
 - Rename, 233
 - share, see sharing, 235
 - shared folders, 229
 - subscribe to E-Mail folders, 244
 - type, 229
- Forward E-Mail messages, 72

G

Global address book, definition, 13

Groups

- definition, 13
- manage, 170

Groupware, definition, 13

Guard , 267

- change password, 281
- create new encrypted documents, 276
- create new encrypted files, 273
- decrypt encrypted files, 274
- download encrypted files, 274
- E-Mail encryption, 269
- file encryption, 272
- manage public keys, 285
- manage your own keys, 283
- Office document encryption, 275
- open encrypted documents, 277
- open encrypted files, 273
- password management, 281
- read encrypted E-Mail messages, 269
- Reset the password, 281
- save selected documents in an encrypted format, 276
- send encrypted E-Mail messages, 270
- set up, 268
- Settings, 279
- sign out, 278

GuardSecurity Settings

- advanced settings, 279
- Default adding signature to outgoing e-mail messages, 279
- Default to send encrypted when composing e-mail, 279
- Default to using PGP inline for new e-mail messages, 279
- download public key, 280
- public keys, 280
- Remember password default, 279
- Your Keys, 280

Guest group

- see guest, 13

Guest, definition, 13

H

halo view, 111

I

iCal

- export, appointments, 165
- export, task, 191
- import, appointments, 165
- import, task, 191

import

- Appointments, 165
- Calendar, 159
- contacts in CSV format, 122

contacts in vCard format, 122

Email messages, 82

Tasks, 191

Internal E-Mail account, definition, 13

K

Keyboard input, 32

interact with the user interface, 34

keys and key combinations, 33

use cases, 35

L

Lock files, 219

Login

recover verification, 265

verify with authenticator app, 263

verify with security key, 263

verify with SMS code, 264

M

manage

Appointments, 160

Contacts, 119

Email messages, 76

Tasks, 188

Manage subscriptions, 252

Manage verification methods, 266

Mini calendar, 131

Multi-factor authentication, 260

manage verification methods, 266

set up verification methods, 261

N

New

address book, 117

appointments, 146

Calendar, 156

contact, 112

create encrypted documents, 276

create encrypted files, 273

distribution list, 114

email folders, 75

Email messages, 66

file or Drive folder, 211

personal address book, 118

personal calendars, 157

send encrypted E-Mail messages, 270

task, 184

task folder, 187

text files, 212

Notification area, 40

Notifications

receive desktop notifications, 40

receive notifications in the notification area, 40

O

Objects, definition, 13

P

- Participant, definition, 13
- Password
 - change, 21
 - Guard change password, 281
 - Guard Reset the password, 281
- PDF, save files as, 216
- Permission examples, 247
- Permissions
 - Administrator, 245
 - application, 245
 - Author, 245
 - definition, 230
 - Examples, 247
 - Reviewer, 245
 - Viewer, 245
- personal contact data, 39
- personal contact picture, 39
- Picture
 - create contact picture, 112
 - create personal contact picture, 39
- Portal , 45
 - add E-Mail messages, 82
 - add file, 217
 - Components, 46
 - customise, 49
- Portal settings
 - add widget, 52
 - colour, 52
 - Delete, 52
 - disable, 52
 - Edit button, 52
 - Enable, 52
 - Move icon, 52
 - reduce to widget summary, 52
- Portal widgets
 - add, 50
 - change order, 50
 - remove, 50
 - set up social networks, 50
- Presentations
 - hold, 208
- Primary E-Mail account
 - assign folders, 250
 - change name, 250
 - change sender name, 250
- print
 - Appointments, 166
 - calendar sheet, 166
 - Email messages, 83
- Print
 - Contacts, 123
 - list of appointments, 166
 - Tasks, 192
- Public link, 236

R

- Rename

- Files, 214
 - folders, 233
- Reschedule
 - appointments to another day, 161
 - appointments to other calendars, 164
 - Contacts, 120
 - Email messages, 78
 - files or Drive folders, 215
 - folders, 234
 - Tasks, 190
- Resource
 - definition, 13
 - manage, 171

S

- Save
 - E-Mail draft, 81
 - Email messages, 82
- Search
 - Appointments, 168
 - contacts, 125
 - Email messages, 93
 - Files, 221
 - Tasks, 193
- Security
 - Automatic sign out, 256
 - Displaying or terminating sessions, 259
 - encrypt E-Mail messages, 269
 - encrypt Office documents, 275
 - Encrypting files, 272
 - externally linked images in E-Mail messages, 257
 - multi-factor authentication, 260
 - use a whitelist, 258
- security
 - GuardSettings, 279
- Sending
 - contacts as vCard, 121
 - Email messages, 66
- session
 - definition, 13
- Session
 - display or terminate, 259
- Set up verification methods, 261
- Settings
 - Accounts, 249
 - address book, 126
 - Basic settings, 38
 - Calendar, 172
 - change password, 21
 - Drive , 226
 - E-Mail messages, receive, 97, 99
 - Email messages, 96
 - Guard , 279
 - install local apps, 42
 - personal contact data, 39
 - Portal, 52
 - set up local apps with a wizard, 43
 - Tasks, 195

- Sharing, 235
 - Access other users' shares, 244
 - add person, 240
 - edit, 240
 - edit in the Drive app, 243
 - invite to a shared item, 238
 - public link, 236
 - remove, 242
 - resend an invitation, 241
 - share with read access, 236
 - share with read or edit access, 238
 - subscribe to E-Mail folders, 244
 - view and synchronise shared calendars, 159
 - view in the Drive app, 243
- Show birthday calendar, 172
- Sign in, sign out, 20
- sign out automatically, 256
- Subscribe
 - Calendar, 158
 - E-Mail folders, 244
 - Google calendar, 158
 - iCal calendars, 158
 - manage address books, 253
 - messages from social networks, 50
 - refresh data, 253
 - subscribe to contacts from external address books, 118
 - subscribe to RSS feeds, 50
- Subscribe to RSS feeds, 50
- T**
- Tabs
 - definition, 13
 - working with tabs, 77
- Task settings
 - Receive notifications when a participant accepted or declined a task created by you, 195
 - Receive notifications when a participant accepted or declined a task in which you participate, 195
 - Receive notifications when a task in which you participate is created, modified or deleted, 195
- Tasks , 175
 - add participant, 185
 - add task folder, 187
 - Adding attachments, 185
 - answer invitations, 186
 - change due date, 190
 - changing status, 191
 - Components, 176
 - create, 184
 - create recurring task, 185
 - delete, 192
 - display, 182
 - edit, 189
 - export, 191
 - import, 191
 - manage, 188
 - mark as done, 189
 - move, 190
 - print, 192
 - save attachment, 183
 - search, 193
 - share, see sharing, 235
 - view attachment, 183
- Tasks-User interface
 - Detail view, 180
 - Display area, 178
 - editing window, 181
 - folder view, 178
 - List, 179
 - search bar, 177
 - Tool bar, 177
- Terminology, 13
- Text file
 - edit, 212
- Text files
 - create, 212
- Timezone
 - display multiple timezones, 141
 - manage favourite timezones, 163
- U**
- Unified Mail, 87
- Unlock files, 219
- Use the scheduling view, 151
- User interface
 - App Launcher, 24
 - definition, 13
 - Display area, 28
 - editing window, 31
 - folder view, 27
 - general description, 22
 - halo view, 29
 - Keyboard input, 32, 33, 34
 - Menu bar, 23
 - notification area, 30
 - Pop-up, 29
 - search bar, 25
 - Tool bar, 26
- User, definition, 13
- V**
- Vacation notice, 74
- vCard
 - export, 123
 - import, 122
 - send, 121
- View
 - accounts, 251
 - appointment attachment, 144
 - Appointments, 139, 140, 143
 - contact attachment, 110
 - Contacts, 109
 - email attachment, 64
 - Email messages, 63
 - Files, 206

- files in the viewer, 207
- task attachment, 183
- Tasks, 182

Viewer, 205

W

Web address
 see domain, 13

WebDAV
 accessing files, 223
 definition, 223
 set up under Linux, 223
 set up under Windows 7, 223

whitelist
 definition, 13

Whitelist
 use, 258

X

XING
 add as XING contact, 121
 add widget, 50
 invite to XING, 122